

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

CONDITIONS OF SALE AND LIMITED WARRANTY:

The Directions for Use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended or other influencing factors in the use of the product, all of which are beyond the control of the seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label, subject to the inherent risks referred to above, when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller and Buyer and User assume the risk of any such use. SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY.

When Buyer or User claims losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability or other legal theories), Buyer or User must promptly notify in writing Seller of any claims to be eligible to receive either of the remedies set forth below. The EXCLUSIVE REMEDY OF BUYER OR USER and the LIMIT OF LIABILITY of Seller will be, at the election of Seller, refund of the purchase price paid for product bought, or replacement of amount of product used. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

FORCE® is a trademark of an ICI Group Company.



MAY 18 1993

Ms. Cheryl Mulherin
Vigoro Industries, Inc.
2017 West Highway 50
P.O. Box 4139
Fairview Heights, Illinois 62208-0839

Subject: Revised Labeling--Avian Granular Policy
Ideal 20 Insect Control Plus Lawn Fertilizer
EPA Registration Number 557-1981
Your Submission Dated April 23, 1993

Dear Ms. Mulherin:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable provided that you make the labeling change indicated below before you release the product for shipment bearing the amended labeling:

Revise the Environmental Hazard statement to read:

This pesticide is toxic to birds, fish, and aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

Treats up to 5,000 sq. ft.

IDEAL 20

INSECT CONTROL PLUS LAWN FERTILIZER

10-6-4

Controls Certain
White Grubs,
Chinch Bugs,
Brown Dog Ticks,
Cutworms
and other insects in
Lawns
and
Turfgrasses.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment
If on skin: Wash with soap and water.
If in eyes: Flush with plenty of water. See
back panel for additional precautionary
statements.

ACTIVE INGREDIENTS

Chlorpyrifos (O, O-diethyl-O-
(3, 5, 6-trichloro-2-pyridyl)
phosphorothioate 0.575%

INERT INGREDIENTS . . . 99.425%

TOTAL 100.00%

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 18 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

557-1981

U.S. Patent No. 3,244,586

EPA Reg. No. 557-1981

EPA Est. No. 557-IL-1

BEST AVAILABLE COPY

NET WT. 20 LBS.

NET WT. 20 LBS
Treats up to 5,000 sq. ft.
IDEAL 20
INSECT CONTROL PLUS
LAWN FERTILIZER
10-6-4

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	10.0%
10.0% Ammoniacal nitrogen	
AVAILABLE PHOSPHORIC ACID (P_2O_5)	6.0%
SOLUBLE POTASH (K_2O)	4.0%

Derived from ammoniated phosphates, ammonium sulfate and muriate of potash.

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Avoid contact with skin, eyes or clothing. Avoid breathing of dust. Wash thoroughly after handling. Wash contaminated clothing before reuse. Harmful if swallowed. Do not take internally. Keep children and pets off treated areas until product is washed into the soil and grass is dry.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL HAZARD

Do not apply directly to water. Keep out of lakes, streams or ponds. Do not apply where run-off is likely to occur. This product is toxic to fish, birds and other wildlife. Do not contaminate any body of water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LAWN AND TURF AREAS: To control Chinchbugs, Sod Webworms, Ants, Brown Dog Ticks, Crickets, Cutworms, Earwigs, Grasshoppers and Sowbugs (Pillbugs), apply the contents of this bag uniformly over ~~5,000 sq. ft.~~ using the spreader setting shown below, followed IMMEDIATELY by thorough watering to carry the active ingredient into the zone of insect infestation.

To control certain white grubs (larvae of European Chafer and Japanese Beetle), apply the contents of this bag uniformly over 5,000 sq. ft. using the spreader setting shown below, followed IMMEDIATELY by thorough watering. For best results, treat when grubs are young and actively feeding near the soil surface, usually during July and August. Consult your local Agricultural Extension Service specialist for best time to treat in your area. ~~then high~~

BEST AVAILABLE COPY