EPA REGISTRATION NO. US ENVIRONMENTAL PROTECTION AGENCY 557-1991 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) TERM OF ISSUANCE WASHINGTON, DC 20460 Conditional NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION PAR EY FERTILIZEE (Under the Federal Insecticide, Fungicide, WITH FLESS RONSTAR and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) г Vigoro Industries, Inc. P.O. Box 4139 Fairview Heights, II 62208 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally resistered in accordance with MIRRA sec. 3(c)(7)(A) provided that you. Submit and/or cite all data reanired registration/reregistration of your product under FIFBA 3(c)(E) when the Agency requires all registrants or similar products to submit such data. 2. Submit product chemistry data for this product, series 61. 62 and 63, within 90 days of this Registration Notice. Add the phrase "EPA Registration No. 557 1991" to your label. 4. Submit one (1) copy of your first printed lateling prior to releasing the product for shapment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec.  $\theta(e)$ . Your release for shipment of the product constitutes acceptance of these conditions A stamped copy of the label is enclosed for your records. BEST AVAILABLE COPY Joann⊬ 1. Miljer Product Manager (23) Funcionde Herbicide Franch ATTACHMENT IS APPLICABLE Registration Division (H7505C) DATE PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

FRONT PANEL

22-3-9 TREATS 5,300 to 10,400 Sq. Ft.

FERTILIZER

PLUS 0.96% RONSTAR®\*

PAR EXO

PROFESSIONAL PRODUCTS

ACCEPTED

16 JUL 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 557-1991

An Excellent source of nutrients for established turf plus a selective pre-emergent herbicide which controls weeds in Bermuda Grass, St. Augustine Grass, Tall Fescue, Zoysia Grass, Perennial Bluegrass and Perennial Ryegrass.

#### ACTIVE INGREDIENT:

\*\*Oxadiazon (2-tert-butyl-4-(2,4-dichloro-

5-isopropoxyphenyl) -  $\triangle^2$  1,3,4-oxadiazolin-

\*\*Contains 19.2 pounds of RONSTAR per ton. For sale to, use and storage by professional turf maintenance personnel only. Not for use on home lawns.

# KEEP OUT OF REACH OF CHILDREN

#### WARNING

In case of contact; for eyes, flush with water for 15 minutes; for skin, wash with plenty of soap and water. Get medical attention if irritation persists. See back panel for additional precautionary statements.

\*Registered trademark of Rhone-Poulenc, Inc.

NET WT. 50 LBS.

EPA Reg. No. 55

EPA Est. No. 557-Fb-1

# NET WT 50 LBS.

# 22-3-9

# FERTILIZER

# PLUS 0.96% RONSTAR®

# GUARANTEED ANALYSIS

Total Nitrogen (N)	22.00%
1.20% Ammoniacal Nitrogen	
17.30% Urea Nitrogen*	
3.50% Water Insoluble Nitrogen	
Available Phosphate (P2O5)	3.00%
Soluble Potash (K <sub>2</sub> O)	9.00%
Magnesium (Mg)	1.00%
1.00% Water Soluble Magnesium (Mg)	
Sulfur (S)	6,00%
2.00% Sulfur (S), Free	
4.00% Sulfur (S), Combined	
Boron (B)	0.02%
Copper (Cu)	0.07%
Iron (Fe)	1.00%
Manganese (Mn)	0.23%
0.18% Water Soluble Manganese (Mn)	
Zinc (Zn)	0.06%
Derived from ammonium phosphate, urea, sulfur coated ure	a, isobutylidene
diurea, sulphate of potash, sulphate of potash-magnesia,	<del>-</del>
copper oxide copper sulphate, iron oxide, iron sulphate	
manganese sulphate, zinc oxide and zinc sulphate.	
*5.50% slowly available urea nitrogen from sulfur coated	urea.
Chlorine, not more than	2.00%

### PAR EX®

# PROFESSIONAL PRODUCTS

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# WARNING

Harmful if swallowed. Avoid breathing dust. Wear protective clothing including long-sleeve shirt and gloves when handling. Causes eye and skin irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse.

#### ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Ronstar® should not be used in areas where irrigation or rainfall results in the direct or indirect (via ditches and canals) contamination of surface waters through dissolved runoff or erosion of soil particles to which oxadiazon is adsorbed.

# DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- 1. Rake area free of leaves.
- 2. Mow, if necessary, so granules reach soil surface.
- Measure area to be treated and apply required amount uniformly, using a fertilizer spreader.
- 4. Water in promptly after application.

( 'ar Ex Fertilizer plus 0.96% Ronstar will give preemergent control of the following weeds in established Bermuda grass, St. Augustine grass, tall fescue, zoysia grass, perennial bluegrass, and perennial ryegrass on golf course fairways, parks and lawns:

WEED WHEN TO USE AMOUNT PER 1000 SQ.FT.

Goosegrass, Crabgrass In early spring 4.8 to 7.3 lbs.

Annual Bluegrass In fall or early spring 9.4 lbs.

Pigweed, Florida Pusley In early spring 9.4 lbs.

Oxalis, Stinging Nettle

#### PRECAUTIONS:

DO NOT apply to wet turf as injury may result.

DO NOT apply to Dichondra or Centipedegrass.

DO NOT use on putting greens or tees or any turf areas containing bentgrass or red fescue.

90 NOT apply to newly seeded areas. Seeding into treated areas should be delayed for 120 days after treatment.

JO NOT apply to turf with heavy thatch accumulation or to turf which has been affected by disease or nematode activity. DO NOT feed treated clippings to livestock.

This product will stain patios and sidewalks. Remove spillage promptly.

# STORAGE AND DISPOSAL

STORAGE: Store in a dry place, Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility...

CONTAINER DISPOSAL: Completely empty bag into application equipment.

Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by Sate and local authorities, by burning. If burned, stay out of smoke.

Par Ex® is a registered trademark of Vigoro Industries, Inc.
Manufactured by Vigoro Industries, Inc.,
2121 Third St., SW, Winter Haven, FL 33880