

SEP 30 1994

Ms. Cheryl Mulherin
Vigoro Industries, Inc.
2017 W. Highway 50
Fairview Hts, IL 62208

Dear Ms Mulherin:

Subject: Fertilizer plus 0.964 Ronstar® Par Ex²
LPA Registration No. 557-1991
Application Dated September 7, 1994, Compliance with
FR Notice 93-3, WPS Exclusionary Statement on Labeling

The proposed amendment referred above, submitted in connection with registration under section 3 of the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable provided that you:

- o submit five (1) copies of your final printed labeling before you release the product for shipment.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA, section 6(e). Your release for shipment of the product constitutes acceptance of this condition.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Joanne L. Miller
Product Manager (23)
Fungicide-herbicide Branch
Registration Division (7505C)

enclosures

E.wilson:Diskette:ABC13:09-29-94

BEST AVAILABLE COPY

FRONT PANEL

ACCEPTED
with COMMENTS
In EPA Letter Dated

SEP 30 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
557-1991

22-3-9

TREATS

5,300 to 10,400 Sq. Ft.

FERTILIZER

PLUS 0.96% RONSTAR®*

P A R E X®

PROFESSIONAL PRODUCTS

An Excellent source of nutrients for established turf plus a selective pre-emergent herbicide which controls weeds in Bermuda Grass, St. Augustine Grass, Tall Fescue, Zoysia Grass, Perennial Bluegrass and Perennial Ryegrass.

ACTIVE INGREDIENT:

**Oxadiazon (2-tert-butyl-4-(2,4-dichloro-
5-isopropoxyphenyl)- Δ^2 1,3,4-oxadiazolin-
5-one)

0.96%

INERT INGREDIENTS: 99.04%

TOTAL 100.00%

**Contains 19.2 pounds of RONSTAR per ton. For sale to, use and storage by professional turf maintenance personnel only. Not for use on home lawns.

KEEP OUT OF REACH OF CHILDREN

WARNING

In case of contact; for eyes, flush with water for 15 minutes; for skin, wash with plenty of soap and water. Get medical attention if irritation persists. See back panel for additional precautionary statements.

*Registered trademark of Rhone-Poulenc, Inc.

NET WT. 50 LBS. (22.7 kg)

EPA Reg. No. 557-1991

EPA Est. No. 557-FL-1

BEST AVAILABLE COPY

NET WT. 50 LBS. (22.7 kg)

22-3-9

FERTILIZER

PLUS 0.96% RONSTAR®*

PAR EX®

GUARANTEED ANALYSIS

Total Nitrogen (N)	22.00%
1.20% Ammoniacal Nitrogen	
17.30% Urea Nitrogen*	
3.50% Water Insoluble Nitrogen	
Available Phosphate (P_2O_5)	3.00%
Soluble Potash (K_2O)	9.00%
Magnesium (Mg)	1.00%
1.00% Water Soluble Magnesium (Mg)	
Sulfur (S)	6.00%
2.00% Free Sulfur (S)	
4.00% Combined Sulfur (S)	
Boron (B)	0.02%
Copper (Cu)	0.07%
Iron (Fe)	1.00%
Manganese (Mn)	0.23%
0.18% Soluble Manganese (Mn)	
Zinc (Zn)	0.06%

Derived from ammonium phosphate, isobutylidene diurea, urea, sulfur coated urea, sulfate of potash, sulfate of potash-magnesia, sodium borate, copper oxide, copper sulfate, iron oxide, iron sulfate, manganous oxide, manganese sulfate, zinc oxide and zinc sulfate.

Chlorine, not more than 2.00%

PAR EX®

PROFESSIONAL PRODUCTS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful if swallowed. Avoid breathing dust. Wear protective clothing including long-sleeve shirt and gloves when handling. Causes eye and skin irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse.

BEST AVAILABLE COPY

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Ronstar® should not be used in areas where irrigation or rainfall results in the direct or indirect (via ditches and canals) contamination of surface waters through dissolved runoff or erosion of soil particles to which oxadiazon is absorbed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Rake area free of leaves.
2. Mow, if necessary, so granules reach soil surface.
3. Measure area to be treated and apply required amount uniformly, using a fertilizer spreader.
4. Water in promptly after application.

Par Ex Fertilizer plus 0.96% Ronstar will give preemergent control of the following weeds in established Bermuda grass, St. Augustine grass, tall fescue, zoysia grass, perennial bluegrass, and perennial ryegrass on golf course fairways, parks and lawns:

WEED	WHEN TO USE	AMOUNT PER 1000 SQ.FT.
Goosegrass, Crabgrass	In early spring	4.8 to 7.3 lbs
Annual Bluegrass	In fall or early spring	9.4 lbs
Pigweed, Florida Pursley	In early spring	9.4 lbs
Oxalis, Stinging Nettle		

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

PRECAUTIONS:

DO NOT apply to wet turf as injury may result.

DO NOT apply to Dichondra or Centipedegrass.

DO NOT use on putting greens or tees or any turf areas containing bentgrass or red fescue.

DO NOT apply to newly seeded areas. Seeding into treated areas should be delayed for 120 days after treatment.

DO NOT apply to turf with heavy thatch accumulation or to turf which has been affected by disease or nematode activity.

DO NOT feed treated clippings to livestock.

This product will stain patios and sidewalks. Remove spillage promptly.

STORAGE AND DISPOSAL

STORAGE: Store in a dry place. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Par Ex® is a registered trademark of Vigoro Industries, Inc.

Manufactured by Vigoro Industries, Inc.,

2121 Third St., SW, Winter Haven, FL 33880

