357-2026	·6.	-6-1946	gradus from the design of the second of the
US ENVIRONMENTAL PROTECTION AGENCY	CY	EPA REGISTRATION NO.	DATE OF ISSUANCE
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767)		557-2026 TERM OF ISSUANCE	1 1 1 0 0 1338
WASHINGTON, DC 20460		Conditional	l
NOTICE OF RECTIONS TO DECISE AT AN		NAME OF PESTICIDE PROD	ист
NOTICE OF PESTICIDE: REGISTR			
(Under the Federal Insecticide, Fungional Rodenticide Act, as amended)		Par Ex [™] Fortili	zer Plus I. 00% R⊝nstar [©]
NAME AND ADDRESS OF REGISTRANT (Include 21	P code)		
F		7	1
·			
Vigoro Industries, Ir)('		1
P.O. Box 512			į
Winter Haven, FL 338	882-0512		1
L		_1	
NOTE: Changes in labeling formula differing i submitted to and accepted by the Registration product always refer to the above U.S. EPA reg	Division prior	to use of the label in comme	
On the basis of information furnished by the re		pove named pesticide is her	eby Registered/Reregistered under
the Federal Insecticide, Fungicide, and Roder			
A copy of the labeling accepted in connection	with this Regi	stration/Reregistration is re	eturned herewith.
Registration is in no way to be construed as a health and the environment, the Administrator, icide in accordance with the Act. The accepta Act is not to be construed as giving the regist by others.	on his motion, nce of any nam rant a right to o	may at any time suspend or e in connection with the reg exclusive use of the name o	cancel the registration of a pest- gistration of a product under this r to its use if it has been covered
This product is condition section 3(c)(7)(A) provided		istered in accordanc	e with FIFRA
1. Add the phrase "EPA			the label
before you release t			hotugon
 Correct the chemical the greek symbol del "oxadiazolin". 		and correct the spel	
3. Submit five (1) copy			; before
you release the prox			1
4. Submit and/or cite a			
		c. 3(c)(5) when the similar products to	
		le responses require	
		under FIFRA section	
TE (mana and Addition)		والمراجع المراجع المراجع المراجع المراجع	ention will to
If these conditions are subject to cancellation in a			
for shippent of the product			
A stamped copy of the label			i
			ł
	Joann	e I. Miller	İ
	Produ	ct Manager (23)	l
Enclosure	_	cide-Herbicide Brand	
ATTACHMENT IS APPLICABLE	Regis	tration Division (75	505C)
GNATURE OF APPROVING OFFICIAL A			
THE OF AFFRONING OFFICIAL	. .	k micon	JUN 0 6 1993
A Form 8570-6 (Rev. 5-76) PREV	MOUS EDITION I	W. 1/1/1/VOA	0011 0 0 1333

RECD EPA/OPP/DPD1

FRONT PANEL

MAY 29 A10:36

22-3-9

Treats

5,450 to 10,900 Sq. Ft.

PAR EX®

FERTILIZER

PLUS 1.00% RONSTAR®

An excellent source of nutrients for established turf plus a selective pre-emergent herbicide which controls weeds in Bermuda Grass, St. Augustine Grass, Tall Fescue, Zoysia Grass, Perennial Bluegrass and Perennial Ryegrass.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

ACTIVE INGREDIENT:

**Oxadiazon (2-tert-butyl-4-(2,4-dichloro-5-isopropoxyphenyl)- Δ^2 1,3,4-oxydiazolin-5-one) 1.00%

INERT INGREDIENTS: 99.00%

KEEP OUT OF REACH OF CHILDREN **WARNING - AVISO**

Statements of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting try giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. IF IN EYES: Flush eyes with plenty of water. Get medical attention if imitation persists. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if imitation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS **PRECAUTIONARY STATEMENTS**

HAZARDS TO HUMANS AND DOMESTIC ANIMAL

WARNING: Causes eye and akin irritation. Avoid contact with akin, eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Do not allow domestic animals to graze treated areas. Avoid contamination of feed and foodstuffs.

NET WT. 50 LBS. (22.6 kg)

ACCEPTED with COMMENTS In EPA Letter Dated

EPA Reg. No. 557-ENEA

EPA Est. No. 557-FL-1

JUN 0 6 1996 Under the Federal Imeeticide. Fundicide, and Redenticide Act s amended, for the posticide egistered under EPA Reg. No.

^{**}Contains 20 pounds of RONSTAR per ton. For sale to, use and storage by professional turf maintenance personnel only. Not for use on home lawns.

BACK PANEL

22-3-9

PAR EX®

FERTILIZER

PLUS 1.00% RONSTAR®

GUARANTEED ANALYSIS

Total Nitrogen (N)	00%
1.20% Ammoniacal Nitrogen	
17.30% Urea Nitrogen*	
3.50% Water Insoluble Nitrogen	
Available Phosphate (P ₂ O ₅)	00%
Soluble Potash (K ₂ O)9.0	
Magnesium (Mg)1.	
1.00% Water Soluble Magnesium	
Sulfur (S)	00%
2.00% Free Sulfur (S)	
4.00% Combined Sulfur (S)	
Boron (B))2%
Copper (Cu))7%
Iron (Fe)	00%
Manganese (Mn)	23%
0.18% Soluble Manganese (Mn)	
Zinc (Zn)	06%

Derived from ammonium phosphate, isobutylidene diurea, urea, sulfur coated urea, sulfur of potash, sulfate of potash-magnesia, sodium borate, copper oxide, copper sulfate, iron oxide, iron sulfate, manganous oxide, manganese sulfate, zinc oxide and zinc sulfate.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters. Apply only as specifically directed on label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Site Preparation and Follow-up

- 1. Rake area free of leaves.
- 2. Mow if necessary, so granules reach soil surface.
- 3. Measure area to be treated and apply required amount uniformly, using a fertilizer spreader.
- 4. Water in promptly after application.

Par Ex® Fertilizer plus 1.00% Ronstar will give pre-emergent control of the following weeds in established Bermuda grass, St. Augustine grass, tall Fescue, Zoysia grass, perennial bluegrass, and perennial Ryegrass on golf course fairways, parks and lawns.

WEEDS	WHEN TO USE	AMOUNT PER 1,000 SQ. FT.
Goosegrass, Crabgrass	In early spring	4.6 to 6.9 lbs.*
Annual Bluegrass	In fall or early spring	9.2 lbs.
Pigweed, Florida Pulsey	In early spring	9.2 lbs.
Oxalis, Stinging Nettle		

^{*}For longer periods of control use the higher dosage of the range.

USE PRECAUTIONS

DO NOT apply to wet turf as injury may result.

DO NOT apply to Dichondria or Centipedegrass.

DO NOT use on putting greens or tees or any turf areas containing bentgrass or red fescue.

DO NOT apply to newly seeded areas. Seeding into treated areas should be delayed for 120 days after treatment.

DO NOT apply to turf with heavy thatch accumulation or to turf which has been affected by disease or nematode activity.

DO NOT feed treated clippings to livestock.

DO NOT graze treated areas.

DO NOT apply this product through any type of irrigation equipment.

This product will stain patios and sidewalks. Remove spillage promptly.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store product in its original bag, in a cool, dry, locked place out of reach of children. In case of spill, sweep up, and use according to directions or dispose of as follows.

<u>PESTICIDE DISPOSAL</u>: (Pesticide wastes are toxic, improper disposal of excess pesticide, is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

<u>CONTAINER DISPOSAL</u>: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities by burning, if burned stay out of smoke.

Par Ex is a registered trademark of Vigoro Industries, Inc.
Manufactured by Vigoro Specialty Products, A Division of IMC Global
P.O. Box 512, Winter Haven, FL 33882-0512