

**A QUATERNARY CLEANER  
DISINFECTANT AND DEODORIZER**

*For Use On:*

Equipment, utensils, floors, walls, doors, sinks, lavalory furnishings and other hard surface articles.

*Recommended For Use In:*


Hotels, motels, schools, athletic clubs, restaurants, office buildings and theaters.

**MICROBIOLOGICAL DATA**

A O A C Use	Dilution Test		A O A C Detergent Sanitizer Test	
10 minutes	20 <sup>0</sup> C		30 seconds in hard (250 ppm	
S aureus	1:64		CaCO <sub>3</sub> ) water	
S choleraesuis	1:64		S aureus	1:256
Ps. aeruginosa	1:64		E coli	1:256
A O A C Fungicidal Test				
T. interdigitale	1:64			

**WARNING: KEEP OUT OF REACH OF CHILDREN.** Harmful if swallowed. Causes skin and eye irritation. Avoid contact of concentrate with skin, eyes or clothing. Avoid contamination of food stuffs. rinse empty container thoroughly with water and discard it.

**FIRST AID: Contact** - flush eyes or skin with copious amounts of flowing water. Remove and wash contaminated clothing before reuse. **Ingestion** - do not induce vomiting; dilute with large quantities of fluids. In all instances, follow first aid with attendance by a physician.



**ACTIVE INGREDIENTS**  
 n-Alkyl(60%C<sub>14</sub>,30%C<sub>16</sub>,5%C<sub>12</sub>,5%C<sub>18</sub>)Dimethyl Benzyl Ammonium Chloride  
 n-Alkyl(68%C<sub>12</sub>,32%C<sub>14</sub>), Dimethyl Ethylbenzyl Ammonium Chlorides  
 Tetrasodium ethylene diamine tetraacetate  
 Sodium Carbonate

**INERT INGREDIENTS**

**WARNING: KEEP OUT OF REACH OF CHILDREN**  
 See Left Panel for Additional Precautionary Information

**NET CONTENTS 1 US GALLON**

**ckeye**



**D GREEN**

...hyl Benzyl Ammonium Chlorides	2.25%
...l Ammonium Chlorides	2.25%
...	1.00%
...	3.00%
...	91.50%

**OF REACH OF CHILDREN**  
Precautionary Information

**S 1 US GALLON**

Cameraman's Note  
Poor Copy

**GERMICIDAL  
STAPHYLOCIDAL  
FUNGICIDAL  
PSEUDOMONACIDAL**


**DIRECTIONS:** Use a mop or sponge to thoroughly wet surfaces with one of the following solutions

For all general disinfection of walls, floors, woodwork and similar environmental surfaces, including application for control of athlete's foot organism, pseudomonas and the typhoid viruses Asian Influenza A 2, Herpes Simplex, Adeno II and Varicella use dilution of 2 ounces GARD to 1 gallon of water

For sanitizing food equipment and utensils, use dilution of 2 ounces of GARD to 3 1/2 gallons of water. This solution contains 200 ppm quaternary. Follow use of cleaner with a potable water rinse before reuse of equipment and utensils

EPA Reg. No. 559-17

*the*  
**deries-young**  
**company**



Maryland Heights, Mo. 63043

