

For Use On:

Equipment, utensils, floors, walls, doors, sinks, lavatory furnishings and other hard surface articles.

Recommended For Use In:

Hotels, motels, schools, athletic clubs, restaurants, office buildings and theaters.

MICROBIOLOGICAL DATA

A.O.A.C. Use Dilution Test
10 minutes 20°C

S aureus	1:64
S choleraesuis	1:64
Ps aeruginosa	1:64
A.O.A.C. Fungicidal Test	
T. interdigitale	1:64

A.O.A.C. Detergent Sanitizer Test
30 seconds in hard (250 ppm
CaCO₃) water

S aureus	1:256
E coli	1:256

WARNING: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Causes skin and eye irritation. Avoid contact of concentrate with skin, eyes or clothing. Avoid contamination of food stuffs, rinse empty container thoroughly with water and discard it.

FIRST AID: Contact — flush eyes or skin with copious amounts of flowing water. Remove and wash contaminated clothing before reuse. Ingestion — do not induce vomiting. Dilute with large quantities of fluids. In all instances, follow first aid with attendance by a physician.

ACCEPTED

res-

tizer Test
50 ppm

1.256
1.256

CHIL-
irritation
ng Avoid
oroughly

copious
aminated
ng dilute
stand with

GARBO GREEN



ACTIVE INGREDIENTS

- n-Alkyl(60%C₁₄,30%C₁₆,5%C₁₂,5%C₁₈)Dimethyl Benzyl Ammonium Chlorides
- n-Alkyl(68%C₁₂,32%C₁₄), Dimethyl Ethybenzl Ammonium Chlorides
- Tetrasodium ethylene diamine tetraacetate
- Sodium Carbonate

INERT INGREDIENTS

WARNING: KEEP OUT OF REACH OF CHILDREN

See Left Panel for Additional Precautionary Information

NET CONTENTS 1 US GALLON

A QUATERNARY CLEANER DISINFECTANT AND DEODORIZER

For Use On:

Equipment, utensils, floors, walls, doors, sinks, lavatory furnishings and other hard surface articles.

Recommended For Use In:

Hotels, motels, schools, athletic clubs, restaurants, office buildings and theaters.

MICROBIOLOGICAL DATA

A.O.A.C. Use	Dilution Test		
10 minutes	20°C		
S aureus	1:64	A.O.A.C. Detergent Sanitizer Test	
S choleraesuis	1:64	30 seconds in hard (250 ppm	
Ps aeruginosa	1:64	CaCO ₃) water	
A.O.A.C. Fungicidal Test		S aureus	1:256
T interdigitale	1:64	E coli	1:256

WARNING: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Causes skin and eye irritation. Avoid contact of concentrate with skin, eyes or clothing. Avoid contamination of food stuffs. Rinse empty container thoroughly with water and discard it.

FIRST AID: Contact - flush eyes or skin with copious amounts of flowing water. Remove and wash contaminated clothing before reuse. Ingestion - do not induce vomiting. Dilute with large quantities of fluids. In all instances, follow first aid with attendance by a physician.

ACCEPTED

NOV 21 1973

GERMICIDAL STAPHYLOCIDAL FUNGICIDAL PSEUDOMONACIDAL

DIRECTIONS: Use a mop or sponge to thoroughly wet surfaces with one of the following solutions.

For all general disinfection of walls, floors, woodwork and similar environmental surfaces, including application for control of athlete's foot organism, pseudomonas and the lipophilic viruses Asian Influenza A 2, Herpes Simples, Adeno II and Vaccinia use dilution of 2 ounces GARD to 1 gallon of water.

For sanitizing food equipment and utensils, use dilution of 2 ounces of GARD to 3 1/2 gallons of water. This solution contains 200 ppm quaternary. Follow use of cleaner with a potable water rinse before reuse of equipment and utensils.

EPA Reg. No. 559-18

the
daries-young
CORPORATION



Maryland Heights, Mo 63041



Recommended For Use In:

Hotels, motels, schools, athletic clubs, restaurants, office buildings and theaters.

MICROBIOLOGICAL DATA

A.O.A.C. Use	Dilution Test	
10 minutes	20 ⁰ C	
<i>S. aureus</i>	1:64	A.O.A.C. Detergent Sanitizer
<i>S. choleraesuis</i>	1:64	30 seconds in hard (250
<i>P. aeruginosa</i>	1:64	CaCO ₃) water
A.O.A.C. Fungicidal Test		<i>S. aureus</i>
<i>T. interdigitale</i>	1:64	<i>E. coli</i>

WARNING: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Causes skin and eye irritation. Avoid contact of concentrate with skin, eyes or clothing. Prevent contamination of food stuffs; rinse empty container thoroughly with water and discard it.

FIRST AID: Contact - flush eyes or skin with large amounts of flowing water. Remove and wash contaminated clothing before reuse. Ingestion - do not induce vomiting; drink with large quantities of fluids. In all instances, follow first aid instructions and seek attendance by a physician.

ACCEPTED

NOV 21 1973

BY THE FEDERAL INSECTICIDE AND RODENTICIDE ADMINISTRATION FOR ECONOMIC POISON REGISTERED UNDER NO. 559-18 SUBJECT TO ATTACHED COMMENTS.

GARBO BLUE



ACTIVE INGREDIENTS

n-Alkyl(60%C ₁₄ ,30%C ₁₆ ,5%C ₁₂ ,5%C ₁₈)Dimethyl Benzyl Ammonium Chlorides	2.25%
n-Alkyl(68%C ₁₂ ,32%C ₁₄), Dimethyl Ethylbenzyl Ammonium Chlorides	2.25%
Tetrasodium ethylene diamine tetraacetate	1.00%
Sodium Carbonate	3.00%

INERT INGREDIENTS

91.50%

WARNING: KEEP OUT OF REACH OF CHILDREN

See Left Panel for Additional Precautionary Information

NET CONTENTS 1 US GALLON