

A QUATERNARY CLEANER DISINFECTANT AND DEODORIZER

For Use On:

Equipment, utensils, floors, walls, doors, sinks, lavatory furnishings and other hard surface articles.

Recommended For Use In:

Hotels, motels, schools, athletic clubs, restaurants, office buildings and theaters.

MICROBIOLOGICAL DATA

A.O.A.C. Use-Dilution Test
10 minutes - 20°C

S. aureus 1:64
S. typhimurium 1:64
P. aeruginosa 1:64

A.O.A.C. Fungicidal Test
1:1000 (1:1000)


1:64
1:64
1:64
1:64

A.O.A.C. Detergent Sanitizer Test
30 seconds in hard (250 ppm
CaCO₃) water

S. aureus 1:256
E. coli 1:256

WARNING: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Causes skin and eye irritation. Avoid contact of concentrate with skin, eyes or clothing. Avoid contamination of food stuffs. Rinse empty container thoroughly with water and discard it.

FIRST AID: Contact - flush eyes or skin with copious amounts of flowing water. Remove and wash contaminated clothing before reuse. Ingestion - do not induce vomiting; dilute with large quantities of fluids. In all instances, follow first aid with attendance by a physician.



ACTIVE INGREDIENTS
n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) Dimethyl Benzyl Ammonium
n-Alkyl (68% C₁₂, 32% C₁₄), Dimethyl Ethylbenzyl Ammonium Chloride
Tetrasodium ethylene diamine tetraacetate
Sodium Carbonate

INERT INGREDIENTS

WARNING: KEEP OUT OF REACH OF CHILDREN.
See Left Panel for Additional Precautionary Information

NET CONTENTS 1 US GALLON

Keye




10 PINK

Benzyl Ammonium Chlorides	2.25%
Ammonium Chlorides	2.25%
.....	1.00%
.....	3.00%
.....	91.50%

KEEP OUT OF REACH OF CHILDREN
 Cautionary Information

US GALLON

**GERMICIDAL
 STAPHYLOCIDAL
 FUNGICIDAL
 PSEUDOMONACIDAL**



DIRECTIONS: Use a mop or sponge to thoroughly wet surfaces with one of the following solutions.

For all general disinfection of walls, floors, woodwork and similar environmental surfaces, including application for control of athlete's foot organism, pseudomonas and the typhoid viruses Asian Influenza A 2, Herpes Simples, Adeno II and Vaccinia use dilution of 2 ounces GARD to 1 gallon of water.

For sanitizing food equipment and utensils, use dilution of 2 ounces of GARD to 3 1/2 gallons of water. This solution contains 200 ppm quaternary. Follow use of cleaner with a potable water rinse before reuse of equipment and utensils.

EPA Reg. No. 559-19

the
denier-union
 Maryland Heights, Mo. 63044

Hotels, motels, schools, athletic clubs, restaurants, office buildings and theaters.

MICROBIOLOGICAL DATA

A O A C Use Dilution Test:
10 minutes 20°C

<i>S. aureus</i>	1.64
<i>S. choleraesuis</i>	1.64
<i>P. aeruginosa</i>	1.64

A O A C Fungicidal Test:
1. interdigitale

1.64

A O A C Detergent Sanitizer Test
30 seconds in hard (250 ppm
CaCO₃) water

<i>S. aureus</i>	1:256
<i>E. coli</i>	1:256

WARNING: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Causes skin and eye irritation. Avoid contact of concentrate with skin, eyes or clothing. Avoid contamination of food stuffs. Rinse empty container thoroughly with water and discard it.

FIRST AID: Contact -- flush eyes or skin with copious amounts of flowing water. Remove and wash contaminated clothing before reuse. Ingestion -- do not induce vomiting, dilute with large quantities of fluids. In all instances, follow first aid with attendance by a physician.

ACCEPTED

NOV 2 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 559-19 SUBJECT
TO ATTACHED COMMENTS.

ACTIV
n-A
n-A
Tetr
Sodi
INERT
W

GARBO PINK



ACTIVE INGREDIENTS

n-Alkyl(60%C ₁₄ ,30%C ₁₆ ,5%C ₁₂ ,5%C ₁₈)Dimethyl Benzyl Ammonium Chlorides	2.25%
n-Alkyl(68%C ₁₂ ,32%C ₁₄), Dimethyl Ethylbenzyl Ammonium Chlorides	2.25%
Tetrasodium ethylene diamine tetraacetate	1.00%
Sodium Carbonate	3.00%

INERT INGREDIENTS

91.50%

WARNING: KEEP OUT OF REACH OF CHILDREN

See Left Panel for Additional Precautionary Information

NET CONTENTS 1 US GALLON

res-

Test
ppm

1:256
1:256

CHIL-
tation
Avoid
roughly

opious
inated
dilute
id with

DIR
wet s

For al
lar en
athlet
Asian
dilutio

For s
ounces
tains
able w

EPA P

DE
CT
R-