

**DIRECTION FOR USE  
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add ½ ounce (1 tablespoon) per gallon of water. Apply Quat-256 to floors, walls and other hard surfaces such as tables, chairs, and bedframes with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At ½ ounce (1 tablespoon) per gallon use-level, Quat-256 is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal test.

\*At ½ ounce (1 tablespoon) per gallon use-level, Quat-256 is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A2 as represented by the strain commonly called the Hong Kong Flu and the London Flu Virus, on inanimate environmental surfaces.

# Buckeye



## QUAT-256

**CLEANER — DISINFECTANT — DEODORIZER — FUNGICIDE — VIRUCIDE\***  
FOR HOSPITAL AND INSTITUTIONAL USE

**ACTIVE INGREDIENTS**

Octyl Decyl Dimethyl Ammonium Chloride .....	3.750%
Dioctyl Dimethyl Ammonium Chloride .....	1.875%
Didecyl Dimethyl Ammonium Chloride .....	1.875%
Alkyl (C <sub>12</sub> 50%; C <sub>10</sub> 40%; C <sub>8</sub> 10%) Benzyl Dimethyl Ammonium Chloride .....	5.000%
Tetraodium Ethylenediamine Tetraacetate .....	3.420%
<b>INERT INGREDIENTS:</b> .....	<b>84.080%</b>
	100.000%

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
SEE ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID.

ACCEPTED  
R 21  
Under Federal  
Fungicide and Ro  
as used for il  
registr under  
EPA No. 5

**NET CONTENTS: 5 U.S. GALLONS**