

CODE 0845

SOLD TO VETERINARIANS ONLY

Q.U.A. Disinfectant

A concentrated, cationic, surface-active disinfectant and sanitizing agent (Phenol Coefficient 56 *Salmonella typhosa*, 83 *Staphylococcus aureus*).

ACTIVE INGREDIENTS: n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈), dimethyl benzyl ammonium chlorides 5%; n-alkyl (50% C₁₂, 30% C₁₄, 17% C₁₆, 3% C₁₈) dimethyl ethylbenzyl ammonium chlorides 5%.

INERT INGREDIENTS: Water 90%. Total ingredients: 100%.

DANGER: Keep out of Reach of Children

Causes eye and skin damage. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food. See first aid statement on right panel.

1 U.S. GAL. = 0.83 IMP. GAL.

DIRECTIONS: Dilute 1 fl. oz. (2 tablespoonsful) with distilled or soft water, as directed; be sure that the disinfectant maintains contact for at least ten minutes after cleaning. Use 1 fl. oz. per 4 gallons for sanitation of non-porous surfaces, milk cans and other dairy equipment which must be cleaned and thoroughly rinsed before being immersed in the diluted Q.U.A. Disinfectant; then, the utensils should be rinsed with potable water and air dried. Use 1 fl. oz. per 1 gallon: (1) for disinfecting surgical and hospital equipment and utensils — surfaces must be cleaned free of all adhering blood and exudates prior to application of the disinfectant; autoclave whenever possible; (2) for disinfecting waste receptacles; (3) for deodorizing purposes. Not recommended for injection equipment or surgical instruments for use in body cavities. Use 1 fl. oz. to 1 gallon for disinfecting towels and clothes; soak for one hour using 1 gallon solution per 15 lbs. fabrics (dry weight); do not rinse. Rinse empty container thoroughly with water and discard it.

NOTE: Do not mix Q.U.A. Disinfectant with soap or anionic detergents; the non-corrosive properties of the disinfectant on inanimate surfaces can be improved by adding 0.5% sodium nitrite to it.

FIRST AID: In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes. For eyes, get medical attention immediately. Remove and wash contaminated clothing, before reuse. If swallowed, drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, drink large quantities of water. Call a physician immediately.

EPA Reg. No. 569-3
EPA Est. No. 569-KS-1

Lot No.

Haver-Lockhart
LABORATORIES

ACCEPTED

JUN 19 1974