

CODE 274 05



FLEA AND TICK SPRAY

ACCEPTED
OCT 13 1972
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC PESTICIDE REGISTER-
ED UNDER NO. 13139-1 SUBJECT
TO ATTACHED COMMENTS.

13139-1
[569-64]

Provides rapid kill of fleas and ticks. Pro-
longed action helps prevent reinfestation on
dogs and cats and their bedding.

DIRECTIONS: Read entire label before using. Hold container 6 to 10 inches from the animal and spray lightly over the entire body. Do not spray in eyes. For best coverage, direct spray against the natural lay of the hair to cause fluffing of the coat. Repeat as necessary but not more often than once weekly. For more prolonged flea and tick control, the animals bedding should also be treated to help prevent reinfestation.

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of treated area. If swallowed, induce vomiting. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils and food preparation areas. If poisoning should occur, obtain prompt medical aid. Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures over 130 F. may cause bursting. Never throw container into fire or incinerator. See other precautions on back panel.

*U.S. Patent No. 3,111,539
EPA Reg. No. 13139-1

Lot No.

0274-050

CUTTER Laboratories, Inc.

Veterinary Division
Shawnee, Kansas 66201 U.S.A.
Ottawa, Ontario, Canada



FLEA AND TICK SPRAY

CONTAINS: Active Ingredients: 0-Isopropoxyphenyl methylcarbamate* 0.25%. Inert Ingredients: 99.75%



NET WT. 15 OZ.

CAUTION: Keep out of reach of children.
Contents under pressure. See back panel for addi-
tional cautions.