

1 of 2

Code: 0573

o a a b m 1

pressurized spray

An insecticide for fleas, lice and ticks
on dogs and cats, and repellent for
flies, mosquitoes, and gnats.

CAUTION:

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F. may cause bursting. Never throw container into fire or incinerator. See side panel for additional warnings.

12 OZ. (AVD.)

Manufactured for



Shawnee
Kansas
66201, U.S.A.

SOLD TO VETERINARIANS ONLY

CONTENTS

Active Ingredients:	
Pyrethrins	0.06%
Piperonyl butoxide*, technical	0.48%
Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate)	0.50%
2, 3:4, 5-Bis (2-butylene) tetrahydro-2-furaldehyde	0.24%
Petroleum distillate	23.67%
Inert Ingredients:	75.05%
Total Ingredients:	100.00%
*Equivalent to 0.384% of (butylcarbityl) (6-propylpiperonyl) ether and 0.096% of related compounds.	

DIRECTIONS

Hold Para Bomb-M™-1 upright 2 to 4 inches from the dog or cat. Depress valve and direct spray over the animal until entire coat is damp.

For average-sized dogs, an application for thirty seconds is usually sufficient; for cats, ten seconds. In heavily-coated animals, spray against the lay of the hair. To kill ticks, the spray must hit them directly. May be repeated at weekly intervals, if required. Interior of kennel or other quarters should be thoroughly sprayed as well as bedding. Nervous dogs and cats soon become accustomed to the hissing noise and cool sensation of the spray.

WARNING: Harmful if swallowed. If swallowed, call a physician immediately. Avoid contamination of feed and foodstuffs. Note to physician: Atropine is antidotal. Avoid breathing of spray mist. Skin contact may be harmful. Avoid contact with skin, wash after handling. Keep out of reach of children. See bottom of can for lot number.

EPA Reg. No. 569-1
EPA Est. No. 599-KS-1

20f2

Code: 0571

Para Bomb™ Junior pressurized spray

An insecticide for fleas, lice and ticks
on dogs and cats, and repellent for
flies, mosquitoes, and gnats.

CAUTION:

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F. may cause bursting. Never throw container into fire or incinerator. See side panel for additional warnings.

6 OZ. (AVD.)

Manufactured for



SOLD TO VETERINARIANS ONLY

CONTENTS

Active Ingredients:	
Pyrethrins	0.06%
Piperonyl butoxide*, technical	0.48%
Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate)	0.50%
2, 3:4, 5-Bis (2-butylene) tetrahydro-2-furaldehyde ..	0.24%
Petroleum distillate	23.67%
Inert Ingredients:	75.05%
Total Ingredients:	100.00%

*Equivalent to 0.384% of (butylcarbityl) (6-propylpiperonyl) ether and 0.096% of related compounds.

DIRECTIONS

Hold Para Bomb-M™-1 Junior upright 2 to 4 inches from the dog or cat. Depress valve and direct spray over the animal until entire coat is damp.

For average-sized dogs, an application for 30 seconds is usually sufficient; for cats, 10 seconds. In heavily coated animals, spray against the lay of the hair. To kill ticks, the spray must hit them directly. May be repeated at weekly intervals if required. Interior of kennel or other quarters should be thoroughly sprayed as well as bedding. Nervous dogs and cats soon become accustomed to the hissing noise and cool sensation of the spray.

WARNING: Harmful if swallowed. If swallowed, call a physician immediately. Avoid contamination of feed and foodstuffs. Note to physician: Atropine is antidotal. Avoid breathing of spray mist. Skin contact may be harmful. Avoid contact with skin; wash after handling. Keep out of reach of children. See bottom of can for lot number.

EPA Est. No. 569-KS-1
EPA Reg. No. 569-65

2 2
0 b m 1TM
junior
pressurized spray

**ecticide for fleas, lice and ticks
 ogs and cats, and repellent for
 ies, mosquitoes, and gnats.**

N:
Ca: Contents under pressure. Do
 not use or store near
 open flame. Exposure to tempera-
 ture above 130 F. may cause bursting.
 Do not pour into fire or incinerator.
 See side panel for additional warnings.

6 OZ. (AVD.)

Manufactured for



SOLD TO VETERINARIANS ONLY

CONTENTS

Active Ingredients:

Pyrethrins -----	0.06%
Piperonyl butoxide*, technical -----	0.48%
Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate) -----	0.50%
2, 3:4, 5-Bis (2-butylene) tetrahydro-2-furaldehyde -----	0.24%
Petroleum distillate -----	23.67%
Inert Ingredients: -----	75.05%
Total Ingredients: -----	100.00%

*Equivalent to 0.384% of (butylcarbityl) (6-propylpiperonyl) ether and 0.096% of related compounds.

DIRECTIONS

Hold Para Bomb-MTM-1 Junior upright 2 to 4 inches from the dog or cat. Depress valve and direct spray over the animal until entire coat is damp.

For average-sized dogs, an application for 30 seconds is usually sufficient; for cats, 10 seconds. In heavily coated animals, spray against the lay of the hair. To kill ticks, the spray must hit them directly. May be repeated at weekly intervals if required. Interior of kennel or other quarters should be thoroughly sprayed as well as bedding. Nervous dogs and cats soon become accustomed to the hissing noise and cool sensation of the spray.

WARNING: Harmful if swallowed. If swallowed, call a physician immediately. Avoid contamination of feed and foodstuffs. Note to physician: Atropine is antidotal. Avoid breathing of spray mist. Skin contact may be harmful. Avoid contact with skin; wash after handling. Keep out of reach of children. See bottom of can for lot number.

EPA Est. No. 569-KS-1

EPA Reg. No. 569-65