

CODE 2082

SOLD TO VETERINARIANS ONLY

Sendran[®]

Tick and Flea
Dab-On

Controls brown dog ticks and fleas on dogs
Controls fleas on cats

ACTIVE INGREDIENT: o-Isopropoxy-phenyl methylcarbamate* 1%
INERT INGREDIENTS: 99%
*U. S. Patent No. 3,111,539

DIRECTIONS: Brown dog ticks on dogs can be killed by dabbing the handy applicator directly on the tick or cluster of ticks attached to the animal. To control fleas on dogs and cats, invert the applicator and hold firmly against the skin or hair-coat; then slowly circle the neck twice, rub once along the underside, and once down the back of the animal. Apply weekly as needed. Do not apply to sick, convalescent or nursing animals. Do not use other pesticides within one week of application.

CAUTION: Harmful if inhaled or absorbed through the skin. May be fatal if swallowed. Do not get in eyes. Excessive or prolonged contact of the product with the skin should be avoided. Wash hands thoroughly with soap and warm water after applying to animals. Wash contaminated clothing with soap and hot water before reuse. Avoid contamination of food-stuffs. Do not reuse container. Destroy when empty. Keep out of reach of children. o-Isopropoxyphenyl methylcarbamate is a cholinesterase inhibitor — Atropine sulfate is antidotal. Sendran is a Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.
EPA Reg. No. 569-69
EPA Est. No. 569-KS-1

CAUTION

KEEP OUT OF REACH OF CHILDREN
See back panel for warning statements

NET WT. 2 OZ.

Mfg. By:

Lot No.

Haver-Lockhart
LABORATORIES

ACCEPTED
3 1975
Federal Insecticide,
and Rodenticide Act
the pesticide
69-69