

DIRECTIONS

To be most effective, the dust should be applied before the insects become numerous and diseases are apparent. Apply dust evenly to all plant surfaces at 7 to 14 day intervals. During periods of new growth and humid spells, apply at 4 to 5 day intervals.

INSECTS CONTROLLED

Aphids, Red Spider Mites, Japanese Beetles, Rose Leafhoppers, Leaf Rollers, Rose Slugs on GLADIOLI, DAHLIAS, ASTERS, CHRYSANTHEMUMS, SNAPDRAGONS.

ORNAMENTAL INSECTS CONTROLLED

Aphids, Japanese Beetles, Lacebugs, Spider Mites, Euonymus Scale Crawlers, Boxwood Leaf Miners, Bagworms on RHODODENDRONS, AZALEAS, JUNIPERS, EUONYMUS, BOXWOOD, and LILAC.

DISEASES CONTROLLED

Black Spot and Powdery Mildew on ROSES, Septoria Leaf Spot on CHRYSANTHEMUMS, Downy Mildew Leaf Spot on IRIS, and Alternaria Leaf Spot on CHRYSANTHEMUMS, Alternaria Leaf Spot on MARI-GOLDS, and Alternaria Leaf Spot on SNAPDRAGONS.

Do not use on certain ferns including Boston, Maidenhair, and Pteris, as well as on some species of Crassula. Do not use on Boston Ivy. Do not use on Japanese Maple.



UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO.

ROCKLAND ROSE and FLOWER DUST

CONTROLS INSECTS, MITES and CERTAIN DISEASES

CAUTION: KEEP OUT OF REACH OF CHILDREN

See back panel for additional cautions.

NET WT. ONE POUND



Rockland Chemical Co., Inc.
PASSAIC AVENUE, WEST CALDWELL, N. J.

Comments CAUTION:

Harmful if inhaled or swallowed. May cause irritation of nose, throat, and skin. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly after using. Store away from domestic animals. Avoid contamination of feed and foodstuffs. In case of contact, flush with plenty of water; for eyes, get medical attention. Keep out of reach of children. Highly toxic to fish. Do not contaminate ornamental fish ponds.

ACTIVE INGREDIENTS:	By Weight
Carbaryl (1-naphthyl N-methylcarbamate)*	3.0%
Malathion**	4.0%
Folpet [N-(Trichloromethylthio) phthalimide]	5.0%
1,1-bis(p-chlorophenyl)-2,2,2-trichloroethanol***	1.5%
INERT INGREDIENTS:	86.5%
TOTAL	100.0%

*SEVIN, U.S. Pat. 2,409,571
**D. D. Dimech, U.S. Pat. 2,409,571
***K. F. THAYER, U.S. Pat. 2,409,571

This material is packed at full net weight as listed. It is subject to settling and may appear less than full.

U.S.D.A. Reg. No. 572-55

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product in accordance with the label.

ACCEPTED WITH COMMENTS