

10F 3
Case
572-56

ACCEPTED
JUN 30 1986
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 572-56

Rockland® Methoxychlor 2E




Contains 25.0% Methoxychlor Technical
Life of container 12 months
Contains 25.0% Methoxychlor Technical
Net Content One Quart (32 Fl Oz)

ACTIVE INGREDIENTS:
Methoxychlor* Technical.....25.0%
Xylene Range Aromatic Petroleum Solvent..71.0%
INERT INGREDIENTS..... 4.0%
EPA No. 572-56 EPA Est. ^{100.0%}572-NJ-1

25.0% Methoxychlor Technical is equivalent to 22.7% 2,2-bis
(p-Methoxyphenyl)-1,1,1-trichloroethane, the active ingredient
and is a non-flammable liquid.
Contains 25.0% Technical Methoxychlor

**KEEP OUT OF REACH OF CHILDREN
STAY AWAY**

See back panel for additional warnings
Net Content One Quart (32 Fl Oz)



Doc 2

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

NOTE TO PHYSICIAN: This product contains a chlorinated hydrocarbon insecticide. Administer saline laxatives. Pheno barbitol is a preferred sedative.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF INHALED: Move to uncontaminated atmosphere.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and water. Launder clothes before reuse.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Harmful if swallowed. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid breathing vapor or spray mist. Avoid contamination of feed and foodstuffs. Keep pets and children off treated areas until dry.

ENVIRONMENTAL HAZARD: This product is toxic to fish. Do not apply directly to any body of water or wetlands. Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply where runoff is likely to occur or when weather conditions favor drift from treated area. Cover bird baths and fish ponds. This product is toxic to bees and should not be applied when bees are actively visiting the area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

CHEMICAL HAZARD: Do not use, pour or store near heat or open flame. Do not allow to freeze.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This is an emulsifiable concentrate. Please read entire label before using.

FOR LEAF FEEDING INSECT CONTROL ON SHADE TREES AND ORNAMENTALS: Mix 4 to 6 Tablespoons with 3 gallons of water (2 pints per 50 gallons water). Spray when small larvae begin feeding. For control of Cankerworms, Gypsy Moth, Inchworms, Juniper Webworms, Pine Sawflies, Spruce Sawflies on deciduous trees and conifers, direct spray to cover all foliage. Do not over spray. Do not spray Chinese Elms, Japanese Maples, Red Maples and Redbud.

DO NOT spray when temperature is above 85°F

FOR CONTROL OF FRUIT TREE INSECTS: Apply only to Apples, Pears, Peaches, Apricots, Cherries and Plums. Mix 4 to 6 Tablespoons with 3 gallons of water (2 pints per 50 gallons water). Spray to cover all surfaces of foliage and fruit. Begin at petal fall and repeat at 7 to 14 day intervals as needed to control Apple Maggot, Cherry Fruit Worm, Codling Moth, Leaf Hoppers, Plum Curculio, Tent Caterpillar and Japanese Beetle. Do not apply later than 7 days before harvest on Apples, Cherries, Pears, Plums, or later than 21 days of harvest on Peaches and Apricots.

DO NOT USE with materials containing sulphur or other substances incompatible with oil. Do not use on crops within 14 days of application of any material containing sulphur.

FOR ADULT MOSQUITO CONTROL: Mix 1 pint with 2 gallons of water. Spray at the rate of 6 oz. per 1000 square feet (2 gallons per acre.) Apply a fine mist spray to penetrate the area occupied by adult mosquitoes. Apply in early morning or at night when wind is not in excess of 3 miles per hour. Timing should coincide with the greatest mosquito activity. Repeat as necessary. Avoid spray drift over streams, lakes and ponds.

DO NOT apply this treatment where food crops are grown.

STORAGE AND DISPOSAL

STORAGE: Store unused material, in original container only, in a locked storage area out of reach of children and animals. Do not contaminate water food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash. Rinse container thoroughly before discarding.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured by

Product A05632



Rockland Chemical Co., Inc.
West Caldwell, NJ 07006 USA