

ROCKLAND CHEMICAL CO., INC.  
P. O. BOX 809  
WEST CALDWELL, N. J. 07006

Rockland

Chlordane 73%

Mixes rapidly with water

Active Ingredients:

Chlordane, Technical\*..... 73.5%  
Petroleum Distillate..... 16.5%

Inert Ingredients:..... 10.0%  
100.0%

\*Equivalent to 44.1% Octachloro-4,7-methanotetrahydroindane and 29.4% related compound.


WARNING: KEEP OUT OF REACH OF CHILDREN  
See side panel for additional warnings

Net Contents ONE HALF GALLON

ACCEPTED  
with COMMENTS  
by EPA

FEB 20 1971

Under the  
Fungicide  
Registration  
Act  
57B-65



J77-66

5000-6001  
ROCKLAND CHEMICAL CO., INC.

P. O. BOX 300

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Warning. May be fatal if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist or skin contact. In case of spillage on skin, wash with soap and water. Avoid contamination of feed and food-stuffs. Do not use on humans, pets, or fish ponds.

Environmental Hazards: This product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Physical or Chemical Hazards: Do not spray into or near open flame. Do not smoke while spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

Mix 1 pint in 12 gallons of water. Shake or stir well before, and frequently during, use.

Scale: 1 fluid ounce = 2 Tablespoons; 16 ounces = 1 pint

DISPOSAL: Do not reuse container. Wrap container and put in trash collection.

SUBTERRANEAN TERMITES

Directions For Homeowner Use

Existing Buildings with Basements or Crawl-Spaces

First remove all wood debris and wood forms. Around piers, pipes chimney bases and along foundations of poured concrete slabs, dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the footing. Make holes closer in hard-packed clay soils. Never dig below the top of the footing. Apply the solution in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise treat along the inside and outside of foundations and around piers, pipes, and chimney bases of crawl-space buildings. Cover treated soil with a thin layer of untreated soil, and take care to avoid contaminating water supplies.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour  $\frac{1}{2}$



572-65

ROCKLAND CHEMICAL CO., INC.

P. O. BOX 933

WEST CALDWELL, N.J. 07006

~~half~~ gallon of solution into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by professional pest control operators.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Professional Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for ~~two~~ to ~~four~~ hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.


Manufactured for

Rockland Chemical Co., Inc.  
West Caldwell, NJ 07006 U.S.A.

Product A06564

EPA Reg. No. 572-65

EPA Est. 572-NJ-1



465/87699  
35/2

301/87698  
17/3

T.R?  
1/21/83

Mrs. Janice Moline  
Rockland Chemical Company, Inc.  
P.O. Box 809  
West Caldwell, NJ 07006

Dear Mrs. Moline

Subject: Amendment - Revise Label per Termiticide L.I.P.  
Rockland Chlordane 73%  
EPA Registration No. 572-65  
Your Application Dated January 6, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- a. Relocate KEEP OUT OF REACH OF CHILDREN above the signal word WARNING (note deletion of colon).
- b. Revise the referral to read "See side panel for additional precautions."
- c. Please refer to the enclosed type size guide for assistance in selecting the correct print size for the front panel signal word, child hazard warning and the heading "Storage and Disposal."
- d. Revise "Avoid breathing spray mist or skin contact" to read "Avoid breathing vapors or skin contact."
- e. Revise the Physical or Chemical Hazards text to read: "Do not use or store near heat or open flame."
- f. Revise the heading "Disposal" to "Storage and Disposal" and add as the first sentence "Do not contaminate water, food, or feed by storage or disposal."

Please submit five copies of the final printed label(s) before you release the product for shipment under the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-267)

SYMBOL							
SURNAME	Enclosures						
DATE	DIS:G/LaRocca:DCR-39892:WANG-2097C:jjk:Raven:479-2013:1/17/83 REVISED:RD:LARocca:DCR-39898:2183C:pjb:Raven:479-2013:1/20/83						