



NET CONTENTS: 1 QUART

ROCKLAND

Penn-o-Pine

PINE DISINFECTANT



Coefficient 5

Phenol Coefficient 5 A.O.A.C. Method

PENN-O-PINE is supplied in concentrated form and should always be diluted with water. It is especially recommended as a disinfectant for premises as listed on the back panel.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

SEE BACK PANEL FOR ADDITIONAL CAUTIONS.

ACTIVE INGREDIENTS:	
Pine Oil, Soap	90%
INERT INGREDIENTS:	
Water	10%
Total	100%

ACCEPTED
 Oct 20, 1972
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTER-
 ED UNDER NO. 572-5

ONE QUART
 ROCKLAND
PENN-O-PINE
 PINE
 DISINFECTANT

PENN-O-PINE is an effective disinfectant, deodorant germicide and cleaner for improving sanitation.

It is especially recommended for use in apartment buildings, household, schools, office buildings and industrial plants for disinfecting of floors, walls, sinks, bathrooms, toilets, urinals and outhouses. It is instantly soluble in water forming a milky white emulsion which does not separate on standing. When mixed with water in recommended dilutions does not stain the walls or floors and leaves a pleasant and fragrant odor of Pine.

DIRECTIONS FOR USE:

FOR DISINFECTING PREMISES: Remove gross filth from surfaces prior to disinfecting. Prepare a solution of 1 1/4 ounces disinfectant to one gallon of water. Wet surface thoroughly with the disinfecting solution and allow to remain for 10 minutes.

FLOORS: When mopping or scrubbing use 1 1/4 ounces Disinfectant to each gallon of water in the bucket.

TOILET ROOMS, WATER CLOSETS and URINALS: Wash the closet and urinal bowls regularly, with a solution of 1 1/4 ounces of Disinfectant in each gallon of water, leaving the solution in the bowl as long as possible. Scrub the floor and seat frequently with this solution.

Remove residual bowl water from toilet before application of disinfectant.

GARBAGE RECEPTACLES: To aid in deodorization, sprinkle with the solution in the proportion of 2 ounces of Disinfectant to each gallon of water. Rinse the empty can with some of the solution and leave the wash in the can.

CAUTION: Harmful if swallowed. May cause skin or eye irritation. In case of contact, flush with plenty of water. Avoid breathing spray mist. Avoid contamination of feed and foodstuffs.

Rinse empty container thoroughly with water and discard it.

FIRST AID: If swallowed, do not induce vomiting. Give raw egg white, milk, mucilage, gruel or cornstarch. Call Physician immediately.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 572-5

Rockland Chemical Co., Inc.
 PASSAIC AVENUE, WEST CALDWELL, N. J.

DIRECTIONS FOR USE

1. Before each milking, rinse each machine and all other utensils well with water.
2. Immediately after milking, flush all utensils and milking machines thoroughly with cold or luke-warm water. Do not use hot water. Make sure all milk is rinsed out.
3. Prepare DAIRY CLEANER-SANITIZER solution by adding 1 ounce of DAIRY CLEANER-SANITIZER for each 4 gallons of warm water (90°F).
4. Dismantle machine, including air hose, and immerse the parts, with other utensils, in the DAIRY CLEANER-SANITIZER solution. Soak for at least 2 minutes.
5. Do not rinse; hang or rack pieces until ready to use.
6. Before next milking, rinse each machine and all other utensils well with water.

DAIRY CLEANER-SANITIZER solution, if not too dirty, can be retained for use after evening milking. Prepare fresh solution each morning.


FOR CLEANING AND SANITIZING BULK TANKS

1. Flush with lukewarm water until all milk is rinsed out.
2. Wash thoroughly with DAIRY CLEANER-SANITIZER solution (1 ounce to 4 gallons of water).
3. Brush thoroughly, drain and rinse for 2 minutes with water.

For cleaning and sanitizing pipeline milkers, use PIPELINE CLEANER-SANITIZER with the right amount of foam to clean but not clog.

FOR WASHING UDDERS:

1. Wash thoroughly with DAIRY CLEANER-SANITIZER solution (1 ounce to 4 gallons of water) using a clean towel for each cow.



Dairy CLEANER - SANITIZER

**For Milking Machines, Bulk Tanks,
and Milk Plant Equipment**

ACCEPTED

Mar 18, 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 572-104

ACTIVE INGREDIENTS:

Alkyl (C ₁₄ , C ₁₂ , C ₁₀ and related groups C ₈ and C ₁₀) dimethyl benzyl ammonium chlorides	5.0%
Alkyl (C ₁₂ , C ₁₄ , C ₁₆ and related groups from C ₈ to C ₁₄) dimethyl dichlorobenzyl ammonium chlorides	5.0%
Phosphoric Acid	18.0%

INERT INGREDIENTS:

Water and Nonylphenoxypolyethoxyethanol	72.0%
	<u>100.0%</u>

CAUTION: KEEP OUT OF REACH OF CHILDREN.

SEE BACK PANEL FOR COMPLETE CAUTION STATEMENT.

NET CONTENTS 1 GALLON

Manufactured by

Rockland Chemical Co., Inc.

PASSAIC AVENUE, WEST CALDWELL, N. J.

572-104 comment

ACCEPTED WITH COMMENTS



Dairy CLEANER - SANITIZER

**For Milking Machines, Bulk Tanks,
and Milk Plant Equipment**

DIRECTIONS FOR USE

This product possesses unusual germicidal properties, particularly in hard water. This product fulfills the criteria of Appendix F, as revised March 12, 1956, of the Milk Ordinance and Code, 1953 Recommendations of the U. S. Public Health Service in waters up to 500 ppm concentration of the combined quaternary salts and when tested by the Chambers Method.

Use ROCKLAND DAIRY CLEANER-SANITIZER for cleaning and sanitizing milking machines, utensils, bulk tanks and for washing cows' udders.

This product reduces cleaning time to a minimum by combining cleaning and sanitizing in one operation. The daily use of ROCKLAND DAIRY CLEANER-SANITIZER will aid in the production of cleaner milk with low bacteria counts.

ROCKLAND DAIRY CLEANER-SANITIZER solutions are stable for a prolonged time under most conditions. Use dilutions are non-irritating and non-corrosive.

AFTER EACH USE, DAIRY CLEANER AND SANITIZER WILL LEAVE A FILM ON YOUR EQUIPMENT. THIS FILM IS YOUR PROTECTIVE COATING THAT KEEPS EQUIPMENT SANITIZED BETWEEN MILKINGS. FILM RINSES OFF QUICKLY BEFORE EACH USE.

CAUTION: Harmful if swallowed. Avoid contact with skin. In case of contact with skin or eyes, flush with plenty of water. If irritation persists, get medical attention.

This material cannot be used along with soap, nor come in contact with milk or any other food products.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

U.S.D.A. Reg. No. 572-104

ACCEPTED

Mar 18, 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 572-104

ACTIVE INGREDIENTS:

Alkyl (C ₁₄ , C ₁₆ , C ₁₂ , C ₁₈ and related groups C _n and C ₁₀) dimethyl benzyl ammonium chlorides	5.0%
Alkyl (C ₁₂ , C ₁₄ , C ₁₆ and related groups from C _n to C ₁₈) dimethyl dichlorobenzyl ammonium chlorides	5.0%
Phosphoric Acid	18.0%

INERT INGREDIENTS:

Water and Nonylphenoxyethoxyethanol	72.0%
	<u>100.0%</u>

CAUTION: KEEP OUT OF REACH OF CHILDREN.

SEE BACK PANEL FOR COMPLETE CAUTION STATEMENT.

NET CONTENTS 1 GALLON

Manufactured by

Rockland Chemical Co., Inc.

PASSAIC AVENUE, WEST CALDWELL, N. J.

572-104 comment