

Front Panel:

ROCKLAND  
50% SEVIN\* Brand  
Wettable Powder

- Controls Chinch Bugs on lawns.
- Controls Japanese Beetles and Certain Other Insects.
- Spray on Ornamentals, Flowers, Vegetables.

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate).....	50%
INERT INGREDIENTS.....	50%
	100%

\*Trade Mark of Union Carbide Corporation for Carbaryl Insecticide.

EPA Reg. No. 572-106

EST. No. 572-NJ-1

KEEP OUT OF REACH OF CHILDREN (10 pt. type)

CAUTION (14 pt. type)

See Back Panel for Additional Precautionary Statements.

STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** If patient is conscious and alert, give 2-3 glasses of water or milk to drink and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. GET MEDICAL ATTENTION IMMEDIATELY.

**IF ON SKIN:** Immediately wash affected area with plenty of soap and water. Remove contaminated clothing and shoes. Wash clothing separately before reuse.

**IF IN EYES:** Immediately flush with plenty of water. GET MEDICAL ATTENTION.

**IF INHALED:** Remove victim to fresh air. Give artificial respiration if indicated. Administer oxygen if necessary. GET MEDICAL ATTENTION.

**NOTE TO PHYSICIAN:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs.

NET CONTENTS 8 OZ.

**ACCEPTED**  
  
 SEP 14 1987  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registration number  
 EPA Reg. No. 572-106

BEST AVAILABLE COPY

## PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:** May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on the blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ROCKLAND 50% SEVIN\* Wettable Powder is compatible with commonly used miticides, fungicides and insecticides. Do not use with lime or other alkaline materials.

SUBSEQUENT PLANTING OF FOOD AND FEED CROPS IN TREATED SOIL MUST BE MADE WITH CROPS ON THIS OR OTHER CARBARYL LABELS.

ROCKLAND 50% SEVIN\* Wettable Powder will control the following insects on those plants listed. For adequate control, spray coverage of plants should be uniform and complete.

ROCKLAND 50% SEVIN\* Wettable Powder is compatible with commonly used miticides, fungicides and insecticides. Do not use with lime or other alkaline materials.

**LAWN INSECT CONTROL:** To control Leaf Hoppers, Lawn Moths (Sod Webworms), Ants, Earwigs and Fleas, apply 3 ounces in 15 to 20 gallons of water per 500 sq. ft. of lawn.

**BEANS (Snap, Lima, Soy and Field Dry):** To control Mexican Bean Beetle, add 1 level teaspoon of ROCKLAND 50% SEVIN\* Wettable Powder to 2-1/2 gallons of water and apply over 1,000 sq. ft. To control Lygus and Stink Bugs, add 4 level teaspoons to 2-1/2 gallons per 100 sq. ft.

If needed, repeat at 7 to 10 day intervals. May be applied on the day of harvest. Do not feed treated vines to dairy or meat animals.

**TOMATOES, POTATOES:** To control Colorado Potato Beetle and Leaf Hoppers, add 1-1/2 level teaspoons to 2-1/2 gallons of water to cover 1,000 sq. ft. To control Flea Beetle, add 2 level teaspoons in 2-1/2 gallons to cover 1,000 sq. ft. To control Lygus Bugs, Tomato Fruitworm, Tomato Hornworm, add 4 level teaspoons to 2-1/2 gallons of water to cover 1,000 sq. ft. Repeat as needed at 7 to 10 day intervals.

**CORN:** To Control Corn Earworm, European Corn Borer, Fall Armyworm, Japanese Beetle add 4 level teaspoons in 2-1/2 gallons of water to cover 1,000 sq. ft. Do not apply to corn within 7 days of harvest for forage.

**LETTUCE:** To control Flea Beetle, Leafhopper, Six Spotted Leafhopper, add 1-1/2 level teaspoons to 2-1/2 gallons of water to cover 1,000 sq. ft. To control Corn Earworm, Armyworm, Cabbage Caterpillar, Spittlebug, Lygus and Stink Bugs, add 4 level teaspoons in 2-1/2 gallons of water to cover 100 sq. ft. Do not apply later than 3 days before harvest. Do not apply to Leaf Lettuce later than 14 days before harvest.

**ORNAMENTALS:** For control of Japanese Beetle, Aphids, Bagworm, Blister Beetle, Box Elder Bug, certain Leaf Miners, Elm Leaf Beetle, Flea Beetle, Leafhopper, Leaf Roller, Orange Tortrix, Plant Bug, Scale Insects, Tent Caterpillars, Exposed Thrips,

apply 2 level teaspoons per gallon of water to cover 1,000 sq. ft. uniformly to Andromeda, Arbor Vitae, Ash, Aster, Azalea, Bamboo, Beech, Begonia, Birch, Boxwood, Camellia, Carnation, Ceanothus, Cedar, Chinese Elm, Chrysanthemum, Cypress, Dahlia, Delphinium, Dogwood, Elm, Euonymus, Fir, Fuscia, Gladiolus, Hemlock, Hickory, Holly, Hornbeam, Hydrangea, Fern, Maple, Marigold, Nasturtium, Oak, Orchid, Ornamental Mulberry, Petunia, Pine, Poplar, Privet, Rhododendron, Rose, Sassafras, Spirea, Verbena, Viburnum, Willow, Wisteria, Yew, Zinnia.

NOTE: SEVIN® does not control mites but is compatible with all common insecticides. SEVIN® is toxic to honeybees. Avoid use during flowering and pollination period.

**CAUTION: HARMFUL IF INHALED OR SWALLOWED.** Do not breathe dust. Do not take internally. Avoid prolonged or repeated breathing of dust. Skin contact may be harmful. Avoid unnecessary contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved clothing. Change to clean clothing daily. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. For protection of honey bees avoid use, if possible, during periods when honey bees are visiting crop. Note for physicians: Carbaryl is a moderate reversible, cholinesterase inhibitor. Atropine is antidotal.

This package is sold by weight, not by volume. Some settling of contents may have occurred during shipping and handling.

#### STORAGE AND DISPOSAL (10 point type)

**STORAGE:** Store unused material, in original container only, in a locked storage area out of reach of children and animals. Keep container tightly closed. Do not contaminate water, food or feed by storage or disposal.

**DISPOSAL:** Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash.

This package is sold by weight, not by volume. Some settling of contents may have occurred during shipping and handling.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use/and or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 572-106  
#A10608

EPA Est. 572-NJ-1,

Manufactured by

ROCKLAND CHEMICAL CO., INC.  
West Caldwell, N. J. 07006 U.S.A.

011085

BEST AVAILABLE COPY