# ROCKLAND

572-107

5% SEVIN\* Brand Carbaryl Insecticide DUST

Multi-purpose insecticide

For vegetables and flowers

Controls Japanese Beetles and Other Listed Insects (See Back Panel)

# **ACTIVE INGREDIENTS:**

Carbaryl (1-naphthyl N-methylcarbamate)								
								<u></u>
		,	. `		•	 		100%

\*SEVIN is a registered trademark of Union Carbide Agricultural Products Company, Inc. for carbaryl insecticide.

EPA Reg. No. 572-107

65122221220

EPA Est. No. 572-NJ-1

# KEEP OUT OF REACH OF CHILDREN

### CAUTION

See back panel for complete cautions.

Net Weight: One Pound, Four Pounds, 25 Pounds

Г		• <sup>•</sup>	
ŀ	ACCI	EPT	ED
		1 8 199	
10	ungicide, and is amended, for egistored under PA Reg. No.	nouenticild	ie Zai i

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

		Dos	age	Days Between	
Crop	Insects Controlled	. Per Acre	Per 1000 sq. ft.	Final Application and Harvest	
Beans	Mexican Bean Beetle	10 lbs.	<u>4 oz.</u>	None	
	Leaf Hoppers, Bean Leaf Beetle				
	Flea Beetles, Japanese Beetles	20 lbs:	<u> </u>	None	
•	Corn Ear Worm, Army worms	30 lbs.	12 oz.	None	
	Lygus and Stink Bugs	40 lbs.	1 lb.	None	
Corn	Corn Ear Worm, European Corn Borer				
3	Fall Armyworm, Japanese Beetle	40 lbs.	1 lb.	None*	

For Corn Ear Worm, apply to silks as soon as they appear. Make 3 to 4 applications at 2-3 day intervals as infestation warrants. Re-apply immediately after rain.

Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee opulation.

*Except 7 days bet	fore when forage is to be fed to livestock.					
Tomato	Colorado Potato Beetle					
Potato	Flea Beetles, Leafhoppers	<u>20 lbs.</u>	<u>8 oz.</u>	None		
Eggplant	Tomato Fruit Worm, Fall Armyworm,	. '	•			
Pepper	Tomato Horn Worm, European Corn Borer,					
	Stink and Lygus Bugs	20-40 lbs.	<u>8.oz1 lb.</u>	None		
Head	Flea Beetles, Leafhoppers	10-20 lbs.	<u>4-8 oz.</u>	3		
Lettuce	Six-spotted Leafhopper	<u>20-30 lbs.</u>	<u>8-12 oz.</u>	.3		
	Corn Earworm, Armyworm, Cabbage					
	Caterpillar, Spittlebug, Lygus and					
	Stink Bugs	20-40 lbs.	8 oz1 lb.	3		
The saf Lettuce	As Above	As Above	As Above	14		
riowers	Bagworms, Japanese Beetles			·		
(See examples	Flea Beetles, Lace Bugs					
below)				`		
Ornamentals	Leafhoppers, Scale Insects,			·		
(See examples	Rose Aphid, Tent Caterpillars	20-40 lbs.	8 oz1 lb.	No Time Limit		
below)	• • •			-		
Flowers	including but not limited to Roses, Asters, Chrysanthemums, Dahlias, Marigolds.					
Ornamentals including but not limited to Azaleas, Boxwood, Lilac, Rhododendrons, Shade Trees.						
		_	•	-		

Carbaryl injures Boston ivy and Virginia creeper. Do not use this product on or near these plants.

- Dogs and Cats Brown Dog Ticks, Fleas-	
	- Do not treat kittens under 4 weeks old. Do not uso
	<u></u>

Manufactured by

Product A10701, 04, 25

**Rockland** Corporation

West Caldwell, NJ 07006 USA

3

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION: May be harmful if swallowed. Avoid breathing vapors (dust or spray mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

#### STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not give anything by mouth to an unconscious person. IF IN EYES: Flush with plenty of water. IF ON SKIN: Wash with soap and water. NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water . Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

#### STORAGE AND DISPOSAL

STORAGE: Store unused material, in original container only, in a locked storage area out of reach of children and animals. Keep container tightly closed. Do not contaminate water, food or feed by storage or disposal.

DISPOSAL: Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash.

This package is sold by weight, not by volume. Some settling of contents may have occurred during shipping and handling.

ROCKLAND 5% SEVIN DUST is finely ground to give a superior dusting quality. To control insects listed below, dust at the recommended rates, making certain to cover foliage uniformly and completely paying particular attention to the undersides of the leaves.

SUBSEQUENT PLANTING OF FOOD AND FEED CROPS IN TREATED SOIL MUST BE MADE WITH CROPS ON THIS OR OTHER CARBARYL LABELS.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.