

PM

19

572-107

Page 185  
SS15148  
200  
17

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB 28 1997

Judith K. Lemm  
Rockland Corporation  
P.O. Box 809  
West Caldwell, NJ 07006

Subject: Rockland Sevin® Brand Carbaryl Insecticide Dust  
EPA Registration No. 572-107  
Amendment dated November 14, 1996  
Response to Agency letter dated 10/1/96

Dear Ms. Lemm:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. Make the following changes to your label:

a) In the Directions for Use on CORN, delete "Make 3 to 4 applications at 2-3 day intervals as infestation warrants." This contradicts the new label requirement "Do not repeat applications more than once a week."

2. Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

/s/

Dennis H. Edwards, Jr.  
Product Manager (19)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

		CONCURRENCES					
SYMBOL	Enclosure						
SURNAME							
DATE							

Bedwards A: 572 1107.2 2/21/97

275

# ROCKLAND

5% SEVIN\*  
Brand Carbaryl Insecticide  
DUST

Multi-purpose insecticide

For vegetables and flowers

Controls Japanese Beetles and Other Listed Insects (See Back Panel)

**ACTIVE INGREDIENTS:**

Carbaryl (1-naphthyl N-methylcarbamate)..... 5%

INERT INGREDIENTS..... 95%

100%

\*SEVIN is a registered trademark of Rhone-Poulenc for carbaryl insecticide.

EPA Reg. No. 572-107

EPA Est. No. 572-NJ-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for complete cautions.

Net Weight: One Pound, Four Pounds, 25 Pounds

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

FEB 28 1997

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

572-107

96 NOV 22 110 52

RECU... P/DPD1

**PRECAUTIONARY STATEMENTS:**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS:** CAUTION: May be harmful if swallowed. Avoid breathing vapors (dust or spray mist). Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

USER SAFETY REQUIREMENTS
<ul style="list-style-type: none"> <li>• Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.</li> <li>• Change clothing as soon as possible after use.</li> <li>• Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.</li> <li>• Avoid contamination of food and feed.</li> <li>• Do not allow children or pets to contact treated area until dust has settled.</li> </ul>

**STATEMENT OF PRACTICAL TREATMENT:**

**IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Flush with plenty of water. **IF ON SKIN:** Wash with soap and water.

**NOTE TO PHYSICIAN:** Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

**ENVIRONMENTAL HAZARDS:** This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**STORAGE AND DISPOSAL**

**STORAGE:** Store unused material, in original container only, in a locked storage area out of reach of children and animals. Keep container tightly closed. Do not contaminate water, food or feed by storage or disposal.

**DISPOSAL:** Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash.

This package is sold by weight, not by volume. Some settling of contents may have occurred during shipping and handling.

**ROCKLAND 5% SEVIN DUST** is finely ground to give a superior dusting quality. To control insects listed below, dust at the recommended rates, making certain to cover foliage uniformly and completely paying particular attention to the undersides of the leaves.

**SUBSEQUENT PLANTING OF FOOD AND FEED CROPS IN TREATED SOIL MUST BE MADE WITH CROPS ON THIS OR OTHER CARBARYL LABELS.**

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust.

Apply when air is calm to avoid drift and contact with eyes and skin.

Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.

For plants above chest height, consider using a liquid SEVIN® product.

Do not repeat applications more than once a week.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Crop	Insects Controlled	Dosage		Days Between Final Application and Harvest
		Per Acre	Per 1000 sq. ft.	
Beans	Mexican Bean Beetle	10 lbs.	4 oz.	None
	Leaf Hoppers, Bean Leaf Beetle			
	Flea Beetles, Japanese Beetles	20 lbs.	8 oz.	None
	Corn Ear Worm, Army worms	30 lbs.	12 oz.	None
	Lygus and Stink Bugs	40 lbs.	1 lb.	None
Corn	Corn Ear Worm, European Corn Borer			
	Fall Armyworm, Japanese Beetle	40 lbs.	1 lb.	None*

For Corn Ear Worm, apply to silks as soon as they appear. Make 3 to 4 applications at 2-3 day intervals as infestation warrants. Re-apply immediately after rain.

Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee population.

\*Except 7 days before when forage is to be fed to livestock

Tomato	Colorado Potato Beetle			
Potato	Flea Beetles, Leafhoppers	20 lbs.	8 oz.	None
Eggplant	Tomato Fruit Worm, Fall Armyworm,			
Pepper	Tomato Horn Worm, European Corn Borer,			
	Stink and Lygus Bugs	20-40 lbs.	8 oz.-1 lb.	None
Head	Flea Beetles, Leafhoppers	10-20 lbs.	4-8 oz.	3
Lettuce	Six-spotted Leafhopper	20-30 lbs.	8-12 oz.	3
	Corn Earworm, Armyworm, Cabbage Caterpillar, Spittlebug, Lygus and Stink Bugs	20-40 lbs.	8 oz.-1 lb.	3
Leaf Lettuce	As Above	As Above	As Above	14
Flowers (See examples below)	Bagworms, Japanese Beetles Flea Beetles, Lace Bugs			
Ornamentals (See examples below)	Leafhoppers, Scale Insects, Rose Aphid, Tent Caterpillars	20-40 lbs.	8 oz.-1 lb.	No Time Limit
Flowers	including but not limited to Roses, Asters, Chrysanthemums, Dahlias, Marigolds.			
Ornamentals	including but not limited to Azaleas, Boxwood, Lilac, Rhododendrons, Shade Trees.			

Carbaryl injures Boston ivy and Virginia creeper. Do not use this product on or near these plants.

Manufactured by  
Rockland Corporation  
West Caldwell, NJ 07006 USA

Product A10701, 04, 25