



ACCEPTED

FEB 27 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No. 572-114

ROCKLAND ROSE & FLORAL SPRAY

Contains Sevin* and Phaltan

For Use in Control of Common
Insects and Diseases
Affecting Roses and Flowers.

INSECTICIDE • FUNGICIDE
MITICIDE



CAUTION: KEEP OUT OF REACH OF CHILDREN.

CONTENTS UNDER PRESSURE
SEE BACK PANEL FOR ADDITIONAL CAUTIONS

Rockland Chemical Co., Inc.

PASSAIC AVENUE WEST CALDWELL, N.J.

DIRECTIONS FOR USE

FOR THE CONTROL OF GARDEN INSECTS — For use on Roses, Dahlias, Asters and other ornamentals to kill Japanese Beetles, Aphids, Exposed Thrips and Spider Mites. Hold container at least 19" from foliage, spray lightly in one-second burst spraying both top and underside of foliage. Properly treated foliage will be protected from many garden insects for about one week.

This ornamental spray may be used on plants as a multi-purpose spray in small flower gardens and for spot treatment of incipient infestations of above listed insects to prevent spreading to large flower or ornamental gardens.

This spray may be used on African Violets, Aster, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Delphiniums, Dogwood, English Ivy, Euonymus, Fuchsia, Geraniums, Crassula, Grape Vine, Kentia Palm, Laurel, Marigolds, Rhododendrons, Roses, Rubber Plants, Snapdragons, Stocks, Wandering Jew and Zinnias. As a fungicide spray before infestation occurs for the prevention of Powdery Mildew and Black Spot on Roses. Spray at 5 to 7 day intervals while danger of fungi infection persists.

FOR USE AROUND OUTDOOR PATIO — To kill Mosquitoes, Gnats, Biting Flies. Spray directly at them where possible and where they congregate. May be sprayed directly on plants and foliage surrounding patio.

ACTIVE INGREDIENTS:

Pyrethrins	0.025%
Technical Piperonyl Butoxide**	0.256%
Rotenone	0.128%
Other Cuban Extractives	0.237%

Folpet	
N-(Trichloromethylthio) phthalimide**	0.700%
1-Naphthyl N-Methylcarbamate	1.000%
Petroleum Distillate	0.025%
INERT INGREDIENTS:	97.629%

**Equivalent to 0.025% of (butylcarb.tyl) (6-propylpiperonyl) ether and to 0.051% of related compounds.

*Otherwise known as PHALTAN

**Trademark of Union Carbide Corp. for 1-naphthyl methylcarbamate.

CAUTION: Harmful if swallowed or inhaled. Keep out of reach of children. Avoid breathing spray mist. Avoid contact with skin and eyes. Wash thoroughly with soap and water after use. Avoid contamination of feed and foodstuffs. Do not use near fishbowls or aquariums. Do not spray closer than 18".

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never throw container into fire or incinerator.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when used in and/or handling in contrary to label instructions.

E.P.A. Reg. No. 572-114

E.P.A. Est. 4679-NJ-1

NET WEIGHT 14 OUNCES