

DIRECTIONS FOR USE

SPRAY TREATMENT IN ANIMAL BUILDINGS (Horse Barns, Dairy Barns, Shelter Sheds) and MILK SHEDS to kill Flies, Gnats, Mosquitoes, Roaches, Fleas, Ants, Sowbugs, Brown dog ticks: Apply VAPON-I-CIDE as a coarse wet spray at the rate of one qt. per 1,000 sq. ft. For milk sheds, stables, livestock barns, treat around doorways, feed storage rooms, alleyways and window sills. DO NOT CONTAMINATE MILK OR MILKING UTENSILS. In poultry houses, apply to manure, window sills, outside of penned enclosures and on floor of feed storage rooms.

Repeat as necessary.

SPRAY TREATMENT IN OUTDOOR AREAS (outdoor living areas, picnic grounds, backyard areas, patios, loading docks, outdoor latrines, parking areas, refuse areas around service stations, open-air drive-ins, ice cream stands, garbage collection and disposal areas), **DOG KENNELS** to kill above-named insects: Apply VAPON-I-CIDE as a coarse wet spray at the rate of one qt. per 1,000 sq. ft. For loading sheds, pig pens, treat around doorways, feed storage rooms, alleyways and window sills. In treating dog kennels apply to outside dog runways, window sills and ledges. For control of fleas and brown dog ticks increase dosage to 2 qts. per 1,000 sq. ft. For control of fly maggots in maggot breeding areas such as garbage dumps and manure piles apply at the rate of 1 to 2 qts. per 100 sq. ft. Repeat as necessary.

FOG TREATMENT IN ANIMAL BUILDINGS (as named above) and MILK SHEDS to kill Flies, Gnats, Mosquitoes: Apply VAPON-I-CIDE as a fog using 1 qt. per 8,000 cubic feet. Do not fog in areas where animals have received direct application within 8 hours.

Before using VAPON-I-CIDE in enclosed areas, reduce air movement as much as possible by closing doors, windows and other openings. DO NOT CONTAMINATE WATER, FEED OR FOODSTUFFS, MILK OR MILKING UTENSILS.

SPRAY TREATMENT IN HOUSEHOLDS, RESTAURANTS, THEATERS, FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, WAREHOUSES to kill Flies, Mosquitoes, Wasps, Gnats, Flying Moths and other small flying insects, Cockroaches, Ants, Spiders, Silverfish: Apply VAPON-I-CIDE with low pressure sprayer to localized areas insects may infest. Treat infested areas around baseboards, cracks, walls, door and window frames, and localized areas of floors. DO NOT APPLY TO AREAS WHICH WILL BE CONTACTED FREQUENTLY BY CHILDREN AND DO NOT ALLOW THEM IN TREATED AREAS UNTIL SURFACES ARE DRY. DO NOT CONTAMINATE FOOD, WATER, FOOD CONTAINERS OR COOKING UTENSILS. DO NOT TREAT ANIMALS.

VAPON-I-CIDE

Ready to use combination of VAPONA and Pyrethrum



Households, Patios



Industrial Plants



Industrial Plants

~~Spray or Fog in Households, Industrial Plants, Animal Buildings, Patios, Kennels.~~

100% ACTIVE INGREDIENTS:

Petroleum Distillates, 2,2-dichlorovinyl dimethyl phosphate*, Related Compounds, **Technical Piperonyl Butoxide, Pyrethrins.

Equivalent to 0.5% Vapona Insecticide.

**Consists of (butylcarbityl) (6-propylpiperonyl) ether and related compounds.

*Shell Trademark for DDVP

FOG OUTSIDE
MIST SPRAY INSIDE

see new copy

ACCEPTED

2-7-69
572-117

UNION...
FOR...
T...

AS A SPACE SPRAY IN (M...
Mosquitoes, Wasps, Horn...
other small flying insect...
corners of room 10-15 sec...
space. Close windows for...
ment. To control wasps an...
directly at night. To kill Ro...
Spiders, Centipedes, and...
woodwork, walls, floors,...
frames, baseboards, behin...
and other places these in...
or hide. Spray ant trails a...
To kill Fleas and Ticks, m...
freely. Force VAPON-I-CI...
about the room. Spray anir...
sary. DO NOT SPRAY ON...
take bed apart and spray...
mats and springs. Spray...
joints in bedstead and on...
Spray on and under base...
floors and walls and un...
other places these insect...
until completely dry, at le

CAUTION: May be fatal...
sorbed through the skin. W...
water after handling and...
not contaminate feed, wat...
equipment. Keep out of re...
induce vomiting immediat...
Atropine is antidotal.

DO NOT SPRAY DIRECTLY...
Remove birds and pets an...
before spraying room.
Do not re-use container...
and detergent. Discard in

WARRANTY: Seller make...
implied, concerning the u...
indicated on the label. B...
and or handling of this m...
handling is contrary to I

U. S. D. A. Reg

Manufai

ROCK CHEMICAL

West Caldwell

ACCEPTED

2-7-69
572-117

UNDER THE FEDERAL INSECTICIDE ACT
FUNGICIDE AND RODENT CIDE ACT
FOR ECONOMIC PEST CONTROL
ED UNDER NO. 572-117
SUBJECT
TO ATTACHED COMMENTS.

AS A SPACE SPRAY IN (as named below) to kill Flies, Mosquitoes, Wasps, Hornets, Gnats, Flying Moths and other small flying insects: Spray upwards into four corners of room 10-15 seconds per 1,000 cu. ft. of room space. Close windows for about 15 minutes after treatment. To control wasps and hornets on nest, spray nest directly at night. To kill Roaches, Ants, Ticks, Silverfish, Spiders, Centipedes, and Millipedes spray cracks of woodwork, walls, floors, around doors, and window frames, baseboards, behind shelving of storage areas, and other places these insects may congregate, walk or hide. Spray ant trails around doors and window sills. To kill Fleas and Ticks, spray animal sleeping quarters freely. Force **VAPON-I-CIDE** into cracks in floor and about the room. Spray animal bedding. Repeat as necessary. **DO NOT SPRAY ON ANIMALS.** To kill Bed Bugs, take bed apart and spray entire surface of bedstead, slats and springs. Spray thoroughly into cracks and joints in bedstead and on tufts and seams of mattress. Spray on and under baseboards, moldings, cracks in floors and walls and underneath loose wallpaper and other places these insects may be found. Air mattress until completely dry, at least 4 hours before re-use.

CAUTION: May be fatal if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, foodstuffs, food utensils or equipment. Keep out of reach of children. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

DO NOT SPRAY DIRECTLY ON SKIN OR ON ANIMALS. Remove birds and pets and cover fish bowls and aquaria before spraying room. Do not re-use container. Wash thoroughly with water and detergent. Discard in a safe place.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and or handling is contrary to label instructions.


U. S. D. A. Reg. No. 572-117

Manufactured by

**ROCKLAND
CHEMICAL CO., INC.**

West Caldwell, New Jersey

Hand copy



DIRECTIONS FOR USE
SPRAY TREATMENT IN ANIMAL BUILDINGS

VAPON I CIDE

Repeat as necessary.
SPRAY TREATMENT IN OUTDOOR AREAS

DOG KENNELS
VAPON I CIDE

FOG TREATMENT IN ANIMAL BUILDINGS
AND MILK SHEDS
VAPON I CIDE

VAPON I CIDE

SPRAY TREATMENT IN HOUSEHOLDS, RESTAURANTS,
THEATERS, FOOD PROCESSING PLANTS, INDUSTRIAL
PLANTS, WAREHOUSES

VAPON I CIDE

VAPON-I

Ready-to-use combination
of VAPONATM and Pyrethrum

*Spray or Fog in Households, Industrial
Plants, Animal Buildings, Patios,
Kennels.*



VAPON-I-CIDE

Ready-to-use combination
of VAPONATM and Pyrethrum

Households, Patios

*Spray or Fog in Households, Industrial
Plants, Animal Buildings, Patios,
Kennels.*



Industrial Plants



2-7-69
572-117

AS A SPACE SPRAY

VAPON-I-CIDE

CAUTION

DO NOT SPRAY DIRECTLY ON WORK SURFACES

WARRANTY

ROCKLAND
CHEMICAL CO. INC.

WILMINGTON, NEW YORK