#### ONE GALLON

SUPER FLY SPRAY is a specially prepared ready-to-use insecticide for use in conventional hand, power, or automatic spray equipment. Use as directed on Beef Cattle and Lactating Dairy Cattle.

#### DIRECTIONS FOR USE

For Face Flies: To protect animals from Face Flies, spray animal's head covering forehead, poll, muzzle and sides of face thoroughly with spray hist but do not apply more than 1 ounce to entire animal at any one spraying.


For Use in Electric Foggers and Stationary Sprayers' SUPER FLY SPRAY is recommended for use in stationary sprayers or electric foggers. Fog 1 to 2 ounces per 1000 cubic feet. In stationary sprayers apply 1 to 2 ounces per animal before milking as animals pass through. Do not exceed spraying 2 ounces per animal per day.

BACK RUBBERS: For the control of horn flies and face flies on lactating dairy and beef animals, use SUPER FLY SPRAY in back rubbers and face rubbers. Use 1 gallon for each 20 linear feet of burlap back rubber. For automatic back rubbers recharge the reservoir as needed. Animals must rub face on rubbers for best face fly control.

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Do not apply to humans. Keep away from heat and open flame. Avoid prolonged or repeated inhalation of mist and contact with skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medico' ittention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate food, water or foodstuffs. Keep out of reach of children. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal

# **MARCH'S** SUPER FLY-SPRAY





Kills Face Flies, Horn Flies, Stable Flies, House Flies on Dairy and Beef Cattle. **READY TO USE** 

KEEP OUT OF REACH OF CHILDREN.

SEE SIDE PANEL FOR COMPLETE CAUTION STATEMENT

#### **ACTIVE INGREDIENTS:**

- Dimethyl Phosphate of Alpha-methylbenzyl 3-hydroxy-cis-crotonate\*
- \*\*2,2-Dichlorovinyl Dimethyl Phosphate
- \*\*Related Compounds Petroleum Hydrocarbons

### INERT INGREDIENTS:

TOTAL

\*CIODRIN Insecticide \*\*Equivalent to 0.25% VAPONA Insecticide

1.00% 0.23% 0.02% 98.57% 0.18% 100.00%

BY WEIGHT

₹ Registered Trade Mark Shell Chemical Co

Manufactured For

### FRED MARCH

Long Valley, N. J.

#### ONE GALLON

SUPER FLY SPRAY is a specially prepared ready-to-use insecticide for use in conventional hand, power, or automatic spray equipment. Use as directed on Beef Cattle and Lactating Dairy Cattle.

#### DIRECTIONS FOR USE

Spray SUPER FLY SPRAY daily before milking. Spray as a fine mist starting from the front of the animal and thoroughly cover all parts of the animal including the legs. Apply 2 ounces per animal per day but do not spray in excess of 2 fluid ounces per day.

An acceptable spraying schedule is 2 ounces per animal before the morning milking or 1 ounce per animal before each milking. For best pasture protection a morning spraying is the most important spray.

Do not wet the skin due to possible skin irritation. Do not apply regularly to calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Do not apply to humans. Keep away from heat and open flame. Avoid prolonged or repeated inhalation of mist and contact with skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate food, water or foodstuffs. Keep out of reach of children. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

WARRANTY: Seller makes no warranty of any kind, express or implied, concerning their use of this product. Buyer assumes all risk of use or handling whether in accordance with directions or not.

USDA Reg. No. 572 15%

(L) , L + O ++. 0 5 5 0 ರ ೧ ೧ i -3 2 3 3 ந்தந் a co o a - O C A rt 13 0 0 するのは कि क ₩ ... ተተመኔ ተተ ነኝ 0 2 2 d + C. 0 --- (A - 1--- × លក្ខ <u>៤</u>០ • កស្ស

#### ONE GALLON

**SUPER FLY SPRAY** is a specially prepared ready-to-use insecticide for use in conventional hand, power, or automatic spray equipment. Use as directed on Beef Cattle and Lactating Dairy Cattle.

#### **DIRECTIONS FOR USE**

For Face Flies: To protect animals from Face Flies, spray animal's head covering forehead, poll, muzzle and sides of face thoroughly with spray mist but do not apply more than 1 ounce to entire animal at any one spraying.

For Use in Electric Foggers and Stationary Sprayers' SUPER FLY SPRAY is recommended for use in stationary sprayers or electric foggers. Fog 1 to 2 ounces per 1000 cubic feet. In stationary sprayers apply 1 to 2 ounces per animal before milking as animals pass through. Do not exceed spraying 2 ounces per animal per day.


BACK RUBBERS: For the control of horn flies and face flies on lactating dairy and beef animals, use SUPER FLY SPRAY in back rubbers and face rubbers. Use 1 gallon for each 20 linear feet of burlap back rubber. For automatic back rubbers recharge the reservoir as needed. Animals must rub face on rubbers for best face fly control.

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Do not apply to humans. Keep away from heat and open flame. Avoid prolonged or repeated inhalation of mist and contact with skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate food, water or foodstuffs. Keep out of reach of children. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

# FARMARK

# SUPER FLY-SPRAY





Kills Face Flies, Horn Flies, Stable Flies, House Flies on Dairy and Bee\* Cattle.

READY TO USE

**CAUTION:** KEEP OUT OF REACH OF CHILDREN.

SEE SIDE PANEL FOR COMPLETE CAUTION STATEMENT

ACTIVE INGREDIENTS:

Dimethyl Phosphate of Alpha-methylben, yl 3-hydroxy-cis-crotonate\*

2.2 Dichlorovinyl Dimethyl Phosphate

Related Compounds

Petroleum Hydrocarbons INERT INGREDIENTS:

'CIODRIN Insecticide

\*\*Equivalent to 0.25% VAPONA Insecticide

TOTAL

B Registered Trade Mark Shell Chemical Co

BY WEIGHT

1.00%

0.23°c

0 02°

98.57%

0.18%

100.00%

Manufactured for

## FARMARK

Verona, N. J.

#### ONE GALLON

**SUPER FLY SPRAY** is a specially prepared ready-to-use insecticide for use in conventional hand, power, or automatic spray equipment. Use as directed on Beef Cattle and Lactating Dairy Cattle.

#### **DIRECTIONS FOR USE**

Spray SUPER FLY SPRAY daily before milking. Spray as a fine mist starting from the front of the animal and thoroughly cover all parts of the animal including the legs. Apply 2 ounces per animal per day but do not spray in excess of 2 fluid ounces per day.

An acceptable spraying schedule is 2 ounces per animal before the morning milking or 1 ounce per animal before each milking. For best pasture protection a morning spraying is the most important spray.

Do not wet the skin due to possible skin irritation. Do not apply regularly to calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Do not apply to numans. Keep away from heat and open flame. Avoid prolonged or repeated inhalation of mist and contact with skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate food, water or foodstuffs. Keep out of reach of children If swallowed, induce vomiting immediately and get medical attention. Atropine is antidetal.

WARRANTY: Seller makes no warranty of any kind, express or implied, concerning the wase of this product. Buyer assumes all sixt of use or handling whether in accordance with directions or no...

JSDA Reg. No. 572 is

D O O ሮነ አገ 0 .. 0 0 0 0 0 3 C W + 1 er rakes product and/or trary to 0 H 0 \$ a trans ក្រុម ក្រុមប្រ 10 0 10 X 0 67 7 3 4 7 8 4 8 • 74 0 0 0 0 0 0 14 0 

rg .3 %.