


ROCKLAND

# SEVIN\* 50W

Wettable  
**INSECTICIDE**



**For Control Of Northern  
Fowl Mite, Chicken Mite,  
Lice, & Fleas, In Poultry**

**CAUTION: KEEP OUT OF REACH OF CHILDREN.  
SEE SIDE PANEL FOR COMPLETE CAUTION STATEMENT.**

Active Ingredient: Carbaryl (1-Naphthyl N-methylcarbamate) 50% by wt  
Inert Ingredient 50% by wt  
Total 100% by wt

\*Trade Mark of Union Carbide for 1-Naphthyl N-methylcarbamate

ACCEPTED  
APR 8 1967  
REGISTERED UNDER THE FEDERAL INSECTICIDE ACT  
EPA REG. NO. 572-160  
FOR ATTACHED COMMENTS

Net Weight <sup>16</sup> Pound

### DIRECTION FOR USE

DIRECT MIST SPRAY ON BIRDS: Control northern fowl mite, chicken mite, lice and fleas by:

1. Misting with electric fog machine: Mix 10 ounces of Sevin 50W in 1 gallon of spray. Use 1½ gallons per 1000 hens in cages, on litter or on slatted floor. Repeat in 4 weeks if necessary, or
2. Spraying with knapsack or cylinder type compressed air sprayers: Mix 6 ounces of Sevin 50W in 5 gallons of spray. Use 1 gallon per 100 hens in cages, on litter or on slatted floor. Repeat in 4 weeks if necessary.

Direct mist spraying for chicken mites and fleas is a supplement to spraying roosts and buildings for control of these pests.

SPRAY ROOSTS AND BUILDINGS with conventional power spray or knapsack equipment. For chicken mite, fleas and bedbugs, use 1 pound per 12½ gallons of water. For fowl ticks, use 8 pounds per 25 gallons of water. Spray 1 to 2 gallons per 1000 square feet of wall, bedding, litter or roost surfaces. Force spray into cracks and crevices. Repeat as needed. Ventilate while spraying. Do not use within 7 days of slaughter. Avoid contamination of nests, eggs and feeding and watering troughs.

CAUTION: HARMFUL IF INHALED OR SWALLOWED. Avoid prolonged or repeated breathing of dust or spray. Do not take internally. Skin contact with any insecticide dust or spray may be harmful. Avoid unnecessary contact. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Avoid contamination of food feed feeding troughs and watering receptacles. Keep out of reach of children and animals.

WARNING: Seller makes no warranty of any kind, express or implied, concerning the use of this material. Buyer assumes all risk of use or handling, whether in accordance with directions or not.

U.S.D.A. Reg. No. 572-160

**Rockland Chemical Co., Inc.**  
PASSAIC AVENUE, WEST CALDWELL, N. J.