

TREATS **5,000** SQ. FT.
(50 x 100)

\$649

CR

ROCKLAND



ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate) . . . 10% by wt.

INERT INGREDIENTS. 90% by wt.

- Trade Mark of Union Carbide Corporation for the active ingredient, 1-naphthyl N-methylcarbamate.

CAUTION

KEEP OUT OF REACH OF CHILDREN.
SEE BACK PANEL FOR ADDITIONAL CAUTION





(50 x 100)

ROCKLAND CHINCH BUG KILLER

DIRECTIONS

For best results cut lawn close, remove clippings and water before treatment to bring chinch bugs to the surface.

DIRECTIONS

For best results cut lawn close, remove clippings and water before treatment to bring chinch bugs to the surface.

Treat the entire lawn evenly and thoroughly at the rate of 2 pounds of ROCKLAND CHINCH BUG KILLER per 1000 sq. ft. Apply with a spreader for uniform coverage. Work material in with a coarse water spray after treatment. ROCKLAND CHINCH BUG KILLER will aid in the control of fall armyworms, sod webworms or lawn moths, ants and millipeds.

SPREADER SETTING

Scott	#5 1/2
Lawn Beauty	#6 1/2
Jackson	#6

These spreader settings are meant for a guide in applying this material. They are in no sense a guarantee of exact application, inasmuch, as age, wear of spreader, speed of operation and roughness of terrain can cause variations in rates applied.

CAUTION: HARMFUL IF SWALLOWED OR INHALED. Do not breathe dust. Do not take internally. Skin contact with any insecticide may be harmful. Avoid unnecessary contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved clothing. Change to clean clothing daily. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. Note for physician: Carbaryl is a moderate reversible, cholinesterase inhibitor. Atropine is antidotal.

WARRANTY: Seller makes no warranty of any kind, express or implied, concerning the use of this material. Buyer assumes all risk of use or handling, whether in accordance with directions or not.