

**ACTIVE INGREDIENTS:**

Ferbam (Ferric dimethyl dithiocarbamate) 76%  
INERT INGREDIENTS 24%

**COMPATIBILITY:** ROCKLAND FERBAM FUNGICIDE is compatible with common insecticides, such as methoxychlor, Sulfur, organo phosphorus compounds, arsenicals, rotenone and pyrethrum.

**CAUTION:** MAY CAUSE IRRITATION OF EYES, NOSE, THROAT, AND SKIN

Avoid breathing dust or spray mist. Avoid contact with skin, eyes, and clothing.

Keep away from fire or sparks.  
Keep from children.

In case of contact, flush skin or eyes with plenty of water: for eyes, get medical attention.

Do not reuse container. Destroy when empty.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

This can is sold by weight and not by volume. Occasionally a can may not appear full due to settling of contents, but it contains full labeled weight.

U.S.D.A. Reg. No. 572-165



ROCKLAND

NET WT. 8 OUNCES


**ROCKLAND  
FERBAM  
FUNGICIDE**

ROCKLAND FERBAM FUNGICIDE is highly effective against many fungi, safe on a wide range of plants, and compatible with oil sprays. The extremely fine particle size of ROCKLAND FERBAM FUNGICIDE gives it excellent adhesive properties.

**DIRECTIONS FOR USE**

**ORNAMENTALS:** Use 4 teaspoonsful of ROCKLAND FERBAM FUNGICIDE to each gallon of water or 4 oz. to 25 gallons of water. Use sufficient spray to provide thorough coverage for Black Spot and Rust of Roses, Septoria Leaf Spot and Rust of Chrysanthemums, Leaf Spot and Rust of Snapdragons, Bacterial Leaf Spot of Geraniums, Leaf Spot, Rust, Alternaria and Septoria Blights of Carnations, Leaf Spot and Botrytis Rot of Cyclamen, Botrytis Blight (tulip fire) of Tulips, Rust of Juniper, Leaf Spots of Aster, Begonia, Gardenia, Hydrangea, Ivy, and Laurel — apply before disease becomes apparent and repeat at 7 to 10-day intervals as needed. For Petal Blight of Azaleas and Camellias — apply while buds are opening and repeat at 3 to 5-day intervals as needed; spray ground around plants thoroughly.

For Rot and Damping-off disease, dip cuttings from above (except Hydrangea) in spray mixture before planting.



ACCEPTED WITH COMMENTS

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 12-18-2013 BY 60322 UCBAW/STP

**COMPATIBILITY:** ROCKLAND FERBAM FUNGI-  
CIDE is compatible with common insecticides, such  
as methoxychlor, Sulfur, organo phosphorus com-  
pounds, arsenicals, rotenone and pyrethrum.

**CAUTION: MAY CAUSE IRRITATION OF EYES,  
NOSE, THROAT, AND SKIN**

Avoid breathing dust or spray mist. Avoid con-  
tact with skin, eyes and clothing.

Keep away from fire or sparks.  
Keep from children.

In case of contact, flush skin or eyes with plenty of  
water; for eyes, get medical attention.

Do not reuse container. Destroy when empty.

This product is toxic to fish. Keep out of lakes,  
streams or ponds. Do not contaminate water by  
cleaning of equipment or disposal of wastes.


**WARRANTY:** This product is warranted to be free  
of defects in material and workmanship under  
normal use and conditions. The manufacturer  
accepts no responsibility for the results of  
application of this product.

This can is sold by weight and not by volume. Oc-  
casionally a can may not appear full due to settling  
of contents, but it contains full labeled weight.

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 12-18-2013 BY 60322 UCBAW/STP



ROCKLAND



ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 12-18-2013 BY 60322 UCBAW/STP

ROCKLAND FERBAM FUNGICIDE is a systemic  
fungicide that many fungi, with the exception of  
plants, are compatible with. The only  
injury from application of ROCKLAND FERBAM  
FUNGICIDE is that of root rot in some plants.

#### DIRECTIONS FOR USE

**ORNAMENTALS:** Use 4 teaspoons of ROCK-  
LAND FERBAM FUNGICIDE in each gallon of  
water or 4 oz. in 25 gallons of water. Use suffi-  
cient spray to provide thorough coverage for Black  
Spot and Rust of Roses, Septoria Leaf Spot and  
Rust of Chrysanthemums, Leaf Spot and Rust of  
Snapdragons, Bacterial Leaf Spot of Geraniums,  
Leaf Spot, Rust, Alternaria and Septoria Blights  
of Carnations, Leaf Spot and Botrytis Rot of Ger-  
aniums, Botrytis Blight (tulip fire) of Tulips, Rust  
of Juniper, Leaf Spot of Aster, Bergeria Blight of  
Hydrangea, Ivy and other leaf spots of Hydrangea,  
Botrytis Blight of Petal Blight of Anemone,  
Camellia, and other leaf spots of Camellia. Re-  
peat at 14 to 21 day intervals until disease  
eradication is apparent.

For use on trees and shrubs, spray with  
water and Rockland Ferbam Fungicide. Repeat  
at 14 to 21 day intervals until disease  
eradication is apparent.

ALL INFORMATION CONTAINED  
HEREIN IS UNCLASSIFIED  
DATE 12-18-2013 BY 60322 UCBAW/STP