

TREATS **7500** SQ. F

# ROCKLAN DANDELION KILLER

## DIRECTIONS

Apply **ROCKLAN DANDELION KILLER** as it comes to the ground. Measure off area to be treated. Apply when grass is moist (from rain or irrigation) when weeds are in active growth. On recent mowings, wait until the grasses are well established and have begun to grow again. Apply to avoid drifting of material. Do not allow to come in contact with evergreens or other desirable plants. Be sure to apply over their root spread.

## SPREADER SETTINGS

DAISY	8
WILSON	9
WYCLIFFE	5 1/2

Amount of spreader is sufficient. The amount of use proportionate amounts for the spreader. Wear gloves when apply-

...the effective-  
...treatment. Clover or  
...They will

...ellions It can  
...thoroughly

# DIRECTIONS

To kill dandelions apply ROCKLAND DANDELION KILLER as it comes from the bag - do not mix with other materials. Measure off area to be treated.

Mow lawn before applying. For best results apply when grass is moist (from morning or evening dew). Apply when weeds are in active growth. On recently seeded lawns, apply only after the grasses are well established and have been mowed 2-3 times. Apply on a calm day to avoid drifting of material.

Select proper spreader setting, set spreader and apply. Do not allow to come in contact with flowers, shrubs, evergreens or other desirable plants. Be careful no application is made directly on them or over their root spread.

22

## SUGGESTED SPREADER SETTINGS

SCOTT	10	PATCO	8
MODERN	9	JACKSON	8
LAWN BEAUTY	8 3/4	CYCLONE	5.8

For spot treatment, application by hand or with spreader is sufficient. The contents of this bag covers 7500 square feet. Use proportionate amounts for smaller areas (1 lb. per 750 sq. ft.). Use synthetic rubber gloves when applying by hand.

Rain or watering within 24 hours after application will reduce the effectiveness. Lawns should not be mowed until 3 days after treatment. Clover or creeping bentgrass in lawns may show some temporary damage. They will recover with normal watering.

A repeat application may be necessary to kill large mature dandelions. It can be made one week after first application. However, water lawn thoroughly before this second application.

Repeat application may be made ten to fourteen days after last application.

Wash spreader thoroughly with household detergent, and rinse with water before reuse.

Keep this material away from children, livestock and contact with the hands. Do not store near, nor use near, insecticides and fertilizers. Do not use on desirable plants in the immediate vicinity. Do not use same spreader for other suitable chemical applications.

A





TREATS  
**7500 SQUARE FEET**

- ① Containing 2,4-D and special wetting agent.
- ② Kills Dandelions and Plantain
- ③ For best results apply when grass is newly mowed and moist.

**CAUTION**

KEEP OUT OF REACH OF CHILDREN  
SEEK MEDICAL ATTENTION IN COMPLETE CAUTION  
IF SWALLOWED OR IN CONTACT WITH EYES. THIS PRODUCT

ACCIDENTAL  
FED  
26  
172-1823

ROCKLAND CHEMICAL CO., INC.  
WEST CARROLL, N. J.

10.338  
10.09

26

10



**ROCKLAND CHEMICAL CO., INC.**

**WEST CARROLL, N. J.**

*Polywall*

FREIGHT SHIPPING BAG  
LOADING REQUIREMENTS OF  
APPLICABLE FREIGHT CLASSIFICATION  
GUARANTEED BY  
BORG COMPANY, INC. EAST PEPPERELL, MASS.

362

\$395



**B  
W  
L  
L  
K  
D  
W  
W  
W**



TREATS **5500** SQ. FT.

# ROCKLAND

Triple "D"

# LAWN WEED KILLER

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

100%  
Guaranteed  
Kill

---

# PROFESSIONAL CRABGRASS P

4-2-68  
572-193

# WITH DAC

For Professional Use

A Dacthal coated corn for the professional use in the control of crabgrass, annual weeds, annuals, and biennials in lawns and ornamental areas. Use with broadcast spreaders.

PROFESSIONAL CRABGRASS P WITH DAC is a selective herbicide for the control of crabgrass, annual weeds, annuals, and biennials in lawns and ornamental areas. It is a contact herbicide and should be applied to the foliage of the weeds.

## DIRECTIONS FOR USE

Apply to the foliage of the weeds. Do not apply to the soil. Do not apply to the foliage of the lawn. Do not apply to the foliage of the ornamentals.

CAUTION:

ROCKLAND CHEMICAL

# LAWN-A-MAGIC<sup>®</sup>

## "WEED AWAY PRILLS PLUS"

### TURF WEED KILLER

#### For Professional Use by LAWN-A-MAT Dealers Only

LAWN-A-MAGIC<sup>®</sup> "WEED AWAY PRILLS PLUS" controls Chickweed, Clover, Dandelion, Buckhorn, Plantain, Henbit and other broad leaf weeds in lawns. Apply evenly at the rate of 2 lbs. per 1000 sq. ft. (#4 hopper spreads this recommended amount). Apply when young, green shoots are actively growing.

#### CAUTION: KEEP OUT OF REACH OF CHILDREN.

Avoid contact with skin, eyes or clothing. Avoid drift to susceptible plants or flowers. Do not store near fertilizers, insecticides or fungicides. Do not use on any area growing desirable shrubs, tree ornamentals or other cultivated plants. Do not contaminate waters used for domestic or irrigational purposes. Do not use on Bentgrass, St. Augustine grass, Dichondra, Carpetgrass or clover lawns. Vapors from this product may injure susceptible plants in the immediate vicinity.

#### ACTIVE INGREDIENTS:


2,4-dichlorophenoxyacetic Sodium Salt Monohydrate	2.70%
(2,4-dichlorophenoxyacetic acid equivalent 2.30%)	
Butoxyethanol ester of Silvex-2-(2,4,5-trichlorophenoxy) Propionic Acid	1.28
(2-(2,4,5-trichlorophenoxy Propionic acid equivalent .81%)	

#### INERT INGREDIENTS:

96.02%

U.S. Pat. No. 572,197

Net Weight 25 lbs.  
TREATS 12,500 SQUARE FEET



Manufactured for

**LAWN-A-MAT CHEMICAL & EQUIPMENT CORP.**

MINFOLA, L. I., N. Y.

