


WEED KILLER



5500 SQUARE FEET TREATS

- ① Contains Banvel D and 2,4-D and Wetting Agent.
- ② Kills Chickweeds, Dandelions, and 43 other Listed Lawn Weeds.
- ③ Apply anytime weeds are growing in spring, summer or fall.

CAUTION

KEEP OUT OF REACH OF CHILDREN. SEE BACK LABEL FOR COMPLETE DIRECTIONS. READ ENTIRE LABEL BEFORE USING THIS PRODUCT.


ACTIVE INGREDIENTS:
Dimethylamine salt of dicamba (3,6-dichloro-p-coumaric acid) 100%
Dimethylamine salts of related acids
Dimethylamine salt of 2,4-Dichlorophenoxyacetic Acid™
INERT INGREDIENTS 98.5

Net Weight 4.175 3,6-dichloro-p-coumaric acid (dicamba)
EPA Reg. No. 10254-2, 2,4-dichlorophenoxyacetic acid
©Velsicol Chemical Co.

MANUFACTURED BY

45
ROCKLAND CHEMICAL
WEST CALDWELL, N.J.

ATS
ARE



and 2,4-D plus special

andelions, Knotweed
Lawn Weeds.

are growing actively—
II.

UTION

ACH OF CHILDREN

COMPLETE CAUTION

ORE USING THIS PRODUCT

chloroacetic acid 25%

oxyacetic acid 25%

propionic acid (dimer)

propionic acid

Ca

CTURED BY

10

LAWN

Triple "D"

45
EMICAL CO., INC.
D W E L L N . J .

46

Cocklebur
Dandelion
Dock
Frenchweed
Galinsoga

Mallow
Morning Glory
Mustard
Oxalis
Pennywort
Peppergrass
Pigweed

Vervain
Wild Aster
Wild Carrot
Wild Garlic
Wild Lettuce
Wild Onion
Wild Radish
Yarrow

4-

DIRECTIONS

Apply ROCKLAND TRIPLE D LAWN WEED KILLER at any time weeds are growing actively - Spring, Summer or Fall. Apply as it comes right from the bag, do not mix with other materials. Measure off area to be treated. For the more difficult-to-kill weeds a repeat application may have to be made about 3 weeks after initial treatment.

For best results mow lawn before applying and apply when grass is moist (from morning or evening dew). Set spreader to proper setting and apply.

SUGGESTED SPREADER SETTINGS

BRAND	SETTING
RATCO	6
MODERN	8 1/2
JACKSON	8 1/2
SCOTT	5
CYCLONE	4

Newly seeded lawns may be treated after they have been mowed at least twice. To re-seed small areas in treated lawns wait at least 3 weeks after application. A good rain or deep watering should occur during this period.

A few weeds, such as henbit that grow during the winter, as well as wild garlic and other weeds that come up during the year, should be controlled in early Spring.

PRECAUTIONS

Do not use ROCKLAND TRIPLE D LAWN WEED KILLER for controlling weeds in flower or vegetable beds, lawns, or ornamental plantings, Lippia and Dichondra lawns.

Do not apply during periods of drought unless the lawn is watered thoroughly several days before treatment.

CAUTION: Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. For eyes, get medical attention. Do not contaminate water used for irrigation or domestic purposes.

Do not apply within the drip zone of trees and shrubs. Do not store near fertilizers, insecticides or fungicides. Do not use in a green house. Avoid drift of dust to vegetables, flowers, ornamental shrubs, trees and other desirable plants. Do not use on centipede grass, St. Augustine grass, or on lawns where desirable bent-grass is present.

Rockland Chemical Co. No. 572-181

