



STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Call physician immediately, may cause irreversible eye damage. Flush eyes with plenty of water.

IF SWALLOWED: Call physician or poison control center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is antidotal.

IF ON SKIN: Wash with plenty of soap and water. Launder clothing before reuse.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS: Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before reuse. Wear chemical resistant gloves when using indoors or outdoors. When using, wear long-sleeved shirt and apply with the wind to your back. Wash non-disposable gloves thoroughly with soap and water before removing.

Make dust applications on listed Flowers, Shrubs, Trees, Fruit Trees and Tomatoes before insects become numerous and before disease become apparent. Protect plants through the growing season by dusting at 7-14 day intervals and after heavy rains. Cover foliage thoroughly but do not use in excess. Pay particular attention to cover underside of leaves.

ROCKLAND GENERAL PURPOSE DUST is effective for control of the following insects and diseases:

SHRUBS: Japanese Beetles, Aphids, Spider Mites, Lacebugs, Azalea Scale, Scurfy Scale, Euonymus Scale, Soft Brown Scale, Bagworms and Boxwood Leaf miners on AZALEAS, RHODODENDRONS, ARBORVITAE, JUNIPERS, HYDRANGEAS, EUONYMUS, PIERIS JAPONICA, LILAC AND BOXWOOD.

FLOWERS: Aphids, Spider Mites, Japanese Beetles, Rose Chafer, Rose Leafhoppers, Leaf Rollers, Rose Slugs, Flea Beetles, Thrips, Tarnished Plant Bugs, Four Lined Leaf Bugs, Whitefly, Asiatic Garden Beetles and Black Blister Beetles on ROSED, GLADIOLUS, DAHLIAS, SWEET PEAS, ASTERS AND CHRYSANTHEMUMS. Black Spot, Powdery Mildew, Rust, Leaf Spot and Botrytis Flower Blight on ROSES, TUBEROUS LIGONIAS, CARNATIONS, CHRYSANTHEMUMS and PEONIES. Do not apply on Petunias.

TOMATOES: Fruitworms, Hornworms, Aphids, spider Mites, Flea Beetles, Colorado Potato Beetles, Early and Late Blight, Anthracnose and Septoria Leaf Spot. Make no applications on TOMATOES with 7 days of harvest. After the time limit has passes, an effective fungicide should be used alone, in a manner which would not leave residues in excess of established tolerances.

STORAGE AND DISPOSAL

STORAGE: Store material in original container only, in a locked, dry, storage area out of reach of children and animals. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse this container. Wrap in newspaper and discard in trash.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

This package is sold by weight, not by volume. Some settling of contents may have occurred during shipping and handling.

Manufactured by:

Rockland Chemical Co., Inc.  
West Caldwell, NJ 07006 USA

A18601

