

ROCKLAND
GENERAL PURPOSE SPRAY

-Wettable Powder Combination of Malathion, Methoxychlor and Captan.
-Controls Insects, Prevents certain diseases.
-Mix 1 lb. with 8 gallons of water

ACTIVE INGREDIENTS

Methoxychlor*	12.0%
Captan**	7.8%
Related Derivatives	.2%
Malathion***	4.0%

INERT INGREDIENTS

ACCEPTED
Personal Use
OCT 10 1987
The Federal Insecticide, Fungicide, and Rodenticide Act
Registered under the pesticide
EPA Reg. No. 572-186

.....	76.0%
.....	100.0%

*Equivalent to 10.5% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 1.5% other isomeric related compounds.

**N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide.

***O,O-dimethyl phosphorodithioate of diethyl mercaptosuccinate.

EPA Reg. No. 572-186

EPA Est. No. 572-NJ-1

KEEP OUT OF REACH OF CHILDREN (12 pt. type)

DANGER(18 pt. type)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

See back panel for additional precautionary statements.

NET WEIGHT ONE POUND

BEST AVAILABLE COPY

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Call physician immediately, may cause irreversible eye damage.
Flush eyes with plenty of water.

IF SWALLOWED: Call physician or poison control center immediately. Drink one or two glasses of water and induce vomiting by touching finger to back of throat. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is antidotal.

IF ON SKIN: Wash with plenty of soap and water. Launder clothes before reuse.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE PRECAUTIONS: Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before reuse. Wear chemical resistant gloves when using indoors or outdoors. When using, wear long pants and long-sleeved shirt and apply with the wind to your back. Wash non-disposable gloves thoroughly with soap and water before removing.

Make spray application on listed Flowers, Shrubs, Trees, Fruit Trees and Vegetables before insects become numerous and before diseases become apparent. Mix 8 level tablespoons per gallon of water (1 lb. per 8 gallons of water). Mix thoroughly before using and occasionally during use to assure uniformity of spray mix. For hose-end sprayer, follow manufacturer's directions. Protect plants through the growing season by spraying at 7-14 day intervals and after heavy rains. Do not store diluted spray. Pay particular attention to cover underside of leaves.

ROCKLAND GENERAL PURPOSE SPRAY is effective for control of the following insects and diseases:

FRUIT TREES: Aphids, Coddling Moth, European Red Mites, Clover Mites, Two Spotted Mites, Willamette Mites, Pear Psylla, Japanese Beetles, Black Cherry Aphid, Tent Caterpillar on APPLES, PEARS, PEACHES AND CHERRIES, Scab, Curcullo on APPLES, Leaf Spot on PEARS, Brown Rot, Curcullo, Scab on PEACHES, Curcullo Leaf Spot, Brown Rot on CHERRIES. Apply material directly to the tree when the air is still. For timing of applications, follow fruit tree dust schedule.

SUGGESTED FRUIT SPRAYING SCHEDULE

DELAYED DORMANT - (From first green on bud to 1/2 inch leaves) on: apple and peach.

PRE-BLOOM - (From first pink to first bloom) on apple, peach, pear and cherry.

PETAL-FALL - (When 90% of petals have fallen on all fruits listed above).

SHUCK-FALL - (When half the shucks have fallen from fruit) on cherry and peach.

BEST AVAILABLE COPY

3-14

General Purpose Spray

COVER-SPRAY - (2 to 6 applications.) Begin 10 days after petal fall on apple and pear. Begin 10 days after shuck-fall on cherry and peach. Do not apply to peaches within 21 days of harvest nor to other fruit within 14 days of harvest.


SHRUBS: Japanese Beetles, Aphids, Spider Mites, Lacebugs, Azalea Scale, Scurfy Scale, Euonymus Scale, Soft Brown Scale, Bagworms and Boxwood Leaf Miners on **AZALEAS, RHODODENDRONS, ARBORVITAE, JUNIPERS, HYDRANGEAS, EUONYMUS, PIERIS JAPONICA, LILAC AND BOXWOOD.** NOTE: For Scale Insects and Bagworms on SHRUBS, make ONLY dust applications. Do not spray for control of these insects as 2 to 3 times the normal dosage of this product is required per gallon of water. This would result in excessive clogging of spray nozzles.

TREES: Spider Mites, Birch Leaf Miners, Holly Leaf Miners, European Pine Shoot Moth, Tent Caterpillars and Aphids on **PINE, BIRCHES, HOLLY OAKS, MAGNOLIAS, MAPLES AND SYCAMORE.**

FLOWERS: Aphids, Spider Mites, Japanese Beetles, Rose Chafer, Rose Leafhoppers, Leaf Rollers, Rose Slugs, Flea Beetles, Thrips, Tarnished Plant Bugs, Four Lined Leaf Bugs, Whitefly, Asiatic Garden Beetles and Black Blister Beetles on **ROSES, GLADIOLUS, DAHLIAS, SWEET PEAS, ASTERS AND CHRYSANTHEMUMS.** Black Spot, Powdery Mildew, Rust, Leaf Spot and Botrytis Flower Blight on **ROSES, TUBEROUS BEGGONIAS, CARNATIONS, CHRYSANTHEMUMS and PEONIES.** Do not apply on Petunias.

TOMATOES: Fruitworms, Hornworms, Aphids, Spider Mites, Flea Beetles, Colorado Potato Beetles, Early and late blight, Anthracnose and Septoria Leaf Spot. **MAKE NO APPLICATION ON TOMATOES WITHIN 7 DAYS OF HARVEST.**

After the time limit has passed, an effective fungicide should be used alone, in a manner which would not leave residues in excess of established tolerances.



BEST AVAILABLE COPY

1164

STORAGE AND DISPOSAL

STORAGE: Store material in original container only, in a locked, dry, storage area out of reach of children and animals. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse this container. Wrap in newspaper and discard in trash.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

This package is sold by weight, not by volume. Some settling of contents may have occurred during shipping and handling.

Manufactured by:

Rockland Chemical Co., Inc.
West Caldwell, NJ 07036 USA

A18601

