pm 19 572-186 page 194

MAY 2 4 1994

Judith K. Lemm Rockland Corporation P.O. Box 809 West Caldwell, NJ 07006

Dear Ms. Lemm:

Subject: Delete uses

Rockland General Purpose Spray EPA Registration No. 572-186

Amendment application of July 22, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes given below before you release the product for shipment bearing the amended labeling.

1. Change the ingredient statement to declare methoxychlor as:

"Methoxychlor: 1,1,1-trichloro-2, 2-bis (p-methoxyphenyl) ethane"

5. Revise the environmental hazards wetlands statement to:

"Do not apply directly to water, to areas where surface water is present or to intertidal areas below the means high water mark."

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide Rodenticide Branch Registration Division (7505C)

Enclosure

MAY 2 4 1994

ROCKLAND

GENERAL PURPOS E SPRAY

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

Wettable Powder Combination of Malathion, Methoxychlor and Captan.
Controls Insects, Prevents certain diseases.
Mix 1 lb. with 8 gallons of water

ACTIVE INGREDIENTS

Methoxychlor*	12.0%
Captan**	
Related Derivatives	
Related Derivatives	4 . 0%
INERT INGREDIENTS	
	100.0%

*Equivalent to 10.5% 2,2-bis(p-methoxyphenyl)-1,1,1trichloroethane and 1.5% other Isomers and related compounds.

**N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide.

*** O, O-dimethyl phosphorodithioate of diethyl mercaptosuccinate.

EPA Reg. No. 572-186

EPA Est. No. 572-NJ-1

KEEP OUT OF REACH OF CHILDREN (12 pt. type)

DANGER (18 pt. type)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Causes irreversible tye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before use.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.



STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Call a physician immediately, may cause irreversible eye damage. Flush eyes with plenty of water.

IF SWALLOWED: Call a physician or poison control center immediately. Drink one or two glasses of water and induce vomiting by touching finger to back of throat. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is antidotal.

IF ON SKIN: Wash with plenty of soap and water. Launder clothing before reuse.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistant with its labeling.

USE PRECAUTIONS: Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before reuse. Wear chemical resistant gloves when using indoors or outdoors. When using, wear long pants and long-sleeved shirt and apply with the wind to your back. Wash non-disposable gloves thoroughly with soap and water before removing.

Make spray application on listed Flowers, Shrubs, Trees and Fruit Trees before insects become numerous and before diseases become apparent. Mix thoroughly at the following rates:

8 Tbsp. per gallon of water 1 Lb. per 8 gallons of water

Continue to mix occasionally during use to assure uniformity of spray mix. Apply as follows to Trees:

1-2 pints per small tree (6-8 ft.)

1-2 quarts per medium tree (8-12 ft.)

1-3 galions per large tree (over 12 ft.)

For hose-end sprayer follow manufacturer's directions to apply above rates. Protect plants through the growing season by spraying at 7-14 day intervals and after heavy rains. Do not store diluted spray. Pay particular attention to cover underside of leaves.

ROCKLAND GENERAL PURPOSE SPRAY is effective for control of the following insects and diseases on APPLE TREES: Aphids, Coddling Moth, European Red Mites, Clover Mites, Two Spotted Mites, Willamette Mites, Japanese Beetles, Tent Caterpillars, Scab and Curculio.

Apply material directly to the tree when the air is still. For timing of applications, follow the following suggested spraying schedule:

DELAYED DORMANT From first green on bud to 1" leaves.

PRE-BLOOM - From first pink to first bloom.

PETAL FALL - When 90% of petals have fallen.

COVER-SPRAY - (2-5) applications) Begin 10 days after petal fall. Do not apply to apples within 7 days of harvest or make more than 8 applications



Page 3

SHRUBS: Japanese Beetles, Aphids, Spider Mites, Lacebugs, Azalea Scale, Surfy Scale, Soft Brown Scale, Bagworms and Boxwood Leaf Miners on AZALEAS, RHODODEN-DRONS, ARBORVITAE, JUNIPERS, HYDRANGEAS, EUONYMUS, PIERIS JAPONICA, LILAC AND BOXWOOD. NOTE: For Scale Insects and Bagworms on SHRUBS, make ONLY dust applications. Do not spray for control of these insects as 2 to 3 times the normal dosage of this product is required per gallon of water. This would result] in excessive clogging of spray nozzles.

TREES: Spider Mites, Birch Leaf Miners, Holly Leaf Miners, European Pine Shoot Moth, Tent Caterpillars and Aphids on PINE, BIRCHES, HOLLY OAKS, MAGNOLIAS, MAPLES AND SYCAMORE.

FLOWERS: Aphids, Spider Mites, Japanese Beetles, Rose Chafer, Rose Leafhoppers, Leaf Rollers, Rose Slugs, Flea Beetles, Thrips, TArnished Plant Bugs, Four Lined Leaf Bugs, Whitefly, Asiatic Garden Beetles and Black Blister Beetles on ROSES, GLADIOLUS, DAHLIAS, SWEET PEAS, ASTERS AND CHRYSANTHEMUMS. Black Spot, Powdery Mildew, Rust, Leaf Spot and Botrytis Flower Blight on ROSES, TUBEROUS BEGONIAS, CARNATIONS, CHRYSANTHEMUMS and PEONIES.

STORAGE AND DISPOSAL

STORAGE: Store material in original container only, in a locked, dry storage area out of reach of children and animals. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse this container. Wrap in newspaper and discard in trash.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

This package is sold by weight, not by volume. Some settling of contents may have occurred during shipping and handling.

Manufactured by: Rockland Corporation West Caldwell, NJ 07006 USA

Product A18601