

572-17

14
6
11

ROCKLAND

MILL-MIST INSECTICIDE



Specifically for use in Feed Mills and Feed and Grain Storage Areas to kill exposed stages of Cereal Insects and other Flying and Crawling Insects.

MILL-MIST Insecticide is formulated for use in most any type fogging machine that will produce a very fine mist spray for thermal fog.

MILL-MIST contains a high percentage of Pyrethrin and Piperonyl Butoxide in a light Mineral Oil base.

100% ACTIVE INGREDIENTS:

| | |
|---------------------------|-----------------|
| Petroleum distillate..... | 97.975% |
| Piperonyl Butoxide..... | .675% |
| Pyrethrins..... | 1.350% |
| | <u>100.000%</u> |

EPA Reg. No. 572-190

EPA Est. 572-NJ-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Side Panel For Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Drink large quantities of milk, egg whites or gelation solution. If these materials are not available, drink large quantities of water. This product contains petroleum solvents. Aspiration may be a hazard.

IF IN EYES: Flush with plenty of water.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and water. Launder clothes before re-using.

IF INHALED: Remove victim to fresh air.

NET CONTENTS:

Manufactured by

ROCKLAND CHEMICAL CO., INC.
PASSAIC AVENUE WEST CALDWELL, NEW JERSEY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC

ANIMALS: Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid breathing mist.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

STORAGE: Store unused material, in original, closed container only, in a locked, dry storage area out of reach of children and animals. Keep container tightly closed. Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide or pesticide rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: ONE GALLON — Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash. Rinse thoroughly before discarding in trash. **FIVE GALLONS & LARGER —** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling that is contrary to label instructions.

TO KILL EXPOSED STAGES OF CEREAL INSECTS: Clean and sweep flour and grain bins and chutes. Fog MILL-MIST thoroughly with special emphasis to forcing spray into cracks and checks of ceiling, walls and floor. To be effective fog must penetrate hiding places of insects.

As a preventative control, fog once a week during warm months, even though insects are not visible.

When insects are visible, repeat fogging as often as necessary.

FOR CHEESE MITES and CHOCOLATE MOTHS: Fog rooms thoroughly before storing, forcing fog into cracks and crevices in floor and walls. Cover exposed foods. Keep doors closed for 20 minutes. Repeat as required.

TO KILL FLIES, MOSQUITOES, GNATS: Close windows and other openings. Fog premises thoroughly using approximately 2 ounces per 1,000 cubic feet. Keep area closed for at least 10 minutes after fogging. Sweep up and remove dead insects. Repeat fogging as often as necessary.

TO KILL ROACHES, WATER BUGS, SILVERFISH: Fog liberally paying particular attention to cracks and crevices or wherever these insects are likely to hide. Fog once each day for 10 days; then as required.

