ROCKLAND

TREATS 8,333 SQ. FT.

3-7-75

PROFESSIONAL SUPER TUPERSAN

For Professional Use Only

SUPER TUPERSAN: is recommended for pre-emergent control of annual weed grasses such as crabgrass (smooth and hairy), foxtail and barnyardgrass in newly constructed or established lawns. Use only on the following grasses: Blucgrass, Fescue, Red Top, Smooth Brome, Perennial Ryegrass, Orchard grass, and the following strains of bent grass: Penncross, Seaside, Highland, Astoria, Nimisila, C-1, C-7, and C-19. Do not use on Bermudagrass.

SUPER TUPERSAN' may be applied at any stage of turf development including completely seeded, newly constructed lawns. At least $\frac{1}{2}$ inch of water must be provided by rainfall or lawn watering within 3 days after treatment in order to carry the chemical into the root zone of germinating weeds.

HOW AND WHEN TO APPLY

ESTABLISHED LAWNS: Apply in the Spring or just before expected emergence of annual weed grasses. Apply 3 lbs. per 1000 sq. ft.

NEWLY CONSTRUCTED LAWNS: Apply 1^{7}_{2} lbs. per 1,000 square feet. After 30 days, apply another 1^{7}_{2} lbs. per 1,000 square feet.

ACTIVE INGREDIENT

Scharon A-Company Company Springer Company Company

CAUTION: KEEP OUT OF REACH OF CHILDREN.

Wighter taple μ_{i} is the form which is different to the field of the two which we have and in the modes μ_{i} and μ_{i

the mit graft, to the mind to the distributions are

This product is force to fish. Reep out of cakes, streams or points. Do not continue rate water to occur or the primed or fished of white. Bo not reuse empty container. Destroy when empty by burship or fiscarding in a safe prior.

The second secon

Net Weight 25 lbs.

Manufactured by

ROCKLAND CHEMICAL CO.

PASSAIC AVENUE

WEST CALDWELL, NEW JERSEY

HLIZIVE!

2 1113