



COMPANY NUMBER 572-

PRODUCT SERIAL NO. 201

LABEL APPROVAL DATE 5-22-85

MAY 22 1985

300 / 142114
17 / 3

Judith K. Lamm
Rockland Chemical Co., Inc.
P.O. Box 809
West Caldwell, NJ 07006

Dear Miss Lamm:

Subject: Draft Labels, Professional
Diazinon Lawn Insect Killer
EPA Registration No. 752-201
Your Application Dated December 10, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- 1. Change Active Ingredient to read:

Diazinon [O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]

- 2. Delete "Professional" from the product name. If the product is not to be sold to the homeowner, you may incorporate the term "For Commercial/Industrial Use Only."
- 3. See enclosed sample label for acceptable "Statement of Practical Treatment," "Precautionary Statements," and Storage and Disposal" formats.
- 4. Also, add the additional statement: "Birds feeding on treated areas may be killed" to the Environmental Hazards paragraph.

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:JOB:35816:LaRocca:RD:85/31:Kendrick&Co:898-1270:5/16/85:Del:5/22/85:DKD

INTERNATIONAL
FLAZINON[®] LAWN INSECT KILLER

A Flaziron-coated controlled granular for control of Ants, Armyworms, Bermuda Mites, Brown Dog Ticks, Chiggers, Grass Hugs, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Lawn Moths (Sod Webworms), Leafhoppers, Millipedes, Sow Bugs, Springtails (Collembola), Ticks. Manufactured specifically for use in cyclone-type spreaders, on both grass and dichondra lawns.

ACTIVE INGREDIENTS:

*0,0-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate.....2%
INERT INGREDIENTS.....98%

ACCEPTED
with COMMENTS
in EPA Letter Dated:

*Flaziron[®] trademark of CIBA-GEIGY Corp. 100%

MAY 22 1985

KEEP OUT OF REACH OF CHILDREN (12 point type)
CAUTION (18 point type)

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. N.

Read entire label before using this product.

572-201

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS:

Avoid breathing of dust. Avoid contact with skin, eyes and clothing. Avoid contact with food and foodstuffs. Wash thoroughly after handling. Harmful if swallowed. May be absorbed through skin. Treat lawns in late afternoon. Keep children and pets off treated areas until the following afternoon when treated area has dried.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply when grass is dry. Spread evenly at the rate of 5 pounds per 1000 square feet. Water lawn after application. Repeat as necessary. May be applied by hand at same rate. For heavy lawns such as St. Augustine lawns, application should be increased to 7.5 lbs per 1000 sq. ft. SPREADER SETTINGS: Cyclone-8, Scott Drop-8 $\frac{1}{2}$

Hyperodes Weevil (New York only): Apply 5 lbs per 1000 square feet of grass. Water grass thoroughly after application. Treat problem areas in mid-April and again in mid-May.

At 5 lbs. per 1000 sq. ft. SPREADER SETTINGS: Cyclone-5, Scott Drop-5 $\frac{1}{2}$, Scott Rotary-"L".

Billbugs and White Grubs of Japanese Beetle, European Chafer, Southern Chafer: Apply 6 lbs. per 1000 sq. ft. of lawn. Water grass thoroughly after application. For Grub control make application any time between late July and early October. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. Repeat as necessary.

At 6 lbs. per 1000 sq. ft. SPREADER SETTINGS: Cyclone-7, Scott Drop-7 $\frac{1}{2}$, Scott Rotary-"S".

BEST AVAILABLE COPY

PROF. DIAZINON[®] LAWN
INSECT KILLER

PMK 572-201 1/4
HIGHLAND CHEMICAL CO., INC.
P. O. BOX 809
WEST CALDWELL, N. J. 07007-0809

SPOT TREATMENT:

Ants: Apply 1 tablespoonful over and around each individual ant hill.

Digger Wasps: Apply 1 tablespoonful over and around each individual ground nest opening. Make the application about dusk when the wasps are not active.

BAND TREATMENT AROUND FOUNDATION:

Ants	Crickets	Millipedes
Brown Dog Ticks	Earwigs	Sowbugs
Clover Mites	Fleas	Springtails (Collembola)

To control the above insects, apply a 5 foot band next to the foundation of the house. Distribute uniformly using at rate of 8 oz. for each 5' x 20' area to be treated.

STORAGE AND DISPOSAL (12 point type)

STORAGE: Store unused material, in original container only, in a locked storage area out of reach of children and animals. Keep container tightly closed. Do not contaminate water, food or feed by storage or disposal.

DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 572-201

EPA Est. 572-NJ-2

Treats 5,000 Sq. Ft.
Net Weight 25 Lbs.

BEST AVAILABLE COPY

120584