



ROCKLAND

1 LIQUID PINT

# ROCKLAND TREE AND SHRUB SPRAY

1  
2  
3

#### ACTIVE INGREDIENTS:

*S-[2- (Ethylsulfanyl) ethyl] 0,0-dimethyl phosphorothioate	6.0%
**Methoxychlor, technical	5.0%
1,1-Bis (p-chlorophenyl)-2,2,2-trichloroethanol	0.9%
Aromatic Petroleum Distillate	49.6%
INERT INGREDIENTS:	39.5%
	<hr/> 100.0%

\*U.S. Patent No. 2,791,599. This ingredient used under license from Chemagro Corp.

\*\*Equivalent to 4.4% of 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 0.6% of other isomers and related compounds.

A portion of this insecticide combination is deposited on the plant surfaces to give general contact and residual insecticidal action. Another portion gives systemic action by being absorbed through the plant surfaces into the sap system. This gives longer residual effect and controls many insects not exposed to regular contact sprays.

#### DIRECTIONS FOR USE

FOLIAR SPRAY: For Roses, Azaleas, Taxus, Rhododendrons and other flowers, Evergreens and ornamental fruit and shade trees, mix 2 tablespoonfuls (1 oz.) in each gallon of water. When insects appear, apply spray to hit as many as possible and to thoroughly wet all plant surfaces. Repeat weekly on flowers or as necessary on other plants. Early May is the average time for spraying LEAF MINERS on Birches, Boxwood and Holly. Repeat in 10 days.

#### List of Plant Insects Controlled on Flowers & Ornamentals

Aphids	Lace Bugs	Certain Scale
Red Spider Mites	Plant Bugs	Crawlers
Leaf Hoppers	Japanese	Mites
Rose Chafers	Beetle	Thrips

**WARNING:** ROCKLAND TREE AND SHRUB SPRAY is poisonous. Poisoning may occur as a result of exposure. It may be fatal if swallowed. May be absorbed through the skin. Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling. Wash contaminated clothing before re-use. Do not breathe spray mist. Do not contaminate feed or food. Do not contaminate drinking water or fish ponds. Keep out of reach of children. Keep children and pets off treated areas until dry. Do not use on plants used for food or forage. Use only according to label directions.

**KEEP CONTAINER CLOSED AND AWAY FROM HEAT AND OPEN FLAME.** Do not reuse empty container. Bury or discard in a safe place.

**ANTIDOTE:** Atropine Sulfate and/or 2-PAM.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. <sup>®</sup>Metasystox-R, registered trademark of Farbenfabriken Bayer A. G., Chemagro Corporation licensee.

Kelthane<sup>®</sup>, registered trademark of Rohm & Haas.

U.S.D.A. Reg. No. 572-208

Manufactured for

**ROCKLAND CHEMICAL CO., INC.**  
Passaic Avenue West Caldwell, N. J.

**FLAMMABLE:** Keep Container Closed and Away From Heat and Open Flame.

ACCEPTED

ACCEPTED WITH COMMENTS



ROCKLAND

1 LIQUID PINT

# ROCKLAND TREE AND SHRUB SPRAY

1  
2  
3

#### ACTIVE INGREDIENTS:

*S-[2- (Ethylsulfanyl) ethyl] 0,0-dimethyl phosphorothioate	6.0%
**Methoxychlor, technical	5.0%
1,1-Bis (p-chlorophenyl)-2,2,2-trichloroethanol	0.9%
Aromatic Petroleum Distillate	49.6%
INERT INGREDIENTS:	39.5%
	<hr/> 100.0%

\*U.S. Patent No. 2,791,599. This ingredient used under license from Chemagro Corp.

\*\*Equivalent to 4.4% of 2,2-bis (p-methoxyphenyl)-1,1,1 trichloroethane and 0.6% of other isomers and related compounds.

A portion of this insecticide combination is deposited on the plant surfaces to give general contact and residual insecticidal action. Another portion gives systemic action by being absorbed through the plant surfaces into the sap system. This gives longer residual effect and controls many insects not exposed to regular contact sprays.

#### DIRECTIONS FOR USE

**FOLIAR SPRAY:** For Roses, Azaleas, Taxus, Rhododendrons and other flowers, ~~Evergreens and ornamental fruit and shade trees~~, mix 2 tablespoonfuls (1 oz.) in each gallon of water. When insects appear, apply spray to hit as many as possible and to thoroughly wet all plant surfaces. Repeat weekly on flowers or as necessary on other plants. Early May is the average time for spraying LEAF MINERS on Birches, Boxwood and Holly. Repeat in 10 days.

#### List of Plant Insects Controlled on Flowers & Ornamentals

Aphids	Lace Bugs	Certain Scale
Red Spider Mites	Plant Bugs	Crawlers
Leaf Hoppers	Japanese	Mites
Rose Chafers	Beetle	Thrips

**WARNING:** ROCKLAND TREE AND SHRUB SPRAY is poisonous. Poisoning may occur as a result of exposure. It may be fatal if swallowed. May be absorbed through the skin. Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling. Wash contaminated clothing before re-use. Do not breathe spray mist. Do not contaminate feed or food. Do not contaminate drinking water or fish ponds. Keep out of reach of children. Keep children and pets off treated areas until dry. Do not use on plants used for food or forage. Use only according to label directions.

**KEEP CONTAINER CLOSED AND AWAY FROM HEAT AND OPEN FLAME.** Do not reuse empty container. Bury or discard in a safe place.

**ANTIDOTE:** Atropine Sulfate and/or 2-PAM.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. <sup>®</sup>Metasystox-R, registered trademark of Farbenfabriken Bayer A. G., Chemagro Corporation licensee.

Kelthane<sup>®</sup>, registered trademark of Rohm & Haas.

U.S.D.A. Reg. No. 572-208

Manufactured for  
**ROCKLAND CHEMICAL CO., INC.**  
Passaic Avenue West Caldwell, N. J.

**FLAMMABLE:** Keep Container Closed and Away From Heat and Open Flame.

AC