

Rockland

CHEMICAL CO., INC.

Products for the Lawn, Garden, Farm, Home

mailing address
PASSAIC AVENUE, WEST CALDWELL, N. J. 07006
P. O. BOX 204, CALDWELL, N. J. 07006
Telephone: (201) 575-1322 3-4

December 11, 1974

TO: Insecticide/Fungicide Branch
Environmental Protection Agency
Washington, D. C.

RE: Additional insects controlled on label for EPA Reg. No. 472-218
PROFESSIONAL DURBAN CHINCH AND GRUBS

PROPOSED ADDITIONS:

The following is to be inserted on attached label, where indicated by arrow:

To control **WHITE GRUBS** (Japanese Beetle Larvae and European Chaffer Larvae), use 10-20 lbs. per 1,000 sq. ft. Apply the granules uniformly over the area ~~xxx~~ treated into the turf. For best results, treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local agricultural extension service for best time to treat in your area.

See Form 3-100 attached.

ACCEPTED
MAY 30 1975
Office of the Federal Register,
National Archives and Records Act,
College Park, Maryland
to receive this
EPA Reg. No. 472-218

RECEIVED
2 JAN 1975
REGISTRATION DIVISION
PESTICIDES, EPA

Rockland
CHEMICAL CO., INC.

1000 AVENUE W. EAGLE WOOD, N.J.

REGISTRATION DIVISION
P.O. BOX 204 LAIDLWELL N.J. 07036

[Faint, mostly illegible text, possibly a letter or report]

ACCEPTED

BEST DOCUMENT AVAILABLE

RECEIVED
2 JAN 1975
REGISTRATION DIVISION
PESTICIDES, EPA

ROCKLAND

ACCEPTED
JAN 1975
EPA

PROFESSIONAL DURSBAN

RECEIVED
2 JAN 1975
REGISTRAR OFFICE
Pesticides, EPA

CHINCH BUG KILLER

For Professional Turf Maintenance Operators Only

A Dursban® rated formulation granular for control of Ants, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Earwigs, Hyperodes (Weevils), Sod Webworms (Larva Matini) and Sowbugs (Pillbugs) on lawns and around buildings. Manufactured specifically for use in cyclone type spreaders.

DIRECTIONS FOR USE

Spread evenly at the rate of 5 pounds per 1000 square feet. After application, water lawn using 30 gallons per 1000 square feet.

To Control ANTS, BROWN DOG TICKS, CRICKETS, CUTWORMS, EARWIGS, SOD WEBWORMS and SOWBUGS — Make first application when insects appear and reapply at 30 day intervals. For best results, turf should be moist at time of treatment. To control CHINCH BUGS — Consult your local agricultural extension agent as to the exact timing.

NOTE: To reduce initial infestation of chinch bugs, E. & G. treat areas of ground 1 to 2 feet wide around and adjacent to new buildings where they are most active.

CYCLONE SPREADER SETTINGS

To control CRICKETS, EARWIGS, SOD WEBWORMS and SOWBUGS — Set Cyclone Spreader to 1/2 inch. To control ANTS, BROWN DOG TICKS, CHINCH BUGS, CUTWORMS and HYPERODES (WEEVILS) — Set Cyclone Spreader to 1/4 inch.

HYPERODES (WEEVILS) FEEDER DAMAGE

This granular formulation is designed to control Hyperodes (Weevils) on lawns and around buildings. It is not intended for use on other types of plants or structures.

CAUTION: KEEP OUT OF REACH OF CHILDREN AND ANIMALS

Do not use on lawns or around buildings where children or animals are present. Avoid contact with skin, eyes, nose, mouth, or clothing. Wash hands thoroughly after use. Do not eat, drink, or smoke while using this product.

NOTE TO PROFESSIONAL OPERATORS: This product is a restricted use pesticide. It is intended for use by professional turf maintenance operators only. It is not to be used by the general public. For more information, contact your local agricultural extension agent or the manufacturer.

Net Weight 25 lbs.

ROCKLAND CHEMICAL CO.

PASSAIC AVENUE WEST CALDWELL, NEW JERSEY