

DIRECTIONS FOR USE

PASTURE FLY SPRAY is a specially prepared ready-to-use insecticide for use in conventional hand, power, or automatic spray equipment. Use as directed on Beef Cattle and Lactating Dairy Cattle.

For Use in Electric Foggers and Stationary Sprayers: **PASTURE FLY SPRAY** is recommended for use in stationary sprayers or electric foggers. Fog 1 to 2 ounces per 1000 cubic feet. In stationary sprayers apply 1 to 2 ounces per animal before milking as animals pass through. Do not exceed spraying 2 ounces per animal per day.

For Face Flies: To protect animals from Face Flies, spray animal's head covering forehead, poll, muzzle and sides of face thoroughly with spray mist but do not apply more than 2 ounces to entire animal at any one spraying.

CAUTION: AVOID inhalation of mist and contact with skin. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or food-stuffs. Keep out of reach of children. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal. 2 PAM is also antidotal and may be administered in conjunction with Atropine.

NET CONTENTS 5 GALLONS



PASTURE FLY SPRAY

WITH CIODRIN®

Kills Face Flies, Horn Flies, Stable Flies, House Flies
on Dairy and Beef Cattle

CAUTION: KEEP OUT OF REACH OF CHILDREN.
SEE SIDE PANEL FOR COMPLETE CAUTION STATEMENT.

100% ACTIVE INGREDIENTS

ACTIVE INGREDIENTS: Petroleum Distillate, Dimethyl phosphate of alpha-methylbenzyl 3-hydroxy-cis-crotonate*, N-Octyl bicycloheptene dicarboximide, Technical Piperonyl Butoxide**, Pyrethrins.

*CIODRIN® Insecticide.

**Consists of (butylcarbityl) (6-propylpiperonyl) ether and related compounds.

® Registered Trade Mark Shell Chemical Co.

Manufactured for by

IBA, INC. PESTICIDE DIVISION

Millbury, Massachusetts

DIRECTIONS FOR USE

PASTURE FLY SPRAY is a specially prepared ready-to-use insecticide for use in conventional hand, power, or automatic spray equipment. Use as directed on Beef Cattle and Lactating Dairy Cattle.

Spray **PASTURE FLY SPRAY** daily before milking. Spray as a fine mist starting from the front of the animal and thoroughly cover all parts of the animal including the legs. Apply 2 ounces per animal per day but do not spray in excess of 2 fluid ounces per day.

An acceptable spraying schedule is 2 ounces per animal before the morning milking or 1 ounce per animal before each milking. For best pasture protection a morning spray is the most important spray.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Do not reuse container. Destroy when empty.

WARRANTY. Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 572-233

BA Stock No. 4216

ACCEPTED
5-30-72
5-72-233