14 JUL 1997

Ms. Judith K. Lemm Rockland Corporation P.O. box 809 West Caldwell, NJ 07006

Dear Ms. Lemm:

Label Amendments in Response to Basic Suppliers Deletion Subject:

of Certain DDVP Uses Rockland C-EM-Die^R EPA Reg. No. 572-246

Your Submission Dated January 10, 1997

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the label changes indicated below prior to release for shipment of product bearing the amended labeling. A stamped copy is enclosed for your records.

Under Precautionary Statements add the following statement:

"Wear a pesticide respirator jointly approved by the National Institute for Occupational Safety and Health (NIOSH) or the Mine Safety and Health Administration (MSHA) when applying indoors as a space spray of fog."

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

		CONCURRENC	±\$		* : :
SYMBOL		1 1 1			÷
SURNAME)					2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
DATE			***************************************	*******	

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

Dairy, Livestock and Barn

CONTACT & SPACE SPRAY For Agricultural/Commercial Use Only. Not For Sale For Any Other Uses

WITH QUICK KNOCKDOWN AND KILL CHEMICALS

KILLS Stable Flies - Horn Flies - House Flies 0 Mosquitoes and Chicken Mites When used as directed.

ACTIVE INGREDIENTS:

*Technical Piperonyl Butoxide	0.277%
2,2-dichlorovinyl dimethyl phosphate	
Related compounds	
Pyrethrins	
**INERT INGREDIENTS	
	100.00%

*Equivalent to .22% (butylcarbityl) (6-propylpiperonyl) ether and .55% related compounds.

**Contains Petroleum Distillate.

EPA Reg. No. 572-246

EPA Est. No. 572-NJ-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements.

Net Contents:

n

(H

Rockland **C-Em-Die**®is a special formulation compounded primarily for the dairy industry. This product will not destroy the metal of any sprayer; no waste or sediment in can.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate utensils, feed, water or foodstuffs. Avoid breathing of spray mist. Avoid wetting the hides of animals.

Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. Do not apply in combination with trichlorfon. Do not use on Brahman cross cattle, as they may show hypersensitivity to organic phosphates. Do not make direct application to livestock more frequently than once per day. ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

(1

H

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do NOT induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. **IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Spray, at the rate of 1-2 oz. per 100 sq. ft. on walls, ceilings, pens, posts, stalls, windows, doors, where flies congregate, holding sprayer about one foot from

surface being sprayed and close doors and windows for 10 minutes when spraying to avoid draft and waste.

CATTLE, CALVES, HOGS, PIGS: Spray animals with a fine mist once a day to kill horn flies, houseflies, mosquitoes. DAIRY CATTLE: for killing these flies, spray lightly 20-30 minutes before or after milking time and only when necessary. No more than 2 ounces should be applied per animal per application. For young animals, apply no more than one ounce per animal as a spray. Tobanids to be killed must be hit directly by spray. Wash the teats of sprayed dairy animals with an approved cleansing solution and then dry them prior to milking.

CHICKEN MITES: Empty nests before spraying. Spray roosts, at the rate of 1-2 oz. per 100 sq. ft., paying particular attention to all cracks and crevices and other hidden places. Thoroughly clean the premises before spraying as this will help in controlling mites. Repeat application in about 2 weeks if necessary. Spray entire interior of the coop and house thoroughly.

BARN SPRAY: Use this product in barns, milk houses, outbuildings, pens for effective control of Stable Flies, House Flies, Horn Flies. Use powder or compressed air sprayer, if preferred, that throws a good fine even spray. Animals should be removed from barn before treatment. Spraying of animals should be done outdoors as a separate treatment. Direct the mist toward the upper portion of the enclosure, filling the air with fine mist, using 2 ounces of mist per 100 cubic feet of air space. For best results keep doors and windows closed when possible for 10 minutes after application and during spraying. Applicator must not remain in treated area. After the 10 minutes treatment period, the area should then be opened up and ventilated prior to reoccupying by humans or animals. Do not contaminate feed, drinking water, milk or milking equipment. Do not apply in areas where animals have received direct application of DDVP within 8 hours.

1

STORAGE AND DISPOSAL

STORAGE: Store unused material, in original container only, in a locked, fry storage area out of reach of children and animals. Do not contaminate water, food or feed by storage or disposal. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticides, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of

use and/or handling of this material when such use and/or handling is contrary to label instructions.

Product C24625

Manufactured by Rockland Corporation West Caldwell, NJ 07006

0195 RKL/LBL/246CMDIE