



Net Contents 1 quart

# ROCKLAND *Weed and Grass Killer*

1  
2  
3

ACCEPTED  
10-5-72  
572-249  
UNIFORM FEDERAL INSECTICIDE  
ACT AND FEDERAL FOOD, DRUG,  
AND COSMETIC ACT  
REGISTERED TOXIC POISON REGISTERED  
EPA REG. NO.

### NET CONTENTS 1 QUART

ROCKLAND WEED & GRASS KILLER is for non-selective weed and grass control in Driveways, Patios, along Fence Rows and Industrial Sites where a weed-free soil surface is desired. This product kills most young weeds and grasses on contact and deposits a chemical residue on the soil. This residue controls annual weeds and grass seedlings from germinating during the entire growing season. Contact activity will be apparent in a few days. Final kill by root penetration may take from 2 to 3 weeks.

### DIRECTIONS FOR USE

For best results apply in early spring before weeds germinate. If weeds have germinated, apply before they are 4 inches tall. During seasons of unusually high rainfall a second application may be necessary.

For Walks, Driveways, Patios, Tennis Courts and Graveled Areas: Mix 1 quart WEED & GRASS KILLER with 2 gallons of water and apply over 250 sq. ft. Use a sprinkling can or sprayer to thoroughly wet all foliage.

For areas where heavy grass and weed growth is present in such as Fence Rows and Fire Lanes and where vegetation is more than 24 inches high: Mow or cut to 8 inch height before applying. Apply 1 quart in 5 to 8 gallons of water per 250 sq. ft. To control deep rooted perennial weeds such as Milkweed and Canada Thistle a second application in 2 to 3 months may be necessary.

**CLEANING EQUIPMENT:** Wash sprinkling can or sprayer thoroughly with household detergent and water immediately after use. Rinse well with clean water.

**CAUTION:** Keep out of reach of children. Harmful if swallowed. Avoid contact with skin, eyes or clothing. In case of skin contact, wash thoroughly with soap and water. Avoid breathing spray mist.

Avoid contamination of feed and foodstuffs. Avoid contamination of waters used for domestic or irrigation purposes.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

Do not use this product on lawns. Do not use close to desirable flower beds. Do not apply over root zones of valuable trees, shrubs or woody ornamental plants. Apply this material outside the drip line of trees and shrubs. Do not store near fertilizers, seeds, insecticides or fungicides. Avoid spray drift to susceptible plants as this product may injure cotton, beans, peas, grapes, ornamentals, etc. (Coarse sprays are less likely to drift.) Do not reuse empty container. Destroy by perforating and crushing and bury or discard in a safe place. Vapors from this product may injure susceptible plants in the immediate vicinity.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

E.P.A. Reg. No. 572-249

MANUFACTURED BY

**ROCKLAND CHEMICAL CO., INC.**

Passaic Avenue

West Caldwell, N. J.

ROCKLAND

NET CONTENTS: ONE GALLON

INDEXED TO THE FEDERAL REGISTER  
REGISTERED TRADEMARK  
PATENT OFFICE  
7/2-567

# PROFESSIONAL LAWN WEED KILLER

with SILVEX

(2,4-D plus 2,4,5-TP)

FOR PROFESSIONAL USE ONLY

**CAUTION: KEEP OUT OF REACH OF CHILDREN.**

**ACTIVE INGREDIENTS**

*Isodactyl ester of 2,4-dichlorophenoxyacetic acid	27.35
**Isodactyl ester of silvex (2,4,5-trichlorophenoxyacetic acid)	12.81
<b>INERT INGREDIENTS</b>	59.84
*Equivalent to 12.63% 2,4-dichlorophenoxyacetic acid	
**Equivalent to 5.80% silvex	

**DIRECTIONS**

To control: Dandelion, Plantain, Chickweed, Knotweed, Purslane, Clover, Pennywort and many similar weeds. Spray 2 ounces per each gallon of water to cover 1,000 sq. ft. for a single application or, preferably, use 1 ounce per gallon of water for each 1,000 sq. ft. and go over the area to be treated twice in different directions to insure complete coverage. Apply to vigorously growing weeds in Spring or Fall after a rain and on a warm day when there is no wind. Do not use on Dichondra, Lippia or Clover lawns; nor on new lawns until after at least second cutting. Do not water for 24 hours or reseed for at least 3 weeks. This product may injure St. Augustine and Bent grass lawns.

**CAUTION:** Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash hands after using. Avoid breathing of spray mist. Keep spray away from children and domestic animals. Avoid contamination of feed and foodstuffs. **ANTIDOTE:** If taken internally induce vomiting and call a physician at once.

Do not store near fertilizers, sheds, insecticides nor fungicides. Keep livestock off treated areas. Use on grass only. Vapors from this product may injure susceptible plants in immediate vicinity. Avoid spray drift to susceptible plants as this product may injure cotton, beans, peas, grapes, ornamentals, etc. **COARSE SPRAYS ARE LESS LIKELY TO DRIFT.** A separate spray should be used as 2,4-D is very difficult to clean from equipment. Do not reuse container. Destroy by perforating and burning and bury in a safe place.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**WARRANTY:** This product is warranted to control the weeds listed on this label. It is not a guarantee of control. The user must follow the directions on this label. The user must apply this product only as specified on this label. The user must apply this product only as specified on this label.

Manufactured by

**Rockland Chemical Co., Inc.**  
PASSAIC AVENUE, WEST CALDWELL, N. J.



ROCKLAND

Net Contents 1 pint

**ROCKLAND**  
*Lawn Weed*  
**Killer**

Net Contents: 1 Pint

**DIRECTIONS**

**ROCKLAND LAWN WEED KILLER** will give the most effective control when applied to vigorously growing weeds in Spring or Fall after a rain. Apply on a warm day when there is no wind, preferably in the morning or evening. Measure the area to be sprayed and mix the correct dosage, using a conventional lawn sprayer or a sprayer with hose attachments. For requirements different than listed below, consult local turf authority.

**LAWN WEEDS:** For Dandelion, Plantain, Chickweed, Knotweed, Purslane, Clover, Pennywort and many others, mix 4 tablespoons (2 fl. oz.) in 3 gallons of water and apply to 500 sq. ft. of lawn. Do not use on Dichondra, Lippia or Clover lawns. Do not use on new lawns until after at least second cutting. Do not water for 24 hours or reseed for at least 3 weeks. Wild onion may require repeated application in late fall and early spring. For St. Augustine or Bent Grass Lawns, make 3 applications at 10 day intervals, using 1/2 strength, or 1 fl. oz., in 3 gallons of water for 600 sq. ft.

**HARD-TO-KILL WEEDS:** For Ragweed, Dock, Morning Glory in Lawns, Thistle, along Fence Rows, Right-of-ways, spray in the spring when leaves are full grown, using 3 tablespoons or 1 1/2 fl. oz. per gallon of water (1-100 dilution). Spray to wet all plant surfaces thoroughly. Repeat as necessary.

For control of **POISON IVY** and **WOODY PLANTS** in Wastelands, Fence Rows, **HONEYSUCKLE**, **SUMAC**, **BRAMBLES** and Noxious Weeds, use 4 fl. oz. (1/2 cup) per gallon of water. Spray to wet all plant surfaces thoroughly. Application may be repeated in 4 weeks.

**CAUTION:** Keep out of reach of children. Harmful if swallowed. Avoid inhalation and contact with skin, eyes or clothing. Wash hands after using. Do not contaminate water used for domestic or irrigation purposes.

Keep containers closed. Do not store near heat or open flame, nor seeds, fertilizers, insecticides or fungicides. Avoid spray drift to susceptible plants as this product may injure cotton, beans, peas, grapes, ornamentals, etc. (coarse sprays are less likely to drift). Destroy container when empty. Do not reuse. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same spray equipment for other purposes). Vapors from the product may injure susceptible plants in the immediate vicinity. Product may injure St. Augustine and Bent Grass lawns.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.


**ROCKLAND CHEMICAL CO., Inc.**

Passaic Avenue,

West Caldwell, N. J.

E.P.A. Reg. No. 572-269

E.P.A. Est 572-NJ-1





Net Contents 1 quart

# ROCKLAND Weed and Grass Killer

1  
2  
3

### NET CONTENTS 1 QUART

ROCKLAND WEED & GRASS KILLER is for non-selective weed and grass control in Driveways, Patios, along Fence Rows and Industrial Sites where a weed-free soil surface is desired. This product kills most young weeds and grasses on contact and deposits a chemical residue on the soil. This residue controls annual weeds and grass seedlings from germinating during the entire growing season. Complete effects will be apparent in a few days. Final kill by root penetration may take from 2 to 3 weeks.

### DIRECTIONS FOR USE

For best results apply in early spring before weeds germinate. If weeds have germinated apply before they are 4 inches tall. During heavy rains or heavy irrigation a second application may be necessary.

Use 1 quart Driveway, Patio, Tennis Courts and Graveled Areas. Mix 1 quart WEED & GRASS FILLER with 2 gallons of water and apply to 250 sq. ft. Use a straining can or sprayer to thoroughly wet all foliage.

For areas where heavy weeds and grass growth is present in such as Fence Rows and Alley Lanes and where vegetation is more than 24 inches high, cut to 8 inch height before applying. Apply 1 quart in 5 to 8 gallons of water per 250 sq. ft. For perennial weeds such as Milkweed and Purple Loosestrife, a second application in 2 to 3 months may be necessary.

**CLEANING EQUIPMENT:** Wash sprayer can or sprayer thoroughly with water and detergent and water immediately after use. Rinse thoroughly.

**WARNING:** Keep out of reach of children. Harmful if swallowed. Avoid contact with skin, eyes or clothing. In case of skin contact wash thoroughly with soap and water. Avoid breathing spray mist. Do not contaminate feed and foodstuffs. Avoid contamination of water used for domestic purposes.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAMES.**

Do not use this product on lawns. Do not use close to desirable trees. Do not apply over root zones of valuable trees, shrubs or woody plants. Do not apply to plants. Apply this material outside the drip line of trees. Do not use on lawns near fairways, seeds, insecticides or fungicides. Avoid spraying drift to susceptible plants as this product may injure them. Do not use on plants, grasses, ornamentals, etc. (Coarse sprays may injure plants.) Do not reuse empty container. Destroy by burning, incinerating and burn-off yard in a safe place. Vapors may be harmful to susceptible plants in the immediate vicinity.

**WARNING:** Do not use this material if it is expressed or implied. Do not use this material if it is indicated on the label that it is not for use on lawns. Do not use this material when it is not for use on lawns. Do not use this material when it is not for use on lawns.

EPA REG. NO. 100-249

MADE IN U.S.A.  
**ROCKLAND CHEMICAL CO., INC.**  
Passaic Avenue West Caldwell, N. J.