

PM 25

572-255

1/5/73

P1/4

FEED

&

SEED

WITH

TUPERSAN®

TREATS

5000-SQUARE FEET

NEWLY SEEDED LAWNS

ACCEPTED

January 5, 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
ED UNDER NO. 572-255



① Controls Crabgrass and other Annual Weeds and Grasses in Turf.

② Feeds with 18-6-6 Fertilizer.

③ Permits seeding when used as directed.

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR COMPLETE CAUTION
READ ENTIRE LABEL BEFORE USING THIS PRODUCT

ACTIVE INGREDIENTS:
Suduron [1-(2-methylcyclohexyl)-3-phenylurea] 3.59%
INERT INGREDIENTS: 96.41%
100.00%

GUARANTEED ANALYSIS
Total Nitrogen (N) 18%
Available Phosphoric Acid (P₂O₅) 6%
Water Soluble Potash (K₂O) 6%
Potential Acidity equivalent to 675 lbs. Calcium Carbonate per ton.

Registered Trade Mark E. I. duPont
de Nemours & Co. for Suduron weed killer.

MANUFACTURED BY

NET WT. 16 LBS.

ROCKLAND CHEMICAL CO., INC.

WEST CALDWELL, N.J. 07006

6/2

not spread over larger area than recommended. Water must be provided by rainfall or normal lawn watering within 24 hours after application.

Established Turf and New Fall Seedings: Apply contents of this bag over 2500 square feet of lawn area in the spring.

New Spring Seedings: Apply contents of this bag over 5000 square feet of lawn area as final operation following seeding.

SUGGESTED SPREADER SETTINGS

SPREADER MODEL	ESTABLISHED and FALL SEEDED LAWNS	NEWLY SEEDED LAWNS 5000 Sq. Ft.
	LAWN BEAUTY	8
SCOTT	7 ½	4½
PATCO	8 ¼	6
JACKSON	7 ¼	5½
MODERN	8 ½	5½
CYCLONE	4.3	3

These spreader settings are meant as a guide. They are in no sense a guarantee of exact application, inasmuch as age, wear of spreader, speed of operation and roughness of terrain can cause variations in rates applied.

CAUTION: Keep out of reach of children. Avoid contact with eyes. Avoid breathing dust. Avoid contact with skin and clothing. Wash thoroughly after using. Keep children and pets off treated areas until this material is washed into the soil and grass is dry. Do not contaminate feed or foodstuffs. Do not apply to crops used for food and feed purposes. Do not store near seeds, fertilizers and other

pesticides. Use only on turf areas. Store in dry place. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

This product is toxic to fish. Keep out of lakes, streams or ponds.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

E.P.A. Reg. No. 572-255

3/4

ROCKLAND FEED AND SEED is a very effective lawn fertilizer and crabgrass control compound. These materials normally are applied during the spring of the year and by combining them in this manner treatments are applied in one application with a direct saving in time and money.

The Tupersan in this product is highly effective for the control of crabgrass (smooth and hairy) and certain annual weed grasses in turf areas such as golf course fairways, lawns, parks, roadsides and turf grown for grass seed or sod production. Because of its high degree of selectivity, ROCKLAND FEED AND SEED may be applied at time of seeding without causing injury to germinating seeds of many common temperate region grasses as well as established turf.

ROCKLAND FEED AND SEED is recommended for pre-emergence control of annual weed grasses, such as crabgrass (smooth and hairy), foxtail, and barnyardgrass, in newly seeded or established plantings of the following grasses only: bluegrass, fescue, redtop, smooth brome, perennial ryegrass, orchardgrass, and the following strains of bentgrass: Penncross, Seaside, Highland Astoria, Nimisila, C-1, C-7, and C-19. Do not use on other bentgrass strains nor on Bermudagrass, as injury to turf may result. Treatment will not control annual bluegrass (*Poa annua*), clover or most broadleaf weeds. This product may be applied at any stage of turf development, including new seedings.

DIRECTIONS FOR USE

Before making application lawn should be raked to remove extraneous material and insure uniform application. Use any spreader in good condition. Measure off area to be treated. Do