

PM 25

572-255

8/21/96

75 of 4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

AUG 21 1996

Ms. Judith K. Lemm
Rockland Corporation
P.O. Box 809
West Caldwell, NJ 07006

Subject: Rockland Feed & Seed with Tupersan
EPA Reg. No. 572-255
RE: Amendment
Your submission dated June 24, 1996.


Dear Ms. Lemm:

The above mentioned amendment submitted in connection with registration under FIFRA is acceptable. However, the statement on the front panel that now reads; "Apply when seedling to prevent crabgrass and fertilize", should read "Apply when seedling to control...".

The changes have been added to our records.

A stamped copy is enclosed for your records.

Sincerely,



Robert J. Taylor
Product Manager (25)
Fungicide-Herbicide Branch
Registration Division (7505C)

CONCURRENCES							
SYMBOL	7505C						
SURNAME	HICKS						
DATE	8/21/96						

2/4

Rockland® Professional Turf Care

Crabgrass Control plus Seeding Fertilizer 10 -20-15

*Apply when seeding
to prevent crabgrass
and fertilize.*

**ACCEPTED
with COMMENTS
In EPA Letter Dated
AUG 21 1996**
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
572-255

Active Ingredient:
Siduron [1-(2-methylcyclohexyl)-3-phenylurea].....3.59%
Inert Ingredients.....96.41%
100.00%

Guaranteed Analysis:
Total Nitrogen(N).....10%
 8.05 % Urea Nitrogen
 1.95 % Ammoniacal Nitrogen
Available Phosphate (P2O5).....20%
Water Soluble Potash (K2O).....15%

Nutrients Derived from Ammoniated Phosphate, Urea, Muriate of Potash.

Potential Acidity equivalent to 675 lbs Calcium Carbonate per ton

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel For Additional
Precautionary Statements.

Net Wt. 16 lbs

Covers 5,000 Sq. Ft.

REC'D EPA/OPP/DPD1
96 AUG -1 P3:17

Rockland Crabgrass Control plus Seeding Fertilizer is a very effective lawn fertilizer and crabgrass control compound. These materials normally are applied during the spring of the year and by combining them in this manner, treatments are applied in one application with a direct saving in time and money.

The Tupersan in this product is highly effective for the control of crabgrass (smooth and hairy) and certain annual weed grasses in turf areas such as golf course fairways, lawns, parks, and roadsides. Because of its high degree of selectivity, Crabgrass Control plus Seeding Fertilizer may be applied at time of seeding without causing injury to germinating seeds of many common temperate region grasses as well as established turf.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing dust, in case of eye contact, flush eyes with plenty of water. Wash thoroughly after using. Keep children and pets off treated areas until this material is washed into the soil and grass is dry. Do not contaminate feed or foodstuffs.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. *Not to be used on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.*

USE ONLY ON TURF AREAS. DO NOT apply to crops used for food or feed purposes.

Rockland Crabgrass Control plus Seeding Fertilizer is recommended for pre-emergence control of annual weed grasses, such as crabgrass (smooth and hairy), foxtail, and barnyardgrass, in newly seeded or established plantings at the following grasses only: bluegrass, Fescue, redtop, smooth brome, perennial ryegrass, orchardgrass, and the following strains of bentgrass: Penncross, Seaside, Highland Astoria, Nimisila, C-1, C-7, and C-19. Do not use on other bentgrass strains nor on Bermuda grass, as injury to turf may result. Treatment will not control annual bluegrass (*Poa annual*), clover or most broadleaf weeds. This product may be applied at any stage of turf development including new seedings.

Before making application lawn should be raked to remove extraneous material and insure uniform application. Use any spreader in good condition. Measure off area to be treated. Do not spread over larger area than recommended. Water must be provided by rainfall or normal lawn watering with 3 days after application.

Established Turf and New Fall Seedings: Apply contents of this bag over 2500 square feet of lawn area in the spring.

New Spring Seedings: Apply contents of this bag over 5000 square feet of lawn area as final operation following seeding.

SUGGESTED SPREADER SETTINGS

<u>Spreader Model</u>	<u>Established And Fall Seeded Lawns</u>	<u>Newly Seeded Lawns 5,000 Sq. Ft.</u>
Scott	7 1/2	4 1/2
Jackson	7 1/4	5 1/2
Modern	8 1/2	5 1/2
Cyclone	4.3	3

Storage and Disposal

STORAGE: Do not store near seed, fertilizers and other pesticides. Store unused material in original container only, in a locked, dry storage area out of reach of children and animals. Do not contaminate water, food or feed by storage or disposal.

DISPOSAL: Materials that cannot be used according to label instructions, must be disposed of according to applicable Federal State or local procedures. Do not reuse empty bag. Securely wrap in several layers of newspaper and discard in trash.

WARRANTY: seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 572-351
EPA Est. No. 9198-OH-1
Product A255XX

Distributed by
Rockland Corporation
West Caldwell, NJ 07006

UPC