



Net Contents  
ONE LIQUID QUART

**ACCEPTED**  
AUG 25 1982  
Federal Insecticide,  
and Rodenticide Act,  
for the pesticide  
label 572-273

**ROCKLAND**  
**THREE-WAY  
LAWN WEED  
KILLER**

May be used on Blue Grass, Bermuda Grass or Zoysia lawns, vacant lots, playgrounds and similar areas where hard-to-kill weeds are present. This product is especially effective in the control of hard-to-kill weeds. A partial list of the weeds controlled follows

- Bedstraw
- Black Medic
- Buckhorn
- Chicory
- Chickweed
- Clover
- Dandelion
- Dock
- Ground Ivy
- Heal-All
- Henbit
- Knotweed
- Lambsquarter
- Lespedeza
- Mallow
- Morning Glory
- Oxalis
- Peppergrass
- Pigweed
- Plantains
- Poison Ivy
- Poison Oak
- Purslane
- Ragweed
- Sheep Sorrel
- Shepherd's Purse
- Speedwell
- Spotted Spurge
- Wild Carrot
- Wild Lettuce
- Wild Onion
- Yarrow

and many others  
Do not allow spray to get on vegetables or ornamental plants since injury may result. Since injury can be expected when used on Centipede or St. Augustine grass lawns, "Spot-Spray" weeds only. Clover present will be damaged if sprayed. Repeat if necessary for hard-to-kill weeds

CONTAINS ~~TRIMEC~~ HERBICIDE - Contains: 2,4-D, MCPP and Dicamba

ACTIVE INGREDIENTS:	
*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid.....	3.66%
**Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid.....	7.59%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	0.84%
INERT INGREDIENTS:.....	87.91%
	100.00%

THIS PRODUCT CONTAINS:  
\*0.26-lb. 2-(2-methyl-4-chlorophenoxy) propionic acid per gallon or 3.02%.  
\*\*0.543 lb. 2,4-Dichlorophenoxyacetic acid per gallon or 6.30%.  
\*\*\*0.059-lb. 3,6-dichloro-o-anisic acid per gallon or 0.69%.  
\*\*Isomer Specific by AOAC Method No. 6.D01-5.

(†) Trimec is a registered trademark of PRT-Gordon Corporation, U.S. Patent No. 3,284,186.

**DIRECTIONS FOR USE**  
**WHEN TO USE:** Spray at any time during the growing season when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Garlic in the Fall or in the Spring, as needed. On new lawns, wait until the turf has reached a height of 2 inches before making an overall spray treatment.

"Spot-Spray" weed treatment, however, may be made at any time with a small pressure sprayer spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results mow before treating. Do not water lawn within 24 hours after treatment.

**HOW MUCH TO USE - ENTIRE LAWN**  
**HOSE-END SPRAYER:** Use a hose-end sprayer designed for lawns. Put recommended amount of chemical (Column 1) in bottle and add water to indicated level (Column 2), and spray on area indicated. For example - to spray 2,500 sq. feet, measure 10 ozs (20 tsp) in jar and add water to the 10 gallons level and mix. Turn on hose and spray as evenly as possible over 2,500 sq. feet.

	Col. 1	Col. 2	Col. 3
	Amt. Three-Way Lawn Weed Killer to use (Tbsp.)	Fill Bottle To (Gallons)	Area to Treat (Sq. Feet)
	(Fl. Oz.)		
	10	5	1250
	20	10	2500
	30	15	3750
	40	20 (full)	5000

**PRESSURE SPRAYERS:** Measure indicated amount of chemical into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist and cover the area indicated.

	Amt. Three-Way Lawn Weed Killer to use (Tbsp.)	Amt. of water in sprayer (Gallons)	Area to be Sprayed (Sq. Feet)
	2	1	250
	4	2	500
	6	3	750

**Note:** Whether using a hose-end sprayer or pressure sprayer, avoid sprays which are too fine because they can drift and damage ornamental or garden plants.

**HOW MUCH TO USE: SPOT SPRAY** - To spray small areas or individual weeds, do not use hose-end sprayer. Mix 1 oz. (2 tsp) in 1/2 gal. water in pressure sprayer and spray as required being certain to "wet" each weed. Be sure to use **ROCKLAND SPREADER STICKER** according to the directions on that container so that each weed is thoroughly wet.

**CAUTION:** Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not contaminate domestic or irrigation water. Do not pour spray solution near these plants. Do not store in contact with fertilizers, seeds, insecticides, or fungicides. Do not spray on carpetgrass, dichondra nor lawns or turf where desirable bentgrass or clovers are present. When container is empty, wash thoroughly and destroy. Never re-use. Use only lawn sprayers for this use. Coarse sprays are less likely to drift. Do not apply to areas underlaid by roots of desirable trees and shrubs. This product may be injurious to St. Augustine grass.

**CAUTION:** Harmful if swallowed. Avoid skin, eye and clothing contact. In case of contact, flush with water. Avoid contamination of feed or foodstuffs.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

E.P.A. Reg No 572-273  
E.P.A. Est. 572-NJ-1

572-273

08/25/1982

1/1