



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

AUG 17 2001

Ms. Judy K. Lemm
Rockland Corporation
686 Passaic Avenue
P.O. Box 809
West Caldwell, NJ 07007

Subject: Rockland³ Three-Way Lawn Weed Killer
EPA Registration No. 572-273
Application and Letter Dated August 3, 2001, Request
To Amend Registration in Compliance with PR Notice
2001-1, Revising First Aid Statements

The proposed amendment to the subject pesticide product registration has been reviewed and found acceptable under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, provided that you:

1. Revise the label "Warranty" as it places the remedy of damages or harm of use and handling of this pesticide product, when use and/or handling is contrary to label instructions, on the buying and using public of this product. Add a statement that the product must be returned to the seller in case the purchaser decides that he/she can not use the product as described on the labeling, or they do not wish to assume liability for damages if they mistakenly use the product; e.i., fail to follow the direction of use. A copy of the Uniform Commercial Codes that are applicable to the remedies claimed are enclosed with an example of the acceptable warranty with limitations of remedies.
2. Submit one (1) copy of the final printed labeling prior to your shipment of the subject pesticide product under the enclosed stamped label.

Sincerely yours,

for Eugene M. Wilson
Joanne I. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

Enclosures (2)

ACCEPTED
with COMMENTS
In EPA Letter Dated

AUG 17 2001

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

572-273

ROCKLAND® Three-Way Lawn Weed Killer

- Kills Dandelion, Knotweed, Henbit, Plantains, Spurge, Poison Ivy, and most other broadleaf weeds.
- One Gallon Covers 32,000 Sq. Ft.
(One Quart Covers 8,000 Sq. Ft.)
(One Pint Covers 4,000 Sq. Ft.)

Contains TRIMEC® Herbicide. Contains 2,4-D, MCPP, and Dicamba

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy) propionic acid.....	3.66%
**Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid.....	7.59%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	0.84%
INERT INGREDIENTS.....	87.91%
	100.00%

THIS PRODUCT CONTAINS:

- *0.26 lb. 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 3.02%
- **0.543 lb. 2,4-Dichlorophenoxyacetic acid equivalent per gallon or 6.30%
- ***0.059 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 0.69%
Isomer Specific by AOAC Methods.


TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements.

Net Contents: One Gallon (128 oz.)
[One Quart (32 oz.)]
[One Pint (16 oz.)]



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Do not get in eyes. Causes substantial but temporary eye injury. Wear face shield or goggles when mixing, loading or applying this product. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin or clothing. Avoid breathing vapors or spray mist. When using this product, wear long-sleeved shirt, long pants, socks, shoes and chemical resistant gloves. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. This product may cause dermal sensitization reaction.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.. Drift or run-off may adversely affect non target plants. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPP and 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPP and 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

REENTRY: Do not reenter or permit workers to reenter until treated areas have dried.

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment	
If in Eyes:	<ul style="list-style-type: none"> -Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> -Call poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to do so by the poison control center or doctor. -Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none"> -Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.

If inhaled:	-Move person to fresh air. -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. -Call a poison control center or doctor for further treatment advice.
For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.	

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod. or for commercial seed production, or for research purposes.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried.

OTHER USE PRECAUTIONS: Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants since injury may result. Do not pour spray solutions near these plants. Whether using a hose-end sprayer or pressure-sprayer, do not use sprays that are fine because they can drift and cause damage to nontarget plants. Coarse droplet sprays are less likely to drift. Use only lawn-type sprayers. Do not spray on carpetgrass, dichondra, not on lawns or turf where desirable clovers are present. Do not spray roots of trees and ornamentals. Do not exceed specified dosages for any area; be particularly careful within dripline of tree and other ornamental species. This product may be injurious to St. Augustine and Centipede grasses. Since injury can be expected on these lawns, "spot-spray" weeds only with a pressure sprayer.

WHEN TO USE: Spray at any time during the growing season, when weeds are actively growing. Treat Chickweed, Henbit, Wild Onion and Garlic in the Fall or in the Spring, as needed. On new lawns, wait until the turf has reached a height of 2 inches before making an overall spray treatment. "Spot-spray" weed treatment, however may be made at any time with a small pressure sprayer, spraying only the weeds at ground level. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results mow before treating. Do not water lawn within 24 hours after treatment. Repeat, if necessary, for hard-to-kill weeds. The maximum number of broadcast applications per treatment site is 2 per year.

SPOT SPRAY: To spray small areas or individual weeds, do not use hose-end sprayer. Mix 1 oz. (2 Tbsp.) in 1/2 gallon water in pressure sprayer and spray as required being certain to "wet" each weed. Be sure to use ROCKLAND SPREADER STICKER according to the directions on that container so that each weed is thoroughly wet.

HOW MUCH TO USE--ENTIRE LAWN

HOSE-END SPRAYER: Use a hose-end sprayer designed for lawns. Put recommended amount of chemical (column 1) in bottle and add water to

indicated level (Column 2), and spray on area indicated. For example - to spray 2,500 sq. ft., measure 10 oz. (20 Tbsp.) in jar and add water to the 10 gallons level and mix. Turn on hose and spray as evenly as possible over 2,500 sq. ft.

Column 1		Column 2	Column 3
Amount Three-Way Lawn Weed Killer to Use		Fill Bottle To (Gallons)	Area to Treat (Sq. Feet)
(Tbsp.)	(Fl. Oz.)		
10	5	5	1250
20	10	10	2500
30	15	15	3750
40	20	20	5000

PRESSURE SPRAYERS: Measure indicated amount of chemical into tank and dilute with water according to the following chart. Use a spray pattern which gives small spray droplets without any fine mist and cover the area indicated

Amount Three-Way Lawn Weed Killer to Use		Amount of Water in Sprayer (Gallons)	Area to be Sprayed (Sq. Ft.)
(Tbsp.)	(Fl. Oz.)		
2	1	1	250
4	2	2	500
6	3	3	750

NOTE: Whether using a hose-end sprayer or pressure sprayer, avoid sprays which are too fine because they can drift and damage ornamental or garden plants.

May be used on Blue Grass, Bermuda Grass or Zoysia lawns, vacant lots, playgrounds and similar areas where hard-to-kill weeds are present. This product is especially effective in the control of hard-to-kill weeds. A partial list of the weeds controlled follows: Bedstraw, Black Medic, Buckhorn, Chicory, Chickweed, Clover, Dandelion, Dock, Ground Ivy, Heal-All, Henbit, Knotweed, Lambsquarter, Lespedeza, Mallow, Morning Glory, Oxalis, Peppergrass, Pigweed, Plantains, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherd's Purse, Speedwell, Spotted Spurge, Wild Carrot, Wild Lettuce, Wild Onion, Yarrow, and many others.

STORAGE AND DISPOSAL

Do not store near food or foodstuffs. Do not store near fertilizers, seed, insecticides or fungicides. Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.


This annotated label reflects changes required per stamped approved label of 2/10/98 7/31/01 Revised First Aid Statements per PR2001-1.

6/8


5

EPA Reg. No. 572-273
EPA Est. No. 572-NJ-1
Product A27301A (Gallon)
A27332 (Quart)
A27316 (Pint)


Manufactured by
Rockland Corporation
West Caldwell, NJ 07006 USA




Connect spray nozzle to hose. Rubber washer should be checked for proper position. Determine area to be treated. For example, 75 sq. ft. = an area measuring 5 ft. x 15 ft.




Remove bottle cap and screw bottle into nozzle (save bottle cap for storage after use). Check siphon tube for proper position. Do not squeeze bottle while attaching nozzle, or during application as contents may discharge. To store unused product: Turn off water supply at tap. Remove bottle from sprayer and replace original bottle cap. Remove nozzle from hose and rinse in clear water.



Hold bottle attached to hose in one hand and turn on the water at the tap. This product will mix automatically at the proper ratio. While holding sprayer at waist level, point in direction away from face and body. Walk back and forth at a brisk, steady pace. Overlap slightly for uniform coverage.



Connect spray nozzle to hose. Rubber washer should be checked for proper position. Determine area to be treated. For example, 75 sq. ft. = an area measuring 5 ft. x 15 ft.




Remove bottle cap and screw bottle into nozzle (save bottle cap for storage after use). Check siphon tube for proper position. Do not squeeze bottle while attaching nozzle, or during application as contents may discharge. To store unused product: Turn off water supply at tap. Remove bottle from sprayer and replace original bottle cap. Remove nozzle from hose and rinse in clear water.



Hold bottle attached to hose in one hand and turn on the water at the tap. This product will mix automatically at the proper ratio. While holding sprayer at waist level, point in direction away from face and body. Walk back and forth at a brisk, steady pace. Overlap slightly for uniform coverage.

HOSE END DIRECTIONS:




SHAKE BEFORE USING


1. Attach garden hose to spray nozzle.



2. Bend safety tab down and turn control to "water".



3. Turn on water supply.



4. Point nozzle toward area/item to be sprayed and turn water control knob to "On". Product will automatically mix with water. Hold bottle level. Use with average water pressure.

*ALTERUATE DIRECTIONS for 12/10/92 8/8
- NOTIFICATION*