ACCEPTED

APR 2 5 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide

registered under __ EPA Reg. No.

Rockland®

Super Kill Insecticide Spray

FOR MILK ROOMS, DAIRY BARNS, STABLES, CATTLE, CALVES, HOGS, HORSES, PONIES AND FEED AND GRAIN STORAGE AREAS.

Contains a high percentage of Pyrethrin and Piperonyl Butoxide in a light mineral oil base and is formulated for use in most any type fogging machine that will produce a very fine mist for thermal fog.

ACTIVE INGREDIENTS

Pyrethrins	0.12%
*Piperonyl Butoxide, Technical	
**INERT INGREDIENTS	
	100.00%

^{*}Equivalent to 0.38% (butylcarbityl) (6-propylpiperonyl) ether and 0.096% related compounds **Contains Aromatic Petroleum Solvent.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS:

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do NOT induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

Have the produ	FIRST AID ct container or label with you when calling a poison control center or doctor, or
and the province	going for treatment
If in Eyes:	-Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	-Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If Swallowed:	-Call a poison control center or doctor for treatment advice. -Immediately call a opoison control center or doctor. Do not induce vomiting
	unless told to do so by the poison control center or doctor. Do0 not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	-Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutesCall a poison control center or doctor for treatment advice.

278supkl.doc

If inhaled:	-Move person to fresh airIf person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible
NOTE TO PHYSIC	-Call a poison control center or doctor for further treatment advice. CIAN: Contains Petroleum Distillate - Vomiting May Cause Aspiration
For information re Poison Center at 1-	garding medical emergencies or pesticide incidents, call the International 888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate utensils, feed, water or foodstuffs. Avoid breathing of spray mist. Avoid wetting the hides of animals.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARD: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Super "Kill" Insecticide Spray is ready to use. Use as directed to kill stable flies, horn flies, house flies, mosquitoes, gnats and exposed stages of cereal insects.

HORSES AND PONIES: Spray insect spray from the front of the animals with the direction of the hair, making certain spray nozzle is at least 5 feet from animal. Use not more than an ounce per day. Do not apply to horses intended for human consumption.

BARN AND STABLE SPRAY: Use in barns, milk houses, outbuildings and pens for effective control of all flies. Spray on walls, ceilings, pens, posts, stalls, windows and doors, where flies congregate. Close doors and windows for 10 minutes when spraying to avoid draft, waste and obtain better results. Use fogger, power or compressed air sprayer, if preferred, that throws a good fine even spray. Direct the mist toward the upper portion of the enclosure filling the air with fog or fine mist, using 2 ounces of spray per 1000 cubic feet or air space.

ANIMAL SPRAY: **CATTLE, CALVES, HOGS**: Spray animals with a fine mist at least once a day to kill horn flies, houseflies, mosquitoes.

DAIRY CATTLE: For killing these flies, spray at milking time and only when necessary. No more than 2 ounces of spray should be applied per animal per application. Tabanids to be killed must be hit directly by spray.

TO KILL EXPOSED STAGES OF CEREAL INSECTS (granary, weevil, rice weevil, saw toothed grain beetle, confused flour beetle, rusty grain beetle, red flour beetle, cadelles, meal worms, grain mites, Angoumois grain moth, Indian meal moth and Mediterranean flour moth): Clean and sweep flour and grain bins and chutes. Fog thoroughly with special emphasis to forcing spray into cracks and checks of ceilings, walls and floor. To be effective fog must penetrate hiding places of insects. Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

As a preventive control, fog once a week during warm months, even though insects are not visible. When insects are visible, repeat fogging as often as necessary.

278supkl.doc

STORAGE AND DISPOSAL

STORAGE: Store unused material in original container only in a locked, dry storage area out of reach of children and animals. Keep container tightly closed. Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticides, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: ONE GALLON - Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash. Rinse thoroughly before discarding in trash. TWO GALLONS AND LARGER - Triple 'rinse (or equivalent). Then offer for recycling or reconditioning, or, puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 572-278 EPA Est. No. 572-NJ-1 Product C278 Manufactured by Rockland Corporation West Caldwell, NJ 07006