

ROCKLAND

LAWN FUNGICIDE 2787

TREATS 2,500 SQ. FT. (Preventative Rate)

For control of Brown Patch, Dollar Spot, Copper Spot, Gray Leaf Spot, Stem Rust of Bluegrass, Helminthosporium and Curvularia.

ACTIVE INGREDIENT
Chlorothalonil (tetrachloroisophthalonitrile)* 2.50%
INERT INGREDIENTS: 97.50%
*Covered under U.S. Patent No. 3,290,353 and 3,331,735

CAUTION: KEEP OUT OF REACH OF CHILDREN.
READ ENTIRE LABEL BEFORE USING THIS PRODUCT

CONTAINS: Chlorothalonil fungicide, a broad spectrum fungicide that is highly effective for the control of a number of important turf and lawn diseases. It is used extensively for maintenance of golf courses and other turf areas.

CONTROLS: BROWN PATCH (*Rhizoctonia solan*), DOLLAR SPOT (*Sclerotinia homoeocarpa*), COPPER SPOT (*Gloeocercospora sorghi*), GRAY LEAF SPOT (*Piricularia grisea*), AND STEM RUST OF BLUEGRASS (*Puccinia graminis*) and HELMINTHOSPORIUM LEAF SPOT, MELTING OUT (*Helminthosporium spp.*) and CURVULARIA (*Curvularia spp.*)

DIRECTIONS

1. Apply when lawn is damp.
2. Do not water or mow for at least 24 hours after application.
3. Adjust spreader settings to cover 1,000 sq. ft. with 8 lbs. material use 1/2 times rate for treatment of severely diseased areas.
4. For control of HELMINTHOSPORIUM LEAF SPOT, MELTING OUT (*Helminthosporium spp.*) and CURVULARIA (*Curvularia spp.*) use preventative rate in early spring, continue at 7 to 10 day intervals as long as wet weather prevails and conditions favor disease.
5. For control of BROWN PATCH (*Rhizoctonia solan*), DOLLAR SPOT (*Sclerotinia homoeocarpa*), COPPER SPOT (*Gloeocercospora sorghi*), GRAY LEAF SPOT (*Piricularia grisea*), AND STEM RUST OF BLUE GRASS (*Puccinia graminis*), use at preventative rate in early spring to early summer and continue at 7 to 14 day intervals into early fall.

Suggested Spreader Settings

Cyclone	6	Lawn Beauty	10
	Scott		6 1/2

These suggestions are for your guidance in spreading this material. They are in no sense a guarantee of exact application. Age and wear of spreader, speed of operation and roughness of terrain can cause variations in rates applied.

CAUTION: Keep out of reach of children. Do not take internally. Can be irritating to eyes or skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Keep children and animals off treated areas. DO NOT contaminate feed or foodstuffs. Do not graze treated areas or feed clippings to livestock.

This product is toxic to fish. DO NOT contaminate ornamental fish ponds. Keep out of lakes, streams or ponds. DO NOT contaminate water by cleaning equipment or disposal of wastes.

DO NOT reuse containers destroy when empty.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Net Weight 20 Lbs

Manufactured by

ACCEPTED

MAY 23 1974

52280

572-2500

ROCKLAND CHEMICAL CO.

PASSAIC AVENUE

WEST CALDWELL, NEW JERSEY