

NET CONTENTS ONE GALLON  
ROCKLAND

Do not allow children in treated areas until surfaces are dry.

Should poisoning occur, obtain prompt medical aid.

**ANTIDOTE**—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not apply when weather conditions favor drift of spray. Do not use inside homes or in buildings where food is processed or stored.

Do not apply directly to animals. Do not apply as a space spray.

Do not use on or allow spray treatment to drift onto water supplies.

Do not contaminate food, drinking water, or milk-handling equipment. Do not apply sprays to flowers or other ornamental plants.

**ENVIRONMENTAL CAUTIONS:** This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

Rinse equipment and containers and dispose of wastes by burying in non crop land away from water supplies. Dispose of empty container by perforating and burying with wastes.

Do not use container in any connection with feed, food and drinking water.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 572-284

EPA Est. 572 NJ 1

BA-6-11-1975



# RESIDUAL FLY SPRAY "B"

572-284

**ACCEPTED**

APR 28 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. No.

## CONTAINS BAYTEX®

### FOR 7-8 WEEK RESIDUAL FLY CONTROL

**WARNING: KEEP OUT OF REACH OF CHILDREN.**  
See back panel for additional cautions

**ACTIVE INGREDIENTS:**

Fenthion, O, O-Dimethyl O-[4-methylthio]-m-tolyl] phosphorothioate\* 25.2%  
Aromatic Petroleum Distillate 67.8%

**INERT INGREDIENTS:**

7.0%

Contains 2 lbs. fenthion per U.S. gallon  
\*U.S. Patent No. 3,042,703  
BAYTEX is a Reg. TM of the German trademark proprietor, Leverkusen.

Manufactured by  
Rockland Chemical Co. Inc.  
100 State Ave.  
Methuen, Mass.

**IBA, INC.**

Methuen, Massachusetts 01527

FOR USE ONLY BY PEST CONTROL OPERATORS, PUBLIC HEALTH OFFICIALS, AND LIVESTOCK PRODUCERS.

DO NOT STORE IN OR AROUND THE HOME ENVIRONMENT.

### DIRECTIONS FOR USE

READ THESE ENTIRE DIRECTIONS AND WARRANTY OF SALE. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

IBA RESIDUAL FLY SPRAY-B insecticide is recommended for use wherever flies are a problem. It provides long residual control and is equally effective against DDT-resistant and non-resistant varieties. The spray can be applied to any surface, including freshly white-washed areas, without loss of biological effectiveness.

**MIXING**—The spray concentrate forms an emulsion when diluted with water. The resulting spray is suitable for use in hand or power-operated sprayers. To Mix with water, pour required amount of RESIDUAL FLY SPRAY-B into full amount of water and then agitate. Use specified dosage in the amount of water necessary to give uniform coverage. The type of equipment used will determine the concentration required.

**HOUSE FLIES**—For residual fly control, mix 4 to 8 oz. in 1 gallon of water for application per 500 square feet or to run-off in localized areas on patios, other outdoor structural surfaces, in buildings including dairy and beef barns and poultry houses. Applications should be made to surfaces of buildings, screen doors, window frames, around outdoor light fixtures, garages, and other surfaces where these insects congregate. Residual control lasts 7 to 8 weeks for the lower rate and even longer at the higher rate. Repeat as necessary.

**WARNING:** May be fatal if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before reuse.

Avoid contamination of feed, food, or food handling equipment. If food handling equipment becomes contaminated clean thoroughly before reuse. Keep out of reach of children.