

# Rockland

## Horse & Livestock Fly Spray

- Water Base Product
- Leaves No Oily or Objectionable Residue.

### ACTIVE INGREDIENTS:

Pyrethrins.....0.1%  
 \*Piperonyl Butoxide, technical ..... 1.0%  
 INERT INGREDIENTS:.....98.9%


\* Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and to 0.2% related compounds.

EPA Reg. No. 572-287

EPA Est. No. 572-NJ-1

KEEP OUT OF REACH OF CHILDREN

CAUTION



See Back Panel for complete precautionary statements

Net Contents: One Quart, One Gallon

Horse & Livestock Fly Spray is an effective, fast acting insecticide for Horses, Dairy Animals and Livestock.

### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION:** Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Do not induce vomiting. Call physician or Poison Control Center immediately. **IF IN EYES:** Flush with plenty of water. Get medical attention. **IF ON SKIN:** Remove contaminated clothing. Wash affected area with soap and water. Launder clothing before reuse. **IF INHALED:** Remove from contaminated atmosphere.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To protect **Cattle** and **Horses** from Horn Flies, House Flies, Mosquitoes, and Gnats, apply a light mist sufficient to wet the surface of the hair. To control Stable Flies, Horse Flies and Deer Flies, apply at a rate of 2 ounces per adult cow or horse, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

To control Blood-Sucking lice, apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 2 to 3 weeks if required.

**STORAGE:** Store unused material, in original, closed container only, in a locked storage area out of reach of children and animals. Do not contaminate water, food or feed by storage or disposal.

**DISPOSAL:** Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 572-287

Manufactured by  
Rockland Corporation  
West Caidwell, NJ 07006

EPA Est. No. 572-NJ-1  
Product C28732,01

UPC