



**COMPANY
NUMBER** _____

572-

**PRODUCT
SERIAL NO.** _____

292

**LABEL
APPROVAL
DATE** _____

5-22-85

MAY 22 1985

Judith E. Lenn
Rockland Chemical Co., Inc.
P.O. Box 809
West Caldwell, NJ 07006

300/142113
17/3

Dear Miss Lenn:

Subject: Draft Labels, Professional 54
Diaxinon Granular Lawn Insecticide
EPA Registration No. 572-292
Your Application Dated December 10, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Change Active Ingredient to read:

Diaxinon [O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidyl) phosphorothioate].

Note: Uppercase "O,O-D."

2. Eliminate second "CAUTION: Keep out of reach of children" since it appears above.
3. At end of Spot Treatment and at end of Band Treatment Around Foundations add: "Water lightly after application."
4. See enclosed sample label for acceptable "Statement of Practical Treatment," "Precautionary Statements" and Storage and Disposal formats.
5. Delete "Professional" from the product name and also the statement "For Professional Use Only." These terms are unacceptable unless you identify the specific user group intended to use the product

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

such as "For Pest Control Operators Only." If the product is not sold to the homeowner you may incorporate the term "For Commercial/Industrial Use Only."

6. Under environmental hazards on the sample label replace the statement "Do not apply where runoff is likely to occur" with "Birds feeding on treated areas may be killed."

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:JOB:85816:LaRocca:RD:85/31:Kendrick&Co:898-1270:5/16/85:Del:5/22/85:DKD

PROFESSIONAL
5% DIAZINON GRANULAR
LAWN INSECTICIDE

BEST AVAILABLE COPY

For Professional Use Only

ACTIVE INGREDIENT:

o,o-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl)
 phosphorothioate*.....5%

INERT INGREDIENTS:.....95%

*Diazinon® Trademark of Ciba-Geigy Corp.

KEEP OUT OF REACH OF CHILDREN (12 point type)

CAUTION (18 point type)

Read entire label before using this product.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: Keep out of reach of children. Harmful if swallowed. Avoid contamination of food and feed. Do not store near food or feed products. Avoid inhalation of dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. May be absorbed through the skin.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

OVERALL LAWN APPLICATION

To control the following lawn insects on both grass and dichondra lawns: Chinch Bugs, Earwigs, Ticks, Ants, Lawn Moths (Sod Webworms), Bermuda Mites, Crickets, Armyworms, Brown Dog Ticks, Chiggers, Clover Mites, Cutworms, Fleas, Leafhoppers, Sowbugs, Millipedes, Springtails (Collembola).

Apply to your lawn with a fertilizer spreader at the rate shown in the table below. Application should be made when grass is dry. Water lawn lightly after application. Repeat as necessary. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

For application with other types of equipment, or by hand, apply at the rate of 2 lbs. per 1000 sq. ft. (an area 20' by 50') or 3.2 oz. per 100 sq. ft. (an area 10' by 10'). For heavy lawns, application should be increased to 3 lbs. per 1000 sq. ft. (or 4.8 oz. per 100 sq. ft.).

Billbugs and White Grubs of Japanese Beetle, European Chafer, Southern Chafer. Apply 2.5 lbs. per 1000 sq. ft. of lawn. Water grass thoroughly after application. For grub control make application any time between late July and early October. For Billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. Repeat as necessary.

Hyperodes Weevil (New York only). Apply 2 lbs. per 1000 sq. ft. of grass. Water grass thoroughly after application. Treat problem areas in mid-April and again in mid-May.

SPREADER SETTING NO.

(per 1000 sq. ft.)
 insects listed below*

Spreader Make and Model	Regular or Dichondra Lawns — 2 lbs.	St. Augustine Lawns — 3 lbs.	White Grubs, Billbugs and Hyperodes Weevil. — 2 1/2 lbs.
Scott	5-1/8	6-1/8	5-5/8
Jackson 18-24 (18")	6	6-3/4	5-1/2
Salem Micro Set (22")	8-5/8	8-1/4	8-7/8
Cyclone Models 10, 15, 20	4-3/4	5-3/4	5-1/4
Model B-1	4	6-1/2	6
Lawn Beauty	6	6-7/8	6-1/2
Greenfield Model 103	4	6-1/2	5
Model 105	7	8	7-1/2

*Chinch Bugs, Earwigs, Ants, Bermuda Mites, Lawn Moths (Sod Webworms), Crickets, Armyworms, Brown Dog Ticks, Chiggers, Clover Mites, Cutworms, Fleas, Leafhoppers, Sowbugs, Millipedes, Springtails (Collembola).

These suggestions are for your guidance in spreading this material.

ACCEPTED
 with COMMENTS
 EPA
 MAY 2 1985
 Insecticide,
 Pesticide Act
 the pesticide
 EPA Reg. No.
 Avoid 572-292

