

ROCKLAND CHEMICAL CO., INC.

P. O. BOX 809

WEST CALDWELL, N. J. 07006

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

APR 5 1983

Under the Fungicide, and Fungicide, and Fungicide Act  
as amended, for the Fungicide's  
registered under EPA Reg. No.  
572-307

Rockland

Maneb Fungicide

*Label* → Vegetable garden fungicide for Tomatoes,  
Beans, Carrots and many others  
Mix with water

ACTIVE INGREDIENT:

Maneb (Manganese ethylenebisdithiocarbamate)..... 80%  
(Metallic Manganese equivalent 16.5%)

INERT INGREDIENTS:..... 20%  
100%

CAUTION: KEEP OUT OF REACH OF CHILDREN  
See back panel for additional cautions

*Weight*  
Net ~~Contents~~ SIX OUNCES

3/23/83

~~1/26/83~~

ROCKLAND CHEMICAL CO., INC.

P. O. BOX 809

WEST CALDWELL, N. J. 07306

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS:

CAUTION: MAY IRRITATE EYES, NOSE, THROAT AND SKIN. MAY BE HARMFUL IF INHALED OR SWALLOWED. Do not breathe dust or spray mist. In case of skin contact, wash with water; for eyes, wash copiously with water and get medical attention. Protective clothing consisting of a long sleeved shirt, gloves, hat and boots must be worn during mixing and applying.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. PHYSICAL HAZARDS: Keep away from fire and sparks.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use only in accordance with recommendations on this label.

Sprays: Use at a rate of  $\frac{1}{2}$  to  $1\frac{1}{2}$  oz. per 3 gals. of water, unless otherwise stated below. Thoroughly cover upper and undersides of foliage.

MANEB FUNGICIDE can be applied alone or with various other pesticides in recommended spray schedules. Consult your State Agricultural Extension Service Specialists for information on compatibility, dosage, timing, and frequency of spray. Always observe any listed timing restrictions between last application and harvest to avoid the possibility of residues in excess of the tolerances established.

The addition of ROCKLAND SPREADER-STICKER to the spray mixture improves distribution of the spray.

STORAGE AND DISPOSAL

Do not contaminate water, food or feeds by storage or disposal. STORAGE: Store in a cool, dry place. Do not allow to become wet or overheated during storage. This may bring on chemical changes which will impair its effectiveness and may also generate flammable vapors. Keep container closed when not in use. DISPOSAL: Do not use empty container. Wrap container and put in trash collection.

TOMATOES: Anthracnose, Early and Late Blight, Septoria Leaf Spot, Stemphylium (Gray Leaf Spot), and Cladosporium Gray Mold. Begin spraying when diseases first appear and repeat at 7 to 10 day intervals or more often during severe late blight conditions. Use  $1\frac{1}{2}$  oz. in severe Anthracnose area. Do not apply within 5 days of harvest.

BEANS: Anthracnose, Downy Mildew, Rust. Apply when diseases first appear and repeat at weekly intervals. Do not apply to String Beans within 14 days of harvest. Do not apply to Lima Beans within 4 days of harvest. Do not feed treated Lima Bean forage on hay to livestock.

CABBAGE, CAULIFLOWER: Alternaria Leaf Spot, Downy Mildew. Use  $\frac{1}{2}$  to  $1\frac{1}{2}$  oz. (except on cabbage, 1 oz. maximum). Begin applications as soon as disease threatens and repeat at 7 to 10 day intervals. Do not apply within 7 days of harvest.

CARROTS: Cercospora Leaf Spot, Leaf Blight. Begin applications when diseases first appear and continue at 7 to 10 day intervals during the growing season, or as required for adequate control.

ROCKLAND CHEMICAL CO., INC.

P. O. BOX 800

WEST CALDWELL, N. J. 07006

CUCUMBERS, SQUASH, WATERMELONS: Anthracnose, Downy Mildew, Gummy Stem Blight. Start applications when runners begin to form or at the first sign of disease. Repeat at weekly intervals. Direct spray to underside of leaves. Do not apply within 5 days of harvest.

LETTUCE: Downy Mildew. Apply at first signs of disease and repeat at 7 to 10 day intervals as required. Do not use within 10 days of harvest. Remove residues from head lettuce by stripping and trimming and from leaf lettuce by washing and other effective means.

PEPPERS: Anthracnose, Fruit Rot. Apply as fruit begins to form and at weekly intervals through harvest.

POTATOES: Early and Late Blight. Apply every 7 to 10 days throughout the season. Begin applications early applying  $\frac{1}{2}$  oz. Use  $\frac{3}{4}$  to 1 oz. as vines increase in size.

PUMPKINS: Angular Leaf Spot and Downy Mildew. Use  $\frac{1}{2}$  oz. in sufficient water to wet plants thoroughly. Start applications when disease threatens and repeat at 7 to 10 day intervals as needed.

APPLES: Bitter Rot, Black Rot (fruit and foliage), Cedar Apple Rust, Fly Speck, Scab, Sooty Blotch and White Rot. Use 4 to 6 oz. per 25 gal.s. Apply at 7 to 14 day intervals throughout the season. For Scab, begin at green tip or delayed dormant stage; for Cedar Apple Rust, at blossom time; for other diseases at first cover. Do not graze live stock in treated areas. Do not apply within 30 days of harvest.

TABLESPOON enclosed for easy measuring.

This package is sold by weight, not by volume. Some settling of contents may have occurred during shipping and handling.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured for

Rockland Chemical Co., Inc.  
West Caldwell, NJ 07006 U.S.A.

Product

EPA Reg. No. 572-

EPA Est. 572-NJ-1

<b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b> <b>OFFICE OF PESTICIDES PROGRAMS</b> <b>REGISTRATION DIVISION (MH-567)</b> WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	

**NOTICE OF PESTICIDE:**  REGISTRATION  REREGISTRATION  
*(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)*

**NAME AND ADDRESS OF REGISTRANT (Include ZIP code)**

		161	94300
		18	1

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------