ACCEPTED
OCT 1 8 1985
... Insecticide ...
... R Pesticide Act ...
... for the pesticide
... under
EPA Reg. No. 572-314

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. When mixing the product in these areas apply only when the facility is not in operation.

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before reuse. Remove pets, birds and cover fish aquariums before spraying. When using in animal quarters, do not apply directly to food, water or food supplements. Wash teats of dairy animals before making.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard. Call a physician at once. If in eyes or on skin: Flush with plenty of water. Get medical attention if irritation persists.

PHYSICAL & CHEMICAL HAZARDS

Do not use or store near heat or open flame. FLASH POINT MIN. VALUE 150°F (65.5°C)

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. NOTE: This spray when dry and properly as described and applied per the directions and cautions given conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1205 and the food additive tolerances established thereunder. When ground with oil as specified on this label for use as an indoor space spray, this product may be applied in facilities operating under U.S.D.A. poultry meat rabbit and egg products inspection program.

#K61212

NET CONTENTS: 12.5 Fluid Ounces

PYRETHRIN DAIRY SPRAY "C"

CATTLE BARNS | POULTRY HOUSES | SWINE HOUSES
Truck Trailers | Meat Packing Plants
Warehouses | Granaries | Zoos

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is effective in the control of the indicated insects at the application dosages the directions, & rate as enumerated below.

As spray to ground moths, Ants, Boarder bugs, Clothes Moths, Cheese skippers, Cigarette beetles, Clover mites, Confused flour beetles, Dll, Meal worms, Deer flies, Dried fruit bee, etc, Egg store beetles, Earwigs, Fruit flies, Fly specks, Flies, Grain, Grain mites, Granary weevils, Horn flies, Hornets, Horse flies, House flies, Indian meal moths, Lice, Mice, Mediterranean flour moths, Mosquitoes, Mushroom flies, Red flour beetles, Rice weevils, Sap beetles, Sawtoothed grain beetles, Small flying moths, Spider beetles, Stable flies, Tobacco moths, Yellow mealworms.

SPACE SPRAY/CONTACT USE AREAS

Bakeries, Bevel ge Plants, Cattle Barns, Flour Mills, Food Processing Plants, Grain Elevator, Gleaning, Hornets, Horse Barns, Hospitals, Hotels, Industrial Installations, Meat Packing Plants, Motels, Office Buildings, Poultry Houses, Railroad Cars, Restaurants, Schools, Stored Food in mills and paper or cloth bags, Supermarkets, Swine Houses, Truck Trailers, Warehouses, Zoos.

INDOOR USE AS A SPACE SPRAY, ROUTED

Cover or remove exposed food and food handling surfaces. For use in conventional mechanical fogging equipment to kill house flies, fruit flies, mosquitoes, small flying moths and gnats. Close room and shut off all air conditioning or ventilating equipment. Dilute 1 part of this product plus 49 parts of oil (refined kerosene) and mix well. Apply as directed below.

ANIMAL QUARTER USE (Cattle Barns, Horse Barns, Poultry Houses, Swine Houses, Zoos)

As a space spray applied for use in conventional mechanical fogging equipment to kill house flies, mosquitoes, small flying moths and gnats. Apply at the rate of 2 fl. ozs. per 1000 cu. ft. of space above the animals. Direct spray towards the upper portions of the enclosure. Keep the room with mist. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment when reinfestation occurs.

FOR USE ON ANIMALS

To protect beef and dairy cattle, horses, and dogs from biting house flies, mosquitoes and gnats. Apply a light mist sufficient to wet the hair of the animal. To control stable flies, horse flies and deer flies on beef and dairy cattle and horses, apply 2 ozs. of diluted spray per adult animal, sufficient to wet the hair but not to soak the hide. Repeat treatment once or twice daily, or at intervals to give continued protection. To control the mature stages of blood sucking lice on beef and dairy cattle, apply the spray to thoroughly wet the hair. Use 2 ozs. or less per animal and repeat every 2 to 3 weeks as required.

SURFACE SPRAY

To insure maximum control of crawling insects (ants, boarder bugs, clover mites, dropsome beetles, earwigs, flea, spider beetles). Apply as a coarse droplet spray using approximately 1 gallon of diluted spray to 750 sq. ft. of surface. Spray walls, floors and other surfaces of area and storage and handling areas. Thoroughly spray work (daily cards) to treat cracks, crevices and similar hiding places. Treat unloading, handling and processing areas and inside conveying processing and handling equipment. Spray thoroughly around the base of heavy machinery and equipment. Spray insects directly when passive.

For in-transit protection clean and spray truck beds, boxcars and ship's hold before loading. Thoroughly treat walls and floors and spray each layer of cartons or containers right as stacked.

To control beetles **meal moths** and **Angoumois meal moth** in stored grain, apply to the surface of bin-ed grain at a rate of 1 gal. of diluted spray per 1000 sq. ft. Apply at monthly intervals with the first appearance of moths and continuing until early fall. In case of severe infestations, break up webbing with rake before spraying and make a second application in two weeks.

As an aid in the control of **mosquitoes, gnats, midges and stoppers**, treat walls, ceilings, moldings, screens, door and window frames, beams, light cords and similar resting places.

INDOOR USE AS A SPACE SPRAY, UNROUTED

Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off recirculating systems. Use a fogger or atomizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at a rate of ½ ounce per 1000 cu. ft. of space. Direct the spray low and into ceiling and upper corners of the area and behind obstructions. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

The above described application will kill accessible, exposed stages of pests (including fruit flies) mosquitoes, small flying moths, gnats, midges, hornets, cover mites, cheese mites, cheese skippers, boarder bugs, earwigs, ants, and the following common stored product pests: granary weevils, rice weevils, confused flour beetles, saw toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, tobacco moths, yellow mealworms, dark mealworms, grain mites, cadelles and red flour beetles.

DRIED FRUIT PRODUCTS in storage or being processed for control of confused flour beetles, dried fruit beetles, Indian meal moths, saw toothed grain beetles. Remove and destroy infested products. As noted above, disperse this product as a fine mist in the air above the trays and shelves. Do not apply to food directly. Use one ounce per 1000 cu. ft. of space. Repeat application at this dosage in any grain stands. Leave the room closed for 1 hour. Do not remain in treated areas and ventilate area before re-entry. This application will kill accessible, exposed stages of dried fruit beetles as well as those pests named above.

STORED FOODS. (Stored in multi-walled bags or in cloth bags) in warehouses, storage rooms, flour mills, grain elevators, granaries for control of Angoumois grain moths, cadelles, confused flour beetles, Indian meal moths, Mediterranean flour moths, rice weevils, saw toothed grain beetles, yellow mealworms, cheese mites, cheese skippers, cigarette beetles, grain mites, granary weevils, dark mealworms, red flour beetles. Remove and destroy infested products. As noted above, disperse this product first directing sprays into corners, under pallets, facing all many insects as possible and then treat as a space spray. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Use a dosage of 1 fl. oz. per 1000 cu. ft. of room space. Repeat applications as necessary for insect control. Leave the room closed for 1 hour. Do not remain in treated areas and ventilate area before re-entry. This application will kill accessible, exposed stages of those stored product pests listed above.

STORAGE AND DISPOSAL

STORAGE. Store product in original container in a locked storage area. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or Local procedures.

CONTAINER DISPOSAL: Puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damage resulting from its misuse or such or in combination with other materials.

EPA Reg. No. 572-314-11403
EPA Est. 572-NJ-1