

1/1 572-315 FPL 17

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS: WARNING.** May be fatal if swallowed. Harmful if absorbed through skin. Causes skin irritation. May cause substantial but temporary eye injury. Wear safety glasses. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL AND CHEMICAL HAZARDS: DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.** Flash Point minimum 110°F.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store unused material, in original container only, in a locked storage area out of reach of children and animals. Keep container tightly closed.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

**CONTAINER DISPOSAL: ONE GALLON OR LESS:** Do not reuse empty container. Securely wrap in several layers of newspaper and discard in trash. Rinse thoroughly before discarding in trash. **FIVE GALLONS & LARGER —** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

**WARRANTY:** Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

**FOR HOME GROUNDS, PARKS, RECREATIONAL AREAS, COMMERCIAL GREEN HOUSES, LATH HOUSES, and INTERIOR PLANTSCAPE** to Control insects on Shade Trees, Ornamentals and Flowering Plants. For use on such plants as poplar, linden, dogwood, willow, birch boxelder, maple, oak, elm, pine, spruce, cedar, yew, spirea, rose, lilac, zinnia, aster, pelunia, geranium, dahlia, gladiolus, phlox, sweet pea, marigold, carnation, chrysanthemum, and rose. Mix this product with water as described in the following chart. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plant. Do not apply this product within one day of collection. Repeat every 5-10 days or as needed. Keep diluted spray away from light.

Use with caution in greenhouses and on interior plants: African violet, azalea, Reiger begonia, browallia, Tahitian bridal veil, caenothus, camelia, plumosa fern, gloxinia, impatiens, geranium, oxalis, jade, primrose, cyclamen, wax begonia, spider plant, chrysanthomum, Boston fern, geranium, and friendship plant.

As with all plants listed above, especially carnations, chrysanthemums and roses, there exists a wide variety of species and cultivars, and therefore a wide range of susceptibility to injury. To ascertain possible phytotoxicity, spray a few plants as described below. Wait 24 hours and check for possible injury.

**NOTE:** Do not apply this product to plants in food service areas. Remove infested plants out of eating areas before application. They may be returned to original locations when spray is dry.

**GENERAL ARBORICULTURAL APPLICATION:** Use 1-4 pts. per 100 gals. for control of leaf feeding homoptera, coleoptera and lepidoptera insects.

**MIST BLOWER APPLICATION:** Follow Spray Equipment Manufacturer's directions for equivalent dilution rates.

# Rockland®

## ROTENONE-PYRETHRUM INSECTICIDE

An Emulsifiable Concentrate for Insect Control on FRUITS, VEGETABLES, ORNAMENTALS and FLOWERING PLANTS.

**ACTIVE INGREDIENTS:**

Rotenone.....	1.1%
Other Cube Extractives.....	2.2%
Pyrethrins.....	0.8%
Petroleum Distillate.....	3.2%
Aromatic Petroleum Solvent.....	84.7%

**INERT INGREDIENTS:**

.....	8.0%
.....	100.0%

Contains 0.08 lb/gal of Rotenone  
0.06 lb/gal of Pyrethrins

EPA Reg No 572-315

EPA Est 572-NJ-1

**PRECAUCION AL CONSUMIDOR:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. **TRANSLATION:** (To the user: If you cannot read English, do not use this product until the label has been fully explained to you.)

### KEEP OUT OF REACH OF CHILDREN WARNING

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**IF INHALED:** Remove from contaminated atmosphere.

**IF ON SKIN:** Remove contaminated clothing. Thoroughly wash affected area. Launder clothing before reuse.

**NET CONTENTS:**

**PESTS**  
Aphids, Leafhoppers, Exposed T

Oblique banded Leaf Rollers, Saw larvae, Boxelder bugs, Japanese beetle Larvae, Mites, Lygus bugs, Greenhouse Whiteflies, Stink bugs, hoppers, Greenhouse Leafhoppers, Cucumber beetles, Rose chafers, Ants, Aster beetles, Flea beetles

**ADDITIONAL APPLIC AGRICULTURAL CROPS LABOR TASKS:**

Do not apply this product through drift, expose workers must be vacated by uprote Do not enter treated areas v have dried. Protective clot suitable head covering, a trousers or a coverall type g ing the body), shoes and so Because certain states may vals for various crops treat Department of Agriculture f Written or oral warnings n pected to be in treated area this product. Instruct worke be vacated and not re-entere workers with the informa "Hazards to Humans and C Practical Treatment." Whe shall be given in a langua FOR USE ON VEGETABLE cucumber, squash, muskm lettuce, celery, asparagus, corn: Mix with water as des or automatic sprayer as a c give complete coverage of within one day of harvest. Keep diluted spray away fr

**PESTS**  
Aphids, Leafhoppers, Exposed

Cabbage Worms, Bean Beetles, Webworms, Sod Webworms, As Japanese Beetles, Lygus Bugs, Fleahoppers, Harlequin Bugs, C Leaf Rollers, Stink Bugs, Celery Worms, Tortoise Beetles, Garden

Africa Webworms and Mites  
Cucumber Beetles, Flea Beetle, Vegetable Weevils, Squash Bug, Squash Vine Borers, European, 4 applications or more as eggs rereated at 5 to 7 day intervals

**FOR USE ON FRUITS AND** plum, cherry, grape, curr strawberry and blueberry, cient spray mix to give com ply this product within one or as needed. Keep diluted

**PESTS**  
Aphids, Leafhoppers, Exposed

Imported Currant Worms, Goose Fruit Worms, Raspberry Fruit Maggots, Cherry Fruit Flies, St Worms (adult), Red necked Bor beetles, and Mites  
Strawberry Leafhoppers and Roc

**ACCEPTED**  
DEC 24 1985  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 572-315

**ROCKLAND**  
Wc